

- Onobrychis flore purpureo*, G. 1243. P. 1082. In some mountainous parts in *Surrey* plentifully.
- Ophioglossum*, *Adders tongue*, G. 404. P. 506. Ludit quandoque, bilinguisque ex accident; invenitur. In pratis humidis.
- Orchis Andrachnites*, *Spiders Satyrion*, G. 216. *Orchis Arachnites*, P. 1352. In an old Stone-pit ground hard by *Walcot* a mile from *Barnack*, it flows betimes, Dr. *Bowles*.
- * *Orchis Antropophora autumnalis* Col. mas C B. & P. 1347. The man *Orchis*.
- * *Orchis Antropophora Oreades altera* Col. pag. 318.
- * *Orchis Oreades trunco pallido*, brachiis & cruribus saturate rubescentibus. These three *Satyrions* were found on several *Chalkey hills*, neer the high way from *Wallingford* to *Redding* on *Barkshire* side the River by Mr. *Brown*.
- Orchis Batrachites*, *Frog Satyrion*, G. 224. P. 1352. by *Barkway*, and in many places about *Oxford*.
- * *Orchis Batrochoides autumnalis fl. luteo parvo*, three miles on the East side of *Lewis* in *Sussex*.
- Orchis Hermaphroditica*, *Butterfly Satyrion*. G. 211. *Serapias bifolia*, sive *trifolia minor*, P. 1350.
- Orchis Hermaphroditica* supremo petiolo purpura maculato, By *Uden Lodge* in *Pennystone Moor York shire*, Mr. *Stonhouse*, Ph.
- Orchis Melittias*, *Bee-Orchis*, G. 213. P. 1352. In *Chalkey Holes* on *Bansted Downs* in

Surrey, and many places about *Oxford* and in *York-shire*

Orchis Myodes Fly Satyrion, G. 213. *Orchis Myodes minor*, P. 1352. on a Hill South-west of *Bath*.

Orchis Myodes lutea, G. 214. In montosis pratis, *Orchis Myodes purpurascens*, In *Troadworth* wood *York-shire*, Mr. *Stonehouse*. Ph.

Orchis Myodes flore coccineo, In *Swanscomb* wood, idem.

Orchis Orthinophora, *Birds Satyrion*, G. 215. *Orchis folio maculoso*, P. 1353.

Orchis seu testiculus vulpinus secundus Sphegodes, *Humble Bee Orchis*, G. 212. *Orchis sphegodes five fucum referens*, P. 1350.

Orchis five Cynosoychis morio mas, *Male Fool-stones*, or *Crow-tees*, G. 208. *Orchis morio mas foliis maculatis*, P. 1346. In montosis pratis.

Orchis seu Cynosorchis, *morio fœmina*, *serapias batrachites*, G. 224. P. 1347. In pratis.

* *Orchis five Cynosorchis militaris rubra*, P. 1345. 7. In a Chalkey close neer *Cherryhinton*, where they burn Lime, and in many other places of *Cambridge-shire*, CC.

Orchis seu Cynosorchis major altera, white *Dog-stones*, G. 205. *Cynosorchis latifolia minor*, P. 1344.

Orchis five Chamæorchis latifolia Zelandiæ, P. 1354. In the watery places of *Hinton* and *Feversham-moors*, but rarely.

* *Orchis Zelandiæ minima*. On the bogs betwixt *Southampton* and *Rownams*.

* *Orchis*

* *Orchis Caryophyllata spica longissima rubra*, In many Chalkey grounds, bogs and old pastures betwixt *North-fleet* and *Thames* in *Kent*.

* *Orchis flore albo minimo*, betwixt *Weymouth* and *Margate*.

* *Orchis tota lutea*, Betwixt *Micham* and *Cassalton*, in the first Close over the River, at the Bridge-end.

Orchis Frisia lutea, *Frisland Lady-traces*, G. 219. *Orchis Frisia littoralis*, P. 1354. on *Gads-hill* in *Kent*, and neer *Greenhith*.

* *Orchis militaris polyanthos*, on *Gads-hill* in *Kent*.

Orchis seu Palma Christi mas, *Male Satyrion Royal*, G. 220. P. 1356.

Orchis seu Palma Christi fæmina, G. 220. *Orchis Palmata fæmina*, seu *Palma Christi fæmina maculato folio*, P. 1357.

Orchis, five *Palma Christi palustris*, G. 227. *Orchis palustris maculata*, P. 1360.

* *Orchis palmata flore viridi*, P. 1359. 17. In some Pastures and closes on the north-side of *Chesterton* plentifully, CC.

* *Orchis pusilla odorata*, P. 1354. In a boggy place two miles from *Stanford* in the way to *Stilton*.

* *Orchis palma quadruplici flore cineritio*, At the East end of *Wickham* in a narrow lane.

Orchis palustris lophodes, N D. Tufted *Marish Orchis*, Ph.

Orchis radice repente, G. 227. P. 1353. In sylvis & pratis humidis.

* *Orchis grumosa radice*, A mile South from *Crediton* in *Devonshire*.

Orchis seu *Serapias minor nitente flore*, *Red-handed Orchis*, G. 222. *Orchis palmata minor flore rubro*, P. 1358. In montosis.

Orchis, five *Serapias candido flore*, G. 222. two miles of *Oxford* from *Frier Bacons*, *Study*.

Orchis, seu *Serapias palustris latifolia*, G. 222. P. 1358. In humidis pratis.

* *Orchis spiralis flore luteo limbriato*, On the South side of *Cherry-hinton*, in the last of all the old Chalk-pits you pass through, C C.

Orchis seu *testiculus odoratus*, *Lady traces*, G. 219. *Triorchis alba odorata major & minor*, P. 1354. In montosis & pratis siccioribus.

Orchis, five *Tragorchis maxima*, the greatest *Gaot stones*, G. 210. P. 1348. Nigh the highway between *Crayford* and *Dartford* in *Kent*.

* *Orchis*, seu *Cynosorchis minor Pannonica*, G. 207. *Cynosorchis militaris Pannonica*, P. 1345. On *Gogmagog hills* C C.

* *Orchis abortiva ruffa*. In the woods and grounds by *Stoken Church* in the way from *London* to *Oxford*, *Mr. Witham*.

* *Orchis floribus purpureis*. Near *Hampal* by *Robin-Hoods Well* *Yorkshire*.

* *Orchis* five *testiculus sphegodes hirsutis floribus* C Capp.

* *Orchis spicata fl. luteo*. In cow pastures a mile from *Long Preston* *Lancashire*,

Orchis sphegodes major & minor. Near *Stoken Church*, and in many places about *Oxford*

Oxford and in *York-shire*. Mr. *Witham*.

* *Orchis* fl. nigro splendente. In the pastures near *Settle York-shire*.

* *Orchis strateumatica* major & minor. In *Stoken Church Woods*, Mr. *Witham*.

* *Orchis* five *Cynosorchis* *Pannonica* flore albo
In some grounds of *Chiswell Berk-shire*.

Origanum Anglicum *English Wild Marjoram*,
G. 666. Majoran sylv. P. 12. ad agrorum
margines.

Ornithogalum, *Star of Bethlehem*, G. 165 On the
top of a Hill three miles on this side *Bristol*.

Ornithogalum luteum, five *Cepa agratia*, G.
165. In a Corn field in *Winetaunton Somerset-shire*.

Ornithopodium majus & minus, *Birds-foot*, or
Claw, G. 1241. P. 1092. In ericetis & locis
aridis, On *Black-heath*, and *Hamsted-heath*.

Orobanche, five rapum *Genistæ*, *Broom-Rape*, or
Orobanche, G. 1311. P. 1362. In ericetis &
locis aridis, quandoque ex accidenti ramifica-
tur, uti observavit *Dmus Loggins* alique.

* *Orobanche* vasculo seminali pentagono, vel
Hexagono. In *Surrey* near *White-stable*.

Oxalis. Franca five *Romana*, *Round-leav'd*, or
French Sorrel, G. 397. *Oxalis sativa* Franca
five *Romana rotundifolia*, P. 743. On the
Rocks of Snowden.

Oxalis major forte major *Brockenbergensis*,
Montana maxima, C B.

Oxyacantha vid. *Berberes*.

Oxyacanthus, The *Hawthorn tree*, G. 1327
Spina

Spina appendix vulg. P. 1025. Passim in sepi-
bus.

Oxyacanthus folio & fructu majore. In *Ricot
Park* and elsewhere in *Oxford shire*.

Oxys alba, White *Wood Sorrel*, G. 1201. Tri-
folium acetosum vulg. P. 746. variat flore
rubro, at *Chiselhart* in *Kent*.

Oxys lutea, G. 1202. *Oxys* flore luteo, P. 746.
In sylvis.

P.

P *Papaver cornutum* flore luteo, Yellow Horn-
ed Poppey, G. 367. In maritimis.

* *Papaver cornutum* flore violaceo, G. 367. pa-
paver corniculatum violaceum CC. In the
Corn fields as you go to *Burwel* beyond
Swasham.

Papaver Rhæas, Red. Poppey or Corn Rose, G.
371. P. 363. Inter segetes.

Papaver Rhæas flore purpureo saturo, *Murrey-
flower'd Corn-Rose*, In my own Corn at *Dar-
field*, Mr. *Stonehouse*, Ph.

Papaver sylv. G. 370. Inter segetes.

Parietaria, *Pellitory of the Wall*, G. 331. Pariet.
vulg. P. 437. In muris antiquis & ruderibus.

Paronychia vulg. Common *Whitlow-grass*, G.
624. *Paronychia Alsinifolia*, P. 556. In mu-
ris & tectis passim.

Paronychia folio rutaceo, G. 624. *Paronychia*
foliis incis, P. 556 cum priore, sed rarius.

* *Paronychia Gnaphalii* facie. At *Clapdale* in
York.

Yorkshire in the mid way betwixt *Settle* and *Ingleborough* hill on the rocks.

Pastinaca latifolia sylv *Wild Parsnips*, G. 1025.

P. 944. Ad agrorum margines.

Pastinaca sylv. *tenuifolia*, *Wild Carrot* or *Birds-nest*, G. 1028. P. 901. In agris.

* *Pastinaca latifolia sativa*, *Garden Parsnips*, G. 1025. P. 944. CC.

* *Pastinaca sativa tenuifolia*, G. 1027. *Pastinaca sativa lutea tenuifolia*, P. 901. *Yellow and White rooted Carrot*, CC.

* *Pastinaca sativa atro-rubens*, G. 1027. *Pastinaca sativa altera tenuifolia atro-rubens*, P. 901. Hæ tres *Pastinacæ* seruntur in agris juxta oppida majora & urbes.

Pecten veneris, five *scandix*, *Shepherds-needle*, or *Venus comb*, G. 1040. *Scandix vulg.* five *pecten Veneris*, P. 916. Inter segetes.

Pedicularis, *Lous-wort*, or *Red-Rattle*, G. 1071.

Pedicul. pratensis rubra vulg. P. 713. in pratis humidis, variat flore albidiore.

* *Pedicularis Tragi* 97 cubitalis est altitudinis & foliis *Quercinis*. Two miles East of *Croydon* below the windmill nigh the fish pond.

Pentaphyllum rubrum palustre, *Marsh Cinquefoyl*, G. 987. In the ditches betwixt *Godliman* in *Surrey* and the *Almes-houses*

Pentaphyllum incanum, *Hoary five-leav'd Grass*, G. 988. *Pentaphyllum minus repens lanuginosum*, P. 399. in montosis.

Pentaphyllum five *quinque folium Tormentillæ* facie, in agris siccioribus, & muris, G. 988.
P.

- P.* 399. *Pentaphyllum* seu *Quinquefol*
vulg. *G.* 987. pentaph. majus luteo flore, *P.*
396. Ubique ad agrorum margines.
- Pentaphyllum* supinum *Potentillæ* facie, *G.* 988.
P. 399. In *Tuddington* field and near *Hide-*
Park.
- Peplus*-seu *Esula* rotunda, *Petty Spurge*, *G.*
503. *P.* 194. inter segetes.
- Percepierre* Anglorum, *Parsley Break-stone*, *G.*
1594. polygonum selinoides, *P.* 449. *Colick-*
wort ab *Herefordiensibus*. In agris siccioribus.
- Perfoliata* vulg. *Common Thorough-wax*, *G.*
536. *P.* 580. inter segetes sed rarius.
- Perfoliata* siliquosa, *G.* 536. *Perfoliata* sive *Bras-*
sica campestris, *P.* 580. At *Darfield*, *Mr.*
Stonehouse, *Ph.*
- Periclymeum*, *Wood bind*, or *Honey-Suckles*, *G.*
891. *Periclym.* sive *Caprifolium* vulg. *P.*
1460. in sepibus & sylvis.
- Periclymenum* fol. *Quercims* non procul *Oxo-*
nio. *Mr. Jenner*.
- Persicaria* *Hydropiper*, *Arsmart*, *G.* 445. *Per-*
sicaria vulgaris urens, *P.* 857. In locis humidis.
- Persicaria* maculosa, *Dead or Spotted Arsmart*,
G. 445. *Persicar* mitis sive maculata, *P.* 857.
cum priore.
- * *Persicaria* longissimo & angusto folio, At
Martyns Abbey.
- Persicaria* pusilla repens. *G.* 446. *P.* 857. in fossis.
- Persicaria* siliquosa, *G.* 446. *Mercurialis* sylv.
noli me tangere dicta, *P.* 296. Within a
mile of *Montgomerie* at *Gwern Dhee*, *Mr.*
Morgan,

Morgan, and Near *Bingley York-shire*.

* *Perficaria* foliis Salicinis, In a pond in *St. James's Park*.

* *Perficaria* mitis maculosa spica viridi, at *Kingstone upon Thames*.

Petasitis, *Butter-Burr*, G. 814. P. 419. ad fluminum & rivulorum ripas.

Peucedanum, *Sulphur-wort*, G. 1054. *Peuced.* vulg. P. 880. *Hoggs-fennel*, betwixt *Fever-sham* and the Sea, and at *Whistable* in *Kent*.

Peucedani facie pusilla planta Lob. *Selinum* pumilum montanum Clus. *Dwarf Hoggs-fennel*, or *Rock-Persley* on *St. Vincents Rocks*, G. 1053. 3. *Peucedanum* minus, P. 880.

Phalaris, *Canary-seed*, G. 86. *Phalaris* vulgaris, P. 1163. juxta oppida ex seminibus ejectis.

Phyllitis, *Harts-tongue*, G. 1138. *Phyll.* five lingua *Cervina* vulg. P. 1046. in asperis & umbrosis.

* *Phyllitis* multifida, G. 1138. *Phyllitis* laciniata, P. 1047. Near *Southampton*, ex senescente planta finduntur folia, ideoque forsan à priori non distinguenda.

Pilosella major, *Great Mouse-ear*, G. 638. *Pilosel.* altera erecta, P. 690. ad agrorum margines.

Pilosella repens, G. 638. *Pilosel* minor vulg. repens, P. 690. ad pratorum & fossarum sicciorum margines.

Pilosella siliquata, On the ditch sides in the way to *Marybone*, and in a Close on the left hand of the lane from *Islington* to *Kingsland*. Floret mense Martio, vide optimam iconem apud *Camer.* pag. 7. Huic addit C. Capp. minorem.

Pim-

Pimpinella sylv. *Wild Burnet*, G. 1045. *Pimpin. vulg. major*, P. 582. in pratis.

Pimpinella Hortensis. G. 1045. *Pimpin. vulg. five minor*. *Common Burnet*, P. 582.

Pimpinella Saxifraga, *Burnet Saxifrage*, G. 1044. *Pimpin. Hircina major*, *Great German Burnet Saxifrage*, P. 947. In pratis & pascuis.

Pimpinella saxifraga minor, G. 1044. *Pimpin. Hircina minor*, P. 947.

* *Pimpinella Saxifraga major nostras*, P. 946 in pratis frequens.

Pinguicula five Sanicula Eboracensis, *Batterwort*, or *York-shire Sanicle*, G. 788. P. 532. plentiful about *Oxford*, and neer *Chiselhurst*. which *Dr. Bowles* planted there.

* *Pinguicula minima fl. albo*. In the mid way betwixt *Oakhampton* and *Lancoston Cornwall*, betwixt a great wood and the River in boggy Meadows

Pinus, The *Pine tree*, G. 1356. P. 1534. in a wood on the left hand of *Hamstead*, called the *Pine walks*.

Pisum arvense flor. albo, aut roseo, fructu albido aut cineritio *White and Grey Pease*, G. 1219. P. 1059 quamplurimæ habentur species in satis.

Pisum spontaneum maritimum Anglicum, P. 1060. G. 1250. in *Norfolk*, and on the West of *Hastings* in *Sussex* on the *Beach*.

Pisum aliud maritimum Britannicum, P. 1060. G. 1250. on *Essex shoar*.

* *Pisum in extremitate clavatum modo Trifolii squosifl.* At *Bingley York shire*.

Plantago aquatica major. Great water Plantain-
G. 417. P. 1245.

Plantago aquatica minor stellata, G. 417. *Plantago minor muricata*, P. 1245. in *Ditton*:
Common plentifully.

Plantago aquatica humilis, G. 417. P. 1245. in
fossils.

Plantago incana, G. 419. *Plantago maxima* &
flore incano, P. 493. In pratis.

Plantago latifolia, G. 419. *Plantago latifolia*
vulg. common *Waybread* or *Plantain*, P. 493.

Plantago marina, G. 423. *Plantago marina* vulg.
P. 498.

Plantago quinquenervia, *Rib-wort Plantain*, G.
422. *Plantago angust. major* & *serrata*, Great
Ribwort with plain and dented leav's, P. 496.

Plantago panniculis sparsis, G. 420. P. 494. in
the Isle of Thanet, but very rarely.

Plantago quinquenervia rosea, G. 422. P. 496.
below *Hamstead Church* in the way to *Lon-*
don, just against the *Chestnut walks*.

* *Plantago Aquat. minima* Clus. P. 1244. sine
icone. On *Hanflow-heath*, a mile off that
Town in the Way to *Coln-Brook*.

* *Plantago aq. major muricata*. In a small
pond betwixt *Clapham* and *South Lambeth-*
Common. Mr. Morgan.

* *Plantago aq. humilis flore purpureo*. At *Tax-*
ton five miles from *Godmanchester* in the way
to *London* plentifully.

Pneumananthe, *Calathian Violet*, G. 438. near
Brunley in *Lancashire*, In a Close call'd *Ba-*
nierst's heal, plentifully. Pao.

Pæonia saxina, *Female Pæonie*, G. 981. P. 1380. in a Close belonging to Mr. Stevenson at *Sunning-well* in *Bark-shire* of above fifty years standing, and in *Stancomb wood* near *Winchcomb*, *Gloucester-shire*.

Pæonia mas, G. 980. P. 1381. in Mr. Fields well-close in *Darfield*, Mr. *Stonehouse*.

Polygala, *Milk wort*, G. 563. P. 1332. variat flore cæruleo, purpureo, violaceo, carneo, rubro, albo, in montosis siccioribus.

Polygonatum, *Solomons Seal*, G. 903. *Polygonatum majus vulgare*, P. 696. in sylvis.

Polygonatum latifolium, 2. Clus. *Sweet-smelling Solomons Seal*, G. 904. *Polygon. majus vulg.* P. 699 Ph.

* *Polygonatum baccâ nigra simplici & flore unico sinibreto virid.* At *Clapdale* in the mid way 'twixt *Settle* and *Ingleborough hill* in *York-shire*.

Polygonum mas vulgare, *Common Knot-grass*, G. 565. *Polygonum mas vulg majus*, P. 443. ubivis obvium.

* *Polygonum marinum*, Near *Lewis* in *Essex*.

Polygonum Selinoides sive *Knawel*, *Perfley Perint*, G. 566. *Polyg. Germanicum* sive *Knawel*, *Knot-grass*, or *Knawel*, P. 447. Inter segetes.

Polygonum Serpillifolium, *Small round leav'd Knot-grass*, G. 566. *Polygon serpillifolium* Lob. P. 1680. In maritimis.

Polypodium, *Wall-fern*, or *Polypodie of the Wall*, G. 1132. *Polypodium vulgare*, P. 1039. in quercubus & muris antiquis.

- Populus alba*, *White Poplar*, G. 1486. P. 1410.
at *Kings-mead* near *Bath*.
- Populus nigra*, G. 1486. P. 1410. juxta rivulos.
- Populus Libica*, The *Aspen-tree*, G. 1487. P.
1411. in sepibus & sylvis humidis.
- Portulaca sylv.* *Wild-Purflane*, G. 521. P. 723.
about *Ramsay mear*, in the foot-paths by the
Rape-mills, CC.
- Potamogeton latifolium*, *Broad leav'd Pondweed*,
G. 821. *Potamogeton fontalis major latifolia*
vulg. P. 1254.
- Potamogeton angustifol.* G. 821. *Potamogeton fontalis major longifol.* P. 1254. In aquis stagnantibus, at the farthest end of *Hunslow-heath*.
- Potamogeton* 3. *Dodon*, *Small Pondweed*, G. 822. est perfoliatum. In fluviis.
- Potamogeton longis acutis foliis*, G. 822. in stagnis.
- * *Potamogeton Ramosum* caule compresso folio graminis canini, N D. in the River *Cam* near *Cambridge*. CC.
- * *Potamogeton pusillum* folio gramineo, caule rotundo, in *Thames* near *Oxford*, CC.
- Potamogeton Capillaceum* capitulis ad alas trifidis, P. 1255. 6. cum priore.
- * *Potamogeton latifol.* flore albo, at *Nostal-Abbey* four miles from *Wakefield* *York-shire*.
- * *Potamogeton affine* gramen aquaticum, *Water-grasse* with small crooked Cods, CC.
- Primula veris major*, *Field Cowslips*, G. 780. in pratis.
- Primula pratensis inodora lutea*, *Field-oxslips*,
G. 780. I Pri-

Primula veris flore rubro, *Red Birds-eye*, G. 783. *Paralytica Alpina minor*. The lesser *Birds-eye*, P. 536. variat flore albo & purpureo, in divers moist mountainous places of the North, and in a very low and squallid meadow near *Knaesborough*.

Primula veris Heskethi, Mr. *Heskeths Primrose*, G. 782. *versipellis Chamæleon*, Or *Various Primrose*, in *Clapdale Wood* three miles from *Settle* in *York-shire*.

Primula veris minor, *Field Primrose*, G. 781. *Primula veris vulg.* P. 535.

* *Primula veris Polyanthos*, multis insignitur floribus, quoad colorem & formam exactè refert *Primulam vulgarem*, sed compacti flores crescant ad instar *primulæ pratensis luteæ* modoræ, In great *Woolver Wood* in *Warwick-shire*, Mr. *Morgan*, qui transtulit in hortum suum instructissimum *Westmonasteriensē*.

Prunella, *Self-heal*, G. 632. P. 526. In pratis, variat flore albo.

* *Prunella fl. carneo*. Near *Crediton Devon shire* in abundance.

Prunus sylv. The *Sloe-tree*, G. 1497. The *Black-thorn* or *Sloe-tree*, P. 1033. In sepibus & dumetis.

Prunus sylv. fructu majore, The *Bullas-tree*. In sepibus.

Pseudomelanthium, *Bastard Nigella*, or *Cockle*. G. 1087. *Lychnoides segetum sive Nigellastrum*, P. 632. cum superiore.

Ptarmica, *Snees-wort*, G. 606. *Ptarmica vulg.* P. 859. In pratis humidis. *Ptar-*

Ptarmica duplici flore, G. 606. By *Chilmark* in *Wilts*, and many other places.

Pulegium regium, *Penny-Royal*, G. 671. *Puleg. vulgare*, P. 29. in locis humidis.

Pulegium densis furculis, In *Wales*, P. 29. 3.

Pulmonaria foliis Echii, *Bugloss Cowslip*, G. 808. By *Holbury house* in the new Forest in *Hampshire*. Mr. *Goodyer*.

Pulmonaria Gallica sive aurea latifolia, *Broad-leav'd, French or Golden Lungwort*. G. 304.

Pulmonaria Gallica angustifolia, G. 304. Both these in the meadows on this side *Hampstead*.

Pulmonaria maculosa, *Spotted Cowslips of Hierusalem*, G. 808. Neer *Kings-Wood* in *Hampshire*, Mr. *Loggins*. Ph.

Pulsatilla rubra, *Red Pasq-flour*, G. 385. P. 341. On a Heath towards *Barneck* three miles from *Stanford*, Dr. *Bowles*.

Pulsatilla vulgaris, *Purple Pasq-flour*, G. 385. P. 341. At *Hilder sham* six miles from *Cambridge*.

* *Pulsatilla fl. Cæruleo*. Neer *Pontfract Yorkshire*.

Pyrola, *Winter-green*, G. 408. *Pyrola nostras vulg.* P. 508. at *North-bridge* half a mile from *Halifax* plentifully.

* *Pyrola al fines flore minor*. On the East end of *Rumbles Moor* neer *Helwick* in the bogs amongst the rushes, above a great Brook. CB. prod. 100. P. 509.

Pyrus sylv. variorum generum, *Hedge-pears*, or *Choak-pear*, &c. G. 1459. P. 1500.

Q.

Q *Quercus vulgaris*, The *Oak-tree*, G. 1339.
Quercus nostras, P. 1386.

* *Quercus serotina*, procerior foliis fructuq;
 minoribus *Dor-Oak*, plentiful on *Linwood*
 hill in *Bramshaw* Parish *Wilts*. Ex Msscs, Mr.
Goodyer.

Quercus natalitii Christi florens, at *Glassenbury*
Abby, and in the new Forest in *Hampshire*.

Quercus marina, *Sea-Oak*, or *Wrack*, G. 1567.

Quercus marina Herbacea, P. 1293.

* *Quercus marina* fol. inferioribus fimbriatis
 fœniculaceis. At *Bass Castle* in *Cornwall*.

Quercus marina secunda, *Sea-thongs*, G. 1568.
fucus marinus Dod. P. 1293.

Quercus marina tertia, The third *Sea-wrack*,
 G. 1568. cum priore.

* *Quercus marina* longiore & latiore folio.

Quercus marina quarta, *Jagged Sea-wrack*, G.
 1569.

* *Quercus marina* angustifolia in extremitate
 referens *Chelas Cancrorum*, an *quercus ma-*
rinae varietas, G. 1567. 4? P. 1293.

Radix

R.

R *Adix cava minima flore viridi, Small Bun-*
nikins hollow-wort, G. 1091. P. 288. Hol-
low-Root, In the bank of a hedge by a grove
of Elms, on the North-side of Chesterton
Cambridge-shire.

Ranunculus aquatilis, Water Crowfoot, G. 829.

Ranunc. Aquaticus Hepaticæ facie, P. 1216.

Ranunculus palustris rotundifolius, Marsh
Crow-foot or Spear-wort, G. 962. Ranunc.
palustris Sardonius lævis, P. 1215. in stag-
nantibus.

Ranunculus flammeus major, Great Spear-wort,
G. 961. Ranunc. palustris flammeus major,
P. 1215. juxta aquas variis in locis.

Ranunculus flammeus minor, The jagged Spear-
wort, G. 961. Ranunc. palustris flammeus
minor seu angustifolius, P. 1215.

Ranunculus flammeus serratus, Jagged Spear-
wort, G. 962. P. 1214. 3.

Ranunculus auricomus, G. 954. Ranunc. neme-
rosus dulcis secundus Tragi, Sweet-wood Crow-
foot, P. 326. in dumetis & sylvis copiosè.

Ranunculus bulbosus, G. 953. P. 329. in pra-
tis & pascuis.

* *Ranunculus bulbocastani radice, medium ra-*
dicis crassius longiusque reliquâ, ad cujus ex-
tremitatem oritur bulbus & ex eo nova nas-
citur planta. Below the City of Exeter.

Ranunculus globosus, *Locker Gowland*, or *Globe Crow-foot*, G. 955. P. 331. in divers places of *York-shire* and *Lancashire*.

* *Ranunc. hirsutus arvensis* fl. minimo C Capp.

* *Ranunc. rectus* fol. pallidioribus hirsutis J B. In locis humidis præcipuè ubi aquæ per hiemem stagnarunt. Below *Hamstead* in the Meadows betwixt the Town and Heath.

* *Ranunculus bulbosus* fl. pleno. Betwixt the two *Chemes* in a hollow place on the lower side of *Banstead Downs*.

* *Ranunculus hirsutus annuus* fol. *Geranii Columbini*, at the farther end of the bridge betwixt *Micham* and *Casalton*, and at the end of *Camberwell*.

* *Ranunculus Hederaceus rivulorum* se extendens atrâ macula notatus, C B. *Ivie leav'd water Crowfoot*, In the entrance of a little lane leading out of *Cotton road* up to the bowling-green beyond *Cambridge Castle*, CC.

Ranunculus surrectis cauliculis, G. 951. *Ranunc. pratensis erectus acris vulg. an dulcis*, P. 328. In pratis.

Ranunculus pratensis etiamque hortensis, *Common Crowfoot*, G. 951. *Ranunc. Pratensis repens*, P. 328.

Ranunculus arvorum, G. 951. P. 327. inter segetes ubique, *Rough headed Crowfoot*.

Raphanus aquaticus, G. 240. *Raphanus Aquat.* Lob. P. 1228. in fossis, folia in aliis magis in aliis minus dividuntur.

Raphanus rusticanus, *Horse-Radish*, G. 241. P. 860.

860. in locis ubi ex hortis radicum particulæ projectæ fuerunt.

Rapistrum arvorum, *Charlock* or *Chadlock*, G. 233. P. 862. in agris.

Rapistrum arvense alterum minus foliis minus incisus lenioribusque, G. 234. 2.

* *Rapistrum luteum* siliquâ hirsutâ articulatâ, *Charlock with a rough jointed Cod*, inter segetes CC.

* *Rapistrum luteum* siliqua glabrâ articulatâ, cum superiore. CC.

* *Rapistrum* flore albo, as common in Corn fields in *Surrey* as the *Yellow*. Mr. *Brown* uti etiam in pluribus Cantii locis.

* *Rapistrum* aliud non bulbosum, P. 862. in the broad street by *White Chappel*, Mr. *Goodyer*.

* *Rapum* majus & alterum radice oblonga, *Great and longish rooted Turnip*, G. 232. seruntur in agris juxta civitates & oppida majora.

Rapum sylv. *Wild Turnips*, G. 233. *Rapum sylv.* non bulbosum, *The wild Rape* or *Turnip*, P. 862. sown in the *Ile of Ely*.

Rapunculus nemorosus, *Wood Rampions*, G. 454. P. 650.

* *Rapunculus sylv.* flore rubro albescente. In the pastures and hedge sides on the North-west of the Moor not far from the great bog neer *Peters-field*, Mr. *Goodyer*.

* *Rapuntium* fl. purp. At *Effaton* a mile from *Wigmore*, *Herefordshire*.

Rapunculus corniculatus montanus, G. 455. Between *Selbury hill* and *Beacon hill* in the

way to *Bath*, and in the *Chalkey hills* by *Maple-Durham Hampshire*.

Rapunculus Scabiosæ capitulo cæruleo, *Hairy Sheeps Scabious*, P. 646. On the Downs in *Surrey*.

Rapuntium parvum, G. 453. in sylv. & umbrosis. *Reseda Plinii*, *Italian Rocket*, G. 277. *Reseda minor seu vulg.* P. 823. In montosis.

* *Reticulum marinum viride & album*. 'Tis of the thickness of Cap paper six inches long and four broad, and seems to be made up of Plants matted together. Both were found on the *Beach* near *Dover*.

Rhamnus solutivus, *Buck thorn*, G. 1337. *Rham. solutivus*, seu *spina insectoria vulg.* the common *Purging-thorn*, P. 243. near *Lewsham* in *Kent*.

Rhamnus secundus Clus. *Sallow-thorn*, G. 1334. *Rhamnus primus*, Diosc. Lob. five littoralis, P. 1006, betwixt *Sandwich* and *Deal*.

Rhodia radix, *Rose-root*, G. 532. *Rose-wort*, P. 727. On *Ingleborough* by the Brook sides in *Lancashire*, and on the moist Rocks in *Farnfells* in the bottom of *Lancashire* on the highest *Fell* towards *Hawks-head*.

* *Ribes fructu nigro*, *Black Currans*, P. 1562. *Ribes tertium Gerardi folio & fructu male olentibus*, G. 1593. 3. *Squinancie berries*, By the Rivers side at *Abbingdon*. C C.

* *Ribes fructu parvo*, At *Wimbleton* in *Surrey*, and many places of *Lancashire*.

Rosa folis folio rotundo, *Sundew with round leav's*, G. 1556. P. 1051. and *Red-rot* in uliginosis, *Rosa*

Rosa solis foliis oblongis, G. 1556. *Rosa solis sylv. longifolia*, P. 1052. Mr. *Heaton* found some with leaves a span long plentifully in a bog by *Edendery*.

Rosa sylv. odora, *Eglantine* or sweet *Bryer*, G. 1269. in divers hedges by *Darfield* but with more smooth shining leaves than the Garden kind. This is like that of P. pag 1017. but the leaves are sweet as well as the flowr, Mr. *Stonehouse*.

Rosa canina inodora, the *Bryer-rose* or *Hep-tree*, G. 1270. *Rosa sylv. inodora* sive *canina*, P. 1017. in sepibus & dumetis.

* *Rosa sylv. odora flore duplici*, *Double Eglantine*, G. 1270. invenitur duplici, & triplici serie petalorum, in sepibus præsertim prope *Wigorniam*, Mr. *Brown*.

Rosa Pimpinellæ folio, The *Pimpernel Rose*, G. 1270. *Rosa Pimpinellæ fol. sive pomifera minor*, P. 1018.

* *Rosa Pimpinellæ folio flore Rosæ mundi variegato*, On *Barns* common.

* *Rosa pimpinellæ fol. fl. rubro*. In some barren fields near *Worcester*, Mr. *Brown* and in a barren field at *Church-lench* four miles beyond *Eversham* in great plenty.

* *Rosa Canina suavissimi odoris*. In *Brodards* field going over hell ditch not far from the River *Coln*, *Lancashire*.

* *Rosa Canina sylv. unico fl. & fructu*. In the fields near *Hackney* in the way thence to *London*.

Rorismarinum sylv. *Wild Rosemary*, G. 1292.

Rorismarinum sylv. minus nostras, P. 76. in *Shrop-shire* at *Birch* in the *Moors of Ellesmere* and at *Bulsover* *York-shire* at a place call'd the *Haystacks*.

Rubia minima, G. 1120. *Rubia minima saxatilis*, P. 277. on *St. Vincents Rocks*.

Rubia sylv. G. 1118. P. 274. 2.

* *Rubia pratensis minor cærulea*, P. 276. inter segetes, CC.

Rubia Tinctorum *Red Madder*, G. 1118. *Rubia major sativa*, P. 274. on *St. Vincents Rocks* and at *Aberdoy* in *Merioneth-shire*, 'tis planted in the *Fens*.

Rubia marina, G. 1119. P. 275. 6.

Rubia Cynanchia, *Squincy-wort*, G. 1120. 5.

Rubia Cynanch. saxatilis, P. 453. 2. in collibus cretaceis.

Rubus Idæus, *The Raspis Bush*, or *Hind-berry*, G. 1272. in many places of the *North* and *Wales*, and 'tis as common as brambles in the *Woods of Chesham-Bois* in *Buckinghamshire*.

* *Rubus scandens instar Viornæ*. By *Maidenhead* and near *Slough*.

Rubus repens fructu Cæcio, *Small Bramble Dewberry*, G. 1271. 2. in arvis nimis luxuriat.

Rubus, *The Bramble-bush*. G. 1272. *Rubus major vulg.* *Bramble* or *Black-bush*, P. 1013. in sepibus & dumetis.

* *Rubus morus*, *The Mulberry Bramble*, so call'd by the Countrey people at *Sutton* in *Essex*.

Rubus fructu Cæcio magno non repens. In

Lon-

London road half a mile on this side *Mayden-head Bridge*.

* *Rubus* suavis fructu rubro. In the woods of Mr. Parker call'd *Runcle-hurst*, and on the wals in *Lancashire*.

Ruscus sive *Bruscus*, *Knee holm*, or *Butchers-Broom*, G. 907. P. 253. in sepibus & dumentis.

S.

S *Sagittaria* major, *Great Arrow-head*, G. 416.

Sagittaria major latifolia, *The greater broad Arrow-head*, P. 1247. In aquis stagnantibus.

Sagittaria minor, G. 416. *Sagittaria* minor latifolia, P. 1247.

* *Sagittaria* longissimâ cuspidē pedali, *Arrow-head* with a leaf a foot or more long. In the ditches about *Oxford*, C.C.

* *Sagittaria* sine capitibus ex cujus radice prodeunt caules sex vel septem spithamas longifere vires nodos ad instar nucum juglandum; hujus folia deceperunt doctissimum botanologum Casp. Bauhin qui in prodromo vocat gramin aquaticum, 'Tis found near *Hampton Court*, folia insigniuntur iisdem Characteribus quibus utuntur Musici in describendis cantilenis ut in aliis sagittariis.

Salix pumila, sive *Chamaërea*, *The Dwarf Willow*, G. 1391. *Salix* pumila angustifolia recta, P. 1434.

Salix

Salix Caprea latifolia, G. 1390. *Salix latifolia oblongior*, P. 1432.

Salix Caprea rotundifolia, G. 1390. *Salix latifolia rotunda*, P. 1432.

Salix humilis repens, G. 1391. Most of these Willows grow on *Hamsted heath*.

Salix humilis, G. 1391. *Salix humilis latifolia* & *Alpina repens*, P. 1433.

Salix rosea Anglica, G. 1390. P. 1430. Hanc non esse salicis speciem à reliquis distinctam pro comperto habet CC.

Salix, The *common Willow*, G. 1389. *Salix arborea angustifolia alba vulg.* P. 1430.

Salix Aquatica, The *Ozier* or *water Willow*, G. 1389. *Salix aquat. humilis*, P. 1434.

Salix folio laureo sive *lato glabro odorato folio*, N D. *Willow-bayes*, at *Wolverhampton*.

* *Salix folio laureo odorato angustiore*, a quarter of a mile on the River side from *Crediton Devonshire* seven miles from *Exeter*.

* *Salix cortice intus flavo*, fol. angusto, N. D. The bark is as yellow as that of *Barberies*, at *Rippon* and divers other places of *York-shire*, An *salix humilior foliis angustis subcæruleis* ut plurimum sibi invicem oppositis, CC. De his *salicibus* videbis, CC. qui optimè distinxit & descripsit.

Salvia agrestis sive *Scoridonia*, *Wood Sage*, G. 662. *Salvia agrestis* sive *scordium alterum*, P. 111. in aridis pascuis & sylvis.

Sambucus aquatilis sive *palustris*, *Water-Elder*, or *Marish Elder*, G. 1424. *Sambucus rosea* & *aquatica* sive *palustris*, P. 209. *Sam-*

Sambucus, The common *Elder-tree*, G. 1422.

Sambucus vulgaris, P. 208. In sepibus.

* *Sambucus foliis laciniatis*, G. 1423. P. 280.
Near *Bristol*, Dr. *Joyliff*:

Sanicula five *Diapensia*, *Sanicle*, G. 948. *Sanicula* vulg. five *Diapensia*, P. 532. In sylvis & umbrosis sepibus.

Saponaria, *Soap-wort*, or *Bruis-wort*, G. 444.
Saponaria vulg. P. 641.

Saxifraga alba, *White Saxifrage*, G. 841. *Saxifraga alba* vulg. P. 424. in pratis humidis, plentifully in *St. Georges fields*.

Saxifraga aurea, *Golden Saxifrage*, G. 841. P. in locis humidis 425.

* *Saxifraga aurea major* foliis longius incendentibus, hanc belle depingit hortus *Eystetenfis*.
Near *Hedley Hampshire*. Mr. *Brown*.

Saxifraga pusilla graminea flore parvo herbido & muscoso, on the walls at *Cheswich*.

* *Saxifraga fl. pleno*. On the West side of *Ingleborough hill*.

Saxifraga Anglicana asine folio *Chick-weed*, *Break-stone*, G. 567. *Saxifraga Angl. Occidentalium* Lob. P. 427. Between *Guilford* and *Compton* in *Surrey*.

Saxifraga palustris asinefolia, *small water Saxifrage*, G. 567. *Saxifraga palustris Anglicana*, P. 427. *Marsh Saxifrage*, now commonly call'd *Pearl worts* whereof I have three sorts from *Bass Castle Cornwall*.

Saxifraga Anglicana facie Sefeli pratense, *English Saxifrage*, G. 1047. *Sefeli pratense nostras*, P. 504 in pratis & pascuis. * *Sax-*

* *Saxifraga antiquorum* Lob. G. 605. By lower *Cheme* in a Chalk pit near *Bansted Downs* on the left hand from the Town.

Scabiosa major vulg. *Great common Scabious*, G. 719. *Scabiosa* vulg. *pratensis*, P. 484. In *satis*, & *pratis*; variat flore cæruleo aut albo.

Scabiosa minor sive *Columbaria*, G. 719. *Scabiosa minor campestris*, P. 484. In *montosis*, variat colore purpureo & albo.

Scabiosa omnium minima, *Sheeps Scabious*, G. 722. *Scabiosa minima ovilla dicta*, P. 485. Invenitur flore albo.

Scabiosa media, *Middle Scabious*, G. 720.

Scabiosa campestris sive *segetum*, G. 720. *Scabiosa major segetum*, P. 485. 3.

* *Scabiosa* vulg. fl. pleno. Betwixt *Redbourn* and *Stony-stratford* plentifully. CCapp.

Scordium, *Water Germander*, G. 661. *Scordium legitimum*, P. 111. abundantly only on the banks of the *Iste of Ely*, and neer *Aristotles Well* at *Oxford*.

Scrophularia major, *Great Figg-wort*, G. 716. *Scrophul. major* vulg. P. 610. In *sylvis humidis*.

Scrophularia flore luteo, G. 717. P. 611. In *Oxfordshire*.

Secale, *Rye*, G. 68. *Secale vulgatius*, P. 1128. *Scratur* in agris.

* *Secale femine nigro*. At *Leeds* in *Yorkshire*.

Sedum, seu *sempervivum majus*, *Great House-leek*, G. 510. *Sempervivum majus* vulg. P. 731. In *tectis*, & *muris antiquis*.

Sedum

Sedum five Aizoon scoroides, G. 513. vermicularis scoroides, P. 734. cum priore.

Sedum Alpinum Clus. G. 516. *Sedum* Alpinum flore pallido, P. 737.

Sedum Divi Vincentii, N D. Mr. Goodyer.

Sedum medium teretifolium, *Small Prick-madam*, G. 513. vermicularis minor, *Small Stonecrop*, P. 734. in locis saxosis & asperis.

Sedum minus officinarum, G. 512. vermicularis five crassula minor vulg. P. 734.

Sedum tertium Diosc. five illecebra minor, *Wall-Pepper*, P. 735. vermicularis five illecebra minor acris. G. 517.

Sedum tridactylites five Alpinum trifido folio, *Handed Housleek*. Tridactylites Alpina J B. tom. 3. pag. 762. All these small Sengreens are said to grow on the high mountains of *Wales*. This I had from the black mountain in *Herefordshire*

Sedum minus Hæmatodes, *Prick-Madam*, G. 512.

* *Sedum* five illecebra fol. oblongis. On the North side of *Ingleborough hill*, neer a bog by the side of an underground River.

* *Sedum* minimum fl. mixto ex albo & rubro. On the West of *Ingleborough hill* in the mud of the hollow topped stones.

* *Sedum* seratum rotundifol. The Princes fether. On *Snowdon hill* both on Rocks and Well-springs.

* *Sedum* majus Portlandicum arborescens Angl. five maritimum Adv. pag. 162.

* *Sedum*

Sedum seu *Vermicularis* flore albo, at *Absum* below *Exeter* and at *Oakhampton* *Devonshire* plentifully.

Selinum Sii foliis, *Hone-wort*, G. 1018. *Selinum* segetale, *Corn Persley*, P. 932. On the bank of *Thames* as you go from the *Duke of Norfolk's* Garden to *Lambeth*.

Serpyllum citratum, *Limon Time*, G. 571. P. 8. In montosis, at *Hockliff* in the hole near *Oxford*.

Serpyllum hirsutum, G. 571. *Serpyllum* latifolium hirsutum, P. 8. at *Bradbourne* in *Yorkshire*.

* *Serpyllum* vulg. flore albo, Plentifull betwixt *Tuddington* and *Hampton Court*.

* *Serpyllum* vulg. primum genus J B. CCapp.

* *Serpyll.* magnum latifolium, a mile of *Bradford* in the way to *Haworth*, and at *Saresden* betwixt the house and the pond in *Yorkshire*.

* *Serpyllum* fatidum, two or three miles from *Petersfield* on the Chalky downs. Mr. *Goodger*.

Serpentaria minima, five *Coronopus*. *Small Bucks horn Plantain*. G. 426. *holosteum minus*, five *serpentaria minor*, P. 499. In maritimis.

Serpentaria major, five *Holosteum angustifolium majus*, P. 499. *Coronopus*, *Sea Buck horn*, G. 425. in maritimis.

Serratula purpurea, five alba. *Saw wort* with purple or white flowrs, G. 713. *Serratula* vulg. fl. purp. vel abo. P. 475. In Shadowy sides and hedges.

* *Sesamoides Salamanticum magnum*. *Great Bastard Wood*, G. 493. *Muscipula Salam. major*, the greater *Spanish catch fly*, P. 636. sine icone

icone. Near the gravel pit as you go to the nearest Windmill on the North side of *New-Market Town*.

Sederitis Anglica strumosa rad. *Clowns woundwort*, P. 587. panax Coloni, *Clowns All-heal*, G. 1005. juxta fluvios fossasq; Londinenses, & alibi per totam Angliam.

Sideritis humilis lato obtuso folio, G. 699. *Sideritis* alfine Trissaginis folio, P. 586. nulla icon vel apud G. vel P. In many places of *Hampshire*.

Sideritis arvensis rubra, P. 587. 13. Tetrabit angustifol. Hist. Ludg.— In the Corn fields in *Kent*, and at *Purbeck* in *Essex*.

Sinapi sylv. minus, *Small wild Mustard*, G. 245. P. 831. On the banks of Ditches newly cast up, and amongst Corn.

* *Sinapi* Genevense sylv J B. tom. 2. 858. Beyond *Southwark* in the way to *Lambeth*.

Sinapi secundum vulgare, Our ordinary *Mustard*, G. 242. 2. sine icone an sinapi sativum rapifol. P. 831. On the Ditch sides in many places about *London*.

Sisum vulg five Amomum German. *Small wild Parsley* of *Germany*, P. 914. *Petroselinum* Macedonicum Fuchsi, G. 1016. ad fossas & sepes:

Sium majus latifolium, *Great water Parsnip*, G. 256. *Sium* Diosc. five pastinac. aquat. major. P. 1240. In the Ditches by *Reading* and in the River *Cam* near *Cambridge*.

Sium alterum Olusatrici facie, G. 256. *Sium* majus
K alterum

- alterum angustifol. P. 1241. In piscinis & aquis stagnantibus sed rarius.
- Sium* minus sive *Pastinaca* aquat minor. P. 1240.
- Sium* umbellatum repens, G. 256. 3. In fossis & stagnis ubique.
- Sium* majus angustifol. G. 256. 2. cum priore.
- * *Sium* vernum foliis fœniculaceis, On *Putney Common* near *Wandfor* in standing pits by the Road side.
- * *Sium* latifolium foliis variis, At *Marlborow Wilts*, Mr. *Bobart Junior*.
- * *Sium* pusillum fol. variis, In *Surrey* near *Purbright*.
- * *Sium* umbellis ad caulium nodos, At *Petersfield*. Mr. *Goodyer*.
- * *Sium* medium foliis elegantissime dissectis, In some Ditches about *Oxford*.
- Solanum* hortense, Garden Night-shade, G. 339.
- Solanum* vulg. P. 346. In fœtibus & rudibus.
- Solanum* lethale, *Dwale*, or deadly Night-shade, G. 340. P. 346. In locis umbrosis, & arenosis.
- Soldanella* mar. Sea Bind-weed, G. 838. *Soldan.* vulg. & major maritima, P. 168. passim in maritimis.
- Solidago* Saracenicæ, *Saracens* Confound, G. 429.
- Solidago* Saracen. major, P. 539. 2. sine icone. On the 5. mile bank near *Wilt-sea*, and between *Dudson* and *Gwarthlow*, and other places. Dr. *Bowles*.
- Sonchus* asper, prickly Sow-thistle, G. 291.
- Sonchus* asper laciniatus, P. 804. 3: ubique ferè obviæ.

Sonchus lævis, *Hares Lettuce*, G. 292. *Sonchus lævis* vulg. P. 805. cum priore.

Sonchus arborescens alter, G. 204. P. 807. super muros.

Sonchus folio sinuato hederaceo, In dark and shady Lanes.

Sonchus fl. albo medio luteo. Mr. Stonehouse, Ph.

* *Sonchus* foliis cauleq; *Aristochiæ Clematidis*, In a dark Lane at the Bridge end a mile from *Bristol Ferry*.

* *Sonchus* tricubitalis fol. cuspidato, In the Meadows betwixt *Woolwich* and *Greenwich* by the banks of *Thames*.

Sophia Chirurgorum, *Flixweed*, G. 1068. P. 830. ad agrorum margines & in locis incultis.

Sorbus the *Service-tree*, G. 1471. *Sorbus* legitima. P. 1420. In sylvis & sepibus, præsertim in *Suffexia*.

Sorbus Torminalis, G. 1471. *Sorbus* torminalis vulg. P. 1420. cum priore sed rarius. Both grow in the Pine walks by *Hampsted*.

Sparganium ramosum, branched *Bur-reed*, G. 45. P. 1205. In fossis & aquis stagnantibus ubivis penè.

Sparganium latifolium, G. 45. *Sparganium* non ramosum, P. 1206. cum priore.

* *Sparganium* minimum, P. 1205. sine icone. On the East side of *Scroby* nigh a great Wood, where the foot way is cast up *Notinghamshire*.

Spartum Anglicanum, *English Mat-weed*, or

- Helm*, G. 42. *Spartum marimum nostras*, P. 1198. in maritimis & fassis.
- Spartum* Angl. alterum, G. 42. *Spartum nostras alterum*, P. 1198. in montosis & Ericetis.
- Speculum veneris minus*, codded *Corn Violet*, G. 439. the lesser *Corn Violet*, P. 1331. Inter segetes.
- Spergula marina* Dales champ. *Sea Spurrey*, G. 1125. 4. sine icone. *Sagina spergula minor*, P. 561. 2. nulla icon.
- Sagina spergula*, G. 1125. *Sagina spergula major*, P. 562. inter segetes.
- Spergula* fl. rubro, icon. Hist. Ludg. 1179. sub titulo *Chamæpuces* Plin. In *Tuthil. fields* near *Westminster*.
- Sphondylium*, *Cow Parsnip*, G. 1009. *Sphondylium vulg.* P. 953. In pratis & pascuis pinguioribus.
- Sphondylium majus aliud laciniatis foliis*, P. 954. In *Shropshire*, Dr. *Bowles*.
- Spongia ramosa*, branched *Spunge*, G. 1577. *Spongia ramosa Britannica*, 1304. In littoribus nostris.
- Stellaria aquat.* *Water Star-wort*, G. 830. *Star-like water Fennel*, P. 1258. ubique in aquosis.
- Symphytum* fl. *Ceneritio*, Every where about *Reading* vid. *Consolida*.

T.

T *Anacetum, Tansie*, G. 650. *Tanacet*, vulg. P. 81. in arenosis & rivulorum ripis, Plentiful by the *Thames* side near *Kingston*.

Tapsus barbatus, Mullein, or Higtaper, G. 773. *Verbascum* vulg. sive *Tapsus barbatus* communis, P. 60. ad sepes & agrorum margines variat flore albo.

Taxus, the *Yew tree*, G. 1370. in Cæmiteriis sylv. P. 1412. & montibus, præsertim *Surriensibus*.

* *Taxus* tantum florens, G. 1370. On the Chalky hills in *Hampshire*, Mr. *Goodyer*.

Telephium sive *Crassula major* vulg. Common *Orpyn*, P. 726. *Crassula*, sive *fabà inversa*, G. 518. ad agrorum margines & in locis umbrosis.

* *Telephium* semper virens, G. 520. *Telephium* flor. purpureis, P. 727. On old walls in many places of the North.

Thaliætrum sive *Thaliætrum majus*, Great *Bastard Rubarb*, G. 1251. *Thalic. majus* vulg. *Meadow Rue*, P. 264. in pratis humidis.

Thaliætrum minus, G. 1251. P. 264. cum priore & inter segetes.

Thlaspi Diosc. *Treacle Mustard*, G. 262. *Thlaspi* *Drabæ folio*, P. 830. inter segetes.

Thlaspi *Hederaceum*, G. 271. P. 848. in maritimis.

* *Thlaspi minus* Clus, G. 268. *Thlaspi perfoliatum minus*, In the Pastures above the Ebbing and flowing Well two miles from *Gislewick* in stony ground amongst the grass, *Yorkshire*.

Thlaspi minus *Bowiers Mustard*, G. 262. In maritimis.

Thlaspi vulgatissimum, G. 262. *Thlaspi vaccariæ folio*, P. 836.

* *Thlaspi* aliud *lunatis foliis* sive *Magorum Arabum* Lob. P. 848. On the top of *Penigent hill* in *Yorkshire*, under the stones.

* *Thlaspi* vulg. *serratifolium*, On a Rock over against the Minster at *Durham*, an *Thlaspi mont. bursæ pastoris fructu primum* Col. pag. 276.

Tilia femina, the *Female Lime-tree*, G. 1483, P. 1407. In areis & compitis.

Tilia mas, G. 1483. P. 1407. In sylvis & sepibus

* *Tilia ulmifolio*, semine Hexagono, At *Whistable* in *Surrey*, and near *Darkin*.

Tithymalus Characias amygdaloides, *unsavoury Wood Spurge*, G. 500. *Tithymalus Characias vulg.* P. 186. in sylvis & umbrosis.

Tithymalus helioscopius, G. 498. P. 189. inter segetes.

Tithymalus Hibernicus, *Makenboy*.

Tithymalus paralius, G. 498. P. 184. On most parts of our English shore.

* *Tithymali marini* species minima ex *Cornubia*.

Tormentilla, *Sept foil*, G. 992. *Torment vulg.* P. 394. In Ericetis & dumetis, pascuisq; quibusdam.

Tor-

* *Tormentilla quadrifolia* radice rotunda. At *Wiggen* in *Lancashire*, amongst *Furzes* and in *Ditches*.

Trachelium majus, *Blew Canterbury Bells*, G. 448. *Trachel. minus* fl. purpur, P. in paradiso. In sepibus & sylvis variat flore albo.

Trachelium minus, G. 449. P. 644. in montosis & aridis cretaceis.

Trachelium majus Belgarum, five giganteum, G. 448. P. 643. in divers places in *Yorkshire*.

Tragopogon luteum, *Yellow Goats-beard*, G. 735. P. 411. In pratis, variat fl. albo.

Tragopogon purpureum, G. 735. P. 412. On the Banks of *Chalder* near the Lady *Hescoths* house two miles from *Whaley*, Ph. and in many places of *Cornwall*, Dr. *Gunthorp*.

Tragopogon minus angustifolium, G. 735. 3. A mile on this side *Epping* in the Forest.

Tragopyrum, *Buck wheat* or *Buck*, G. 89. P. 1141. feritur in variis Angliæ locis.

Tribulus aquat. minor muscatellæ floribus, *Small Frogs Lettuce*, G. 824. *Tribulus aquat. minor alter*, P. 1248. passim in rivulis.

Tribulus aquat. minor quercinis floribus *Water Caltrops*, *Tribul. aquat. minor alter*, P. 1248. cum superiore.

Trichomanes mas, The *Male English Mayden hair*, G. 1146. P. 1051. In montosis & locis siccioribus.

Trichomanes ramosum, hac plantulâ quam Collegit in *Cornubia* hortum meum siccum auxit Dominus *Heaton*, Theologus *Hibernicus*.

* *Trifolium* album umbella filiquosa, *White Tree-foil* with a *Codded Umbel*. Apparet sub variis faciebus diversis crescendi temporibus, unde varia induere nomina facile poterit, videtur esse trifol fl. viridi foliatio Dom. Stonehouse. Locis siccioribus satis familiare est.

* *Trifolium* album repens capitulo spicato ex apicibus surrestris composito.

* *Trifol.* Burgundicum, G. 1199.

Trifol. Cochleatum, *Medic fodder*, G. 1199.

Trifol. Cordatum, G. 1190. *Medica Arabica* Cam. P. 1115. In pratis.

Trifol. flore Cæruleo, three miles short of *New Market* from *Ely*.

Trifol. fragiferum, G. 1208. P. 1109.

Trifol. sive *Medica frutescens* fl. flavo Clus. inter segetes sed rarius.

* *Trifol.* Glycyrrhites rad. magna, P. 1114.

Trifol. luteum Lupulinum, G. 1186. *Trifol.* montanum lupulinum, P. 1105.

Trifol. luteum minimum, G. 1186. P. 1111. in pratis & pascuis.

* *Trifol.* Lapatum C B. capite albidiori minusq; aspero, two miles beyond *Tilbury* towards *Lee* in *Essex*.

Trifol. luteum filiquâ cornutâ, G. 1191. in pratis & sepibus.

Trifol. majus flore albo & alterum purpureo, G. 1185. 1186. P. 1104. cum priore.

Trifol. majus Corniculatum hirsutum, in pratis humidis & ad sepes.

* *Trifol.* Pentaphylli facie ex mari fabriniano.

Trifol.

Trifol. pratense flore albo, P. 1110, ubique in pratis & pascuis.

Trifol. pratense, G. 1185. *Trifol. vulg. pratense purpureum*, P. 1110. cum superiore.

* *Trifol. pratense* capite sertaceo. In the Meadows seven miles on this side *Oxford*.

Trifol. paludosum, G. 1194. P. 1212. in locis humidis & aquis stagnantibus.

* *Trifol. palustre nodosum* semine aspero. In the Meadows near *Cardyff*.

* *Trifol. montanum majus* flore albo sulphureo, betwixt *North-fleet* and *Gads-hill* in *Kent*.

* *Trifol. purpureum* dilutè glomerulis florum oblongis sive pediculis cauli adnatis. In the Close leading from *Cambridge* to *Cherrey-hinton* Church. C C.

Trifol. filiquosum minus, G. 1190. in pratis & pascuis.

Trifol. supinum pumilium flosculis longis albis, in montosis & siccis.

Trifol. stellatum glabrum, G. 1208. 6. In the Salt Marshes at *Dartfort*.

Tripolium vulg. majus, *Great Sea Star-wort*, G. 413. P. 674. In salis & maritimis.

Tripol. vulg. minus, G. 413. *Tripol minus*, P. 673. sine icone cum priore.

Triticum spica mutica, *White* or *Lammas Wheat*, G. 65. bare or naked *White Wheat*, P. 1120.

Triticum aristis circumvallatum, *Bearded* or *Red Wheat*, G. 66. *Trit. aristis munitum*, P. 1120.

* *Tri-*

- * *Triticum* spica mutica albicante granis rufescentibus Robus Columellæ, C B. *Kentish Wheat*, *Red Wheat*, *Red Lammis*, C C.
- * *Triticum* aristis donatum, spica albicante, granis rufescentibus, *Red Wheat* with a bearded *White ear*. C C.
- * *Triticum* aristis circumvallatum, glumis hirsutis spica albicante, *Gray Wheat*, C C.
- * *Triticum* aristis munitum glumis fuscis hirsutis, Dunover. In agro Wigornienfi & Gloucestr.
- * *Triticum* aristis donatum granis & spica rufescentibus, Triticum hyberni primum genus cristatum, C B. bearded *Kentish Wheat*, C C.
- * *Triticum* aristis & spica & granis rufescentibus, glumis præ Cæteris aristatis levibus & splendentibus, *Red-ear'd bearded Wheat*, C C.
- * *Triticum* Conica figura hirsutum cum & sine aristis, unde dicitur *Cone wheat* in agro Oxoniensi.
- Tubera* terra majora fimbriata calici formia, From *Lancashire*.
- Turritis*, *Towers Mustard*, G. 272. *Turritis vulgator*, P. 852. Below *Beacon-hill* in the way to *Bath*.
- Tussilago*, *Colts-foot* G. 811. P. 1220. in locis humidis & quandoq; inter segetes.
- Typha*, *Cats-tail*, G. 46. *Typha minor* & *minima*, *Reed Mace*, P. in stagnis.

V.

V *Accinia nigra*, *Black worts*, or *Wortle berries*, G. 1415. *Vaccin. vulg.* P. 1456. in montosis & Ericetis.

Vaccinia nubis, G. 1420. abundantly on *Pendle hill* in *Lancashire*, both in and out of *Berrey* in *June*.

Vaccinia palustris, G. 1419. P. 1229. On a bog two miles beyond *Lyn*, and on another bog four miles beyond *Guilford*, and in many places of the North.

Vaccinia rubra, G. 1415. *Vaccin. rubra foliis buxeis*, P. 1456. In the wild Moors of *Northumberland*.

* *Vaccinia rubra foliis myrtinis crispis*. Four miles from *Heptenstall* near *Widdop* on a great Stone by the River *Gorlpe* in *Lancashire*.

Valeriana major sylv. *Great wild Valerian*, G. 1075. ad rivulorum & fossarum ripas.

Valeriana minor, G. 1075. *Valeriana sylv.* P. 123. in pratis humidis & sylvis.

* *Valeriana Græca*, G. 1076. P. 123. On the Rocks betwixt *Maw water Tarn* and *Mawanco*, where the highest Rock standeth round like a Castle.

Valeriana petræa, P. 123. *Valeriana annua* Clus. G. 1077. inter segetes.

Verbascum nigrum, *Base Black Mullein*, G. 775.

775. *Verbascum nigrum* vulg. P. 61 in montosis & cretaceis.
- Vermicularis* frutex, *Shrubby Sengreen*, G. 523.
Vermicularis arborescens & fruticosa altera, P. 731. in maritimis.
- Verbena* communis, *Common Vervain*, G. 718.
Verbena vulg. P. 675. juxta semitas.
- Veronica* vera & major, *Fluellen* or *Speedwell*, G. 626. *Veron. mas* vulg. *supina*, P. 550. ubique in pratis.
- Veronica* mas recta, G. 626: *Veron. erecta*, P. 550. On *St. Vincents Rocks* by *Bristol*, Mr. *Goodyer*.
- * *Veron. affurgens* sive *spicata*, G. 628. *Veron. recta angustifolia*, P. 550. in several Clofes near *New Market-heath*. C C.
- Veronica* recta minima, G. 627. *Veron. pratensis minor*, P. 551. sine icone, At *Barns* near *London*.
- Viburnum* sive *lantana*, *Way faring-tree*, G. 1490
 The pliant *Mealy-tree*, P. 1448. in sepibus.
- Vicia*, *Tare*, *Fetch*, or *Vetch*, G. 1227. *Vicia* vulg. *fativa*, P. 1072. ubique feritur, variat fl. albo.
- * *Vicia* filiquis glabris flore dilutè cæruleo. *Tinctare*, C C.
- * *Vicia* sylv. flore albo, P. 1072. G. 1227. Near *Oxford*, Mr. *Bobart* Junior.
- * *Vicia* repens fl. rubro filiquis longis, foliisque brevibus, In^a *Moor* between *Sunning* and *Maidenhead*.

* *Vicia* fol. gramineo filiqua porrectissima, Dr. Dale, about *Tyburn* and *Maribone Park*.

* *Vicia* Bathoniensis, vel maxima sylvatica, In *Smoak hall* Wood by the *Bath*, and at the *Devizes*, *Wiltshire*, Mr. *Goodyer*.

Viola canina sylv. *Doggs*, or wild *Violet*, G. 851. in sepibus ubivis.

* *Viola* canina fl. albo, In *Hampsted* Wood on that side the *Chestnut* walk, where the two wayes meet.

Viola nigra sive purpurea, G. 850. in sylvis & umbrosis.

Viola flore albo, G. 850. cum superiore.

* *Viola* martia alba odoratissima, From *Cornwal*, Dr. *Gunthorp*.

Viola martia lutea, G. 851. On the hills near *Latham* in *Lancashire*.

* *Viola* fol. *Trachelii* serotina hirsuta radice lignosa. In *Charlton* Wood, and in the Lane leading to *Sittingbourn*, and in the way to *Lewsham* in a great Gravel pit.

Viola Tricolor *Pansyes*, or *Hearts-ease*, G. 854. in areonosis & sterilibus & inter segetes.

* *Viola* palustris stellata, in a standing pit a fourth part of a mile from *Biglesworth*, in the way to *St. Neots* in *Bedfordshire*.

Viorna, *Travellers joy*, G. 886. *Clematis* sylv. latifolia, P. 383. ubique in sepibus.

Virga aurea, *Golden Rod*, G. 430. *Virga aurea* vulg. P. 542. in siccioribus, & ericetis, G. icon. secunda ponenda loco primo.

Viscum, *Mistletoe*, G. 1350. P. 1393. Nascitur in *Quercu*,

Quercu, Pomis, Pyris, Tilia, Acere, Corylo,
Rubo, Salice, Fraxino.

Ulmaria seu Regina prati, *Queen of the Meadow*
G. 1043. *Ulm.* vulg. *Common Meadow*
sweet, P. 592. in pratis humidioribus.

Ulmus folio glabro, *Witch Elm*, or *smooth leav'd*
Elm, G. 1481. P. 1404. in sylvis & sepibus.

Ulmus folio latissimo scabro, G. 1481. *Ulmus*
latiore folio, P. 1404.

Ulmus minor folio angusto scabro, G. 1478.
ulmus minor, P. 1404. cum superioribus.

Ulmus vulgarissimus folio lato scabro, G. 1478.
Ulmus. vulg. cum samarris sive seminibus suis,
P. 1404.

Umbilicus veneris, *Wall Penny-wort*, G. 528. *Um-*
bil. veneris vulg. P. 740. In ruderibus &
muris, flos quandoque purpurascit.

Urtica urens, *Common stinging Nettle*, G. 706.
Urtica media sylv. P. 441. in compitis & locis
in cultis.


Urtica minor, G. 706. P. 441. cum priore.

Ustilagines, *Burnt Corn*, *Avenæ*, *Hordei*, *Secalis*,
Tritici.

* *Uva* marinæ similis planta, A mile from *Win-*
chel sea Castle towards *Hastings* on the Sea
shore.

Z.

Z *Yris*, *Stinking Gladdon*, G. 60. *Zyris* sive
spatula fœda Gladwin, P. 256. In sylvis
humidis.



De Plantarum Classibus.

Maximi sane est momenti res omnes naturales ad certas classes reducere. Sic enim facilius ediscuntur, promptius edocentur, fideliusque retinentur. Præterea, hanc viam ingressus non committet ut sub variis nominibus eandem plantam tradat, quod à quibusdam fieri non difficile est observare, neq; ipsi opus erit in sua Catalogo lectorem sæpe remittere. Antiquiores plantarum historiam confuse ad modum tradiderunt. Primus, qui in ordinem reduxit erat Caspar Bauhinus peritissimus botanographus in admirando suo quinquaginta annorum Pinace. Quem sequuti alii Joan Bauhinus Jonstonus & Spigelius. Nos ex Omnibus hisce methodum inchoavimus quæ mihi magno usui fuit, speroq; & aliis futuram. Quam in proxima editione Deo vitam largiente observare decrevi. Hoc unum monendus & lector me eandem sub duobus & quandoq; tribus loculis reposuisse, sub propriis Romano, sub alienis Italico Characterè quod ea ratione feci ut inde scias sufficere ut ad plantæ ignotæ cognitionem pervenias si sub duabus tribusve Classibus inveneris. Ex.gr. si tibi offeratur planta
aquis

aquis innatans rotundifolia his classibus inspectis nymphæam esse certo pronuntiabis. Par & ratio de cæteris. Et si quis diligenter perpenderit hac methodo singularum specierum tam summarum quàm subordinatarum definitiones tradere poterit, easque in tabulas redigere ut hac in arte tyro suo Marte brevi peritus evadat botanologus. Hoc ipse tentavi & aliquousq; processu nec dubito quin brevi perfecturus sim. Quod idem in animalibus, fossilibusque aggressus sum speroque tandem ad umbilicum perductum iri. Interèa in Animalibus tradendis Aldrovandi & Jonstoni vestigia premo in sequentibus.

G*Ramina.* His folia leptomacra & caulis geniculatus Alopecuroidea, Anthozanthum Aquat. Arundinac. Avenac. Brizæ spica. Bromoides. Bulbosa. Canina. Caryophyllata, Cristat. Cyperoidea. Dactylويد. Echinat. Festuca, Geniculata, Glumis variis. Hirsuta, Hordeacea, Juncea, Junci, Loliacea, Marina, Montan. Milisc. Murorum Palustre Nemeros, Nodos, Panniculat. Phalaroid. Plumosum Piperinum Pratenf. Secalin. Segetal. Sorghin. Stellat. Spartea. Spicat. Striat. Sylvatica, Toment. Tremul. Triticea, Typhoid. Ustilagines.

C*Ercalia* Habent geniculatum culmen & fol. Harundinaceis constant semenq; panificio aut pultibus aptum, in spicis aut Jubis ferunt, suntq; cavi caulia, quarum partes. Culmus, Vagina, Spica in qua arista. Aruncus, Frit. Grannin, Gluma,

Gluma, suntque Avena, *Ægilops*,
 Bromos, Hordeum, & spurium. & gr. -Hordeaceum, Triticum, & gramm. Triticea, Secale, & gr. Secalinum, Lolium, Phalaris, Tragopyrum, Melampyrum,

L *Eptomacris foliis & flore pulchro.* Hæ præter Typham & Gladiolum, bulbosam habent radicem Asphodelus, Colchicum, Crocus, Cynosorch, Gladiolus, Hyacinth. Iris. Nidus avis, Ornithogalum, Orobanche, Orchis, Palma Christi, Serap. Tragorchis, *Tragopogon*, Triorchis, Typha, Zyris.

A *Llium spirant* Allium, & Urfum, num; Alliaria; Scordium.

S *Ilíquosa.* Hæ acres & mordaces pleræq; flores Squadripetali *Alliaria*, Barbaræa, Brassica, Bunias, Cardamine, Chamænerion, Camælina, Chelidonium majus, Eruca, Erysemum, Geran. Lamprana, Lepidium; Leucoium, Lysimachia quædam, Nastur, *Oxys*. Pecten Veneris, Perfoliata, *Pilosella filiquos*. Raphanus, Rapistrum, Rapum, Sinapi; Sium aquat. Sophia Chirurg. Turritis, Trifolia quædam.

C *Apsulata.* His vascula rotunda pro feminis theca, seu bursula flores quadripetali Bursa pastoris, Cochlearia, Crista-Galli, Draba, Iberis, *Lupulus*, Myagrurn, Nasturtium petræum, Pedicularis, Thlaspi.

L *Eguminosa* Anthyllis, Aphaca, Astragalus, Catanance, Cracca, Faba, Ferrum Equinum. Glaux, Lathyrus, Lens, Ochrus, Onobrychis, Ornithopodium, Pisum, Terræ gland. Vicia.

B *Accifera*. Baccæ sunt minores fructus, nec ad modum conferti, molliori cortice præditi. Androsæmum, Asparagus, Bryon, Clymen. Dulcamara, Hedera, Herba Paris, Polygonat. Solanum.

C *Ampaniformes flores*. Quorum flosculi instar Campanæ rotundi continui in mucronem, vel turbinatum conum desinunt. Campanula, Convolv. Gentianella, Helleborastr. Hyacinth. Hyoscyam. Lilium conval. Rapunt. Soldanella, Trachel. Umbilicus Veneris. His annecte quibus flos indivisus Antirrhinum, Aristoloch. Digitalis.

R *Hodoflora*. Quibus flos patulus quinque, constans foliis rosarum instar. Adonis, Alcea, Althæa, Anemone, Argentina, Agremon. Blattaria, Linaria, Linum, Lyfimach. Malva, Nummularia, Pæon, Papaver, Pulsatill. Ranunculus, Verbascum. His Junge Ascyrum, Hypperic.

C *Orymbifera*. Corymbi sunt extremitates latiores florum. His flos densus & in capitulum aggestus, multis staminibus minutissimis stipatum Absynth. Artemisia, Bacccharis,

charis, Bellis, Chamæmel. Conyza, Cotula.
Cribrum. Chrysanth. Doronicum, Gnaphal.
 Helen. Jacobæa, Millefol. Parthen. Pilosella,
 Ptarmica, Tanacet, Tripol.

C *Aliculata*, quarum flores calici insistent, &
 Cliaurum plerumq; pedamentum longius est.
 Armer. Armorar. Ballote, Behen. Caryophylli.
Convolut. Centaur. minus. *Gentianella*. Gratiola.
 Melissophyllon. Fuchf. Muscipula, Paralyf. Pneu-
 monanthe. Primulæ, Pseudomel. Saponaria, *Sol-
 danella*, Speculum veneris.

V *Verticillatæ*. Harum flores instar verticilli
 caulem ad alas ambiunt, interspersis foliolis,
 qui insuper sunt galeati, viz. qui galeam referunt
 constantque ex supremo petalo galeam referen-
 te, duobus lateralibus velut labiis & quarto men-
 to assimilando galeæq; opposito. Hæc quatuor
 florem construunt, omnesq; fortem spirant odo-
 rem. Acinus, Alfine Hederac. Ballote, Be-
 ton. Bugul. Calaminth. Cannab. Chamædr. Cha-
 mæpitys. Glinopod. Grataæg. Cuscuta. Euphrag.
 Galeopsis. Hormin. Lamium, Marrub. Melam-
 pyr. Meliss. Menthæ, Mentastrum, Origan. Panax
 colon. Prunella, Puleg. Scord. Scoridon, Scro-
 phular. Serpyll. Sideritis, Stachys, Urtica.

U *Umbellifera*. Sic dictæ ab umbella mulierum
 quam referunt quoad latitudinem & rotun-
 ditatem harum pleræq; tenuisfol. seminaq; appa-
 rent singula cum bina fuerint nudaq;

Aneth. Angl. Anisum, Apium, Bulbocast. Beuplurum, Carum, Caulalis, Ceresfol. Cicutar. Coriandr. Delphin. Fumar. Filipend. Herba-Ger. Hipposelinum, Meum, Millefol. Myrrhis, Pastinaca, Peucedanum, Percepierre, Petroselinum. Maced. Pimpin. Radix cava. Scandix. Selin. Sefeliprat. Sium, Sphondl. Valerian. Ulmar.

S *Picata*, quarum flores à latiore basi in mucronem desinunt. Agrimonia, Bistorta, Blattaria, *Blita*, Cauda mur. *Circæa*. Cornu cervi. Coronopus, Holost. Lateola, *Lysimach.* purpurea, *Mentha*, Persicaria, *Plantago*, *Potamogeton*, Resed. Serpentur. Sesamoides, Tapfus, *Typha*, Verbasc. Verben. Veron. *Umbilic. Veneris*.

P *Apposa*. Hæ post flores lanosos, villositates quæ vento defluunt acquirunt, plerisq; flos luteus, & semini plurimi villi adhærent *Baccharis-Monspel. Carduus. Crithmum. Dens Leonis*, Helennium, Hieracia, Hypochæris, Hyoseris, Lactuca, Pilosell. Senecio, Sonchi, Tripol. Virga aur.

T *Ripetala*, quorum flores tribus foliis constant Hoc sensu utitur Petalon peritissimus Botanographus Fab. Columna *Galium, Militaris, Morsus Ranae, Plantago aquat. Rubicola arvens, Sagitta, Stellaria.*

C *Ardni & Spinosa* Acanthium, Bardana, Carlina, Card. vulg. Globosus. Erioccephalus

cephalus Mariæ, Stellatus, Solstitialis, Cirsium,
Dipsacus, Eryngium, Virga pastoris.

Echinato capite. His caput minus ex semm.
asperiusculis constans. Agrimonia,
Aparine, Caryophyllata, Canclais Circæa, Coro-
nop. Cynogloss. Dipsacus, Echium, Medica,
Myositis, Plantago aquat. Ranunc. Sagitt.
Scorpoides, Sanicula, Sparganium, Symphyt.
Tribulus-terrest. Urtica.

Capite squammoso. Capitatæ quæ capitibus
majoribus crassioribusq; sunt præditæ rotun-
dis vel ad rotunditatem accedentibus
Baccharis, Cardui. Cyanus, Eupator aq. Jacea,
Jacob. Lactuca, Morsus diab. Prunella, Scabiosa,
Senecio Serrat, Succis.

Crassa & Succulenta, à foll. constitutione
appellantur, quæ carnosæ pinguiæ, succo
turgentia quæquæ radice ablata diu vivunt, per-
durantq; succulenta Acetosa, Atriplex,
Beta Blitum, Cepea, Cochlearia, Cotyledon,
Crassula, Crithmum, Fucus, Halimus, Kali,
Paronychia fol. rutaceo, Pinguicula, Portulaca,
Rhodia radix. Saxifraga alba & aurea, Sedum,
Spongia, Teleph.

Convolvuli & Scandentes. Hæ non nisi alterius
fulcro & ope sustinere se commode pos-
sunt. Alsine baccifera, Bryonia
alba & nigra, Clematis, Convolvuli, Cuscuta,

Dulcamara, Hedera, Helxine, Lupulus, Periclymenum, Polygonum, Polygonatum, Viorna, Volubilis, Vinca pervinca.

L *Aclescentes* quæ lacteum succum fundunt.
Cichoreum, Dens Leonis, Esula, Lactuca, Peplus, Rapunculus, Sonchus, Tithymalus, Tragopogon, solum *Chelidon majus* emittit succum luteum.

H *Umiles & humi serpentes.* *Acinos,*
Alsine, Anagal. Anthyll. mar. *Cauda muris,* Platine, Euphrag. *Gentianell. Glaux. Gratiola,* Kali, knawel. Lunar. *Muscus,* Millegrana, Nummularia minor. *Ophiogloss. Ornithopod. Paronych.* Percepierre, Pneumonanthe, Polygala, *Polygonum* Rubia, Ruta muraria, Rubia Cynan h *Saxifraga,* Seda minora, Scerpyllum, Spergul. *Tribulus terrestr. Veronica minor, Vermicularis.*

M *Molles & Unctuosæ.* His folia mollia Unctuosæ, & glabræ. *Acetosæ, Althæa,* Atriplex, Beta, Blitum, Eonus Henricus, Cynocrambe Glaustum, Lapatha, Malva, Mercurialis, Parietar, Portulac.

C *Capillares.* His radices plerumque numerosæ capillacæ fol. sæpe tenue & multiplex, & sine flore semineve manifesto quod foliorum inferiori parti instar pulvisculi adhæret. *Adi-*
anth. A splen. Adianth aur. Capill. Ven. Dentaria, Dryopr. Filix, Filicula, Hepatica. *Lichen & mar.*

mar. Lonchitis, Lunar. Muscus, Onopteris, *O-*
puntia mar. Osmunda, Phyllitis, Polyped. Ro-
 rella, Ruta murar. Trichoman.

C *Erto fol. numero constant.* Monophyll.
Ophiogloss. Bifol. Trifolia sunt *Fragaria.*
Lagopus.

Lilium convul. quod est vel *Trifol.* vel *bifol.*
Medicæ, Melilotus, Oxys. His accedunt quæ folia
 singula tripartita habent. *Aquileg.*
Crithmum Ruta, Thalictrum, Peucedanum, Pa-
rorych. fol. Rutac. Quadrifol. Iotus, Herba
Paris. Pentaphyll. Tormentill.

A *Sperifol.* Asperum lanuginosum vel hirsu-
 tum fol. habent. *Anchusa, Bugloss;*
Cardus. Cichor sylv. Cynogloss. Echium, Hieracia
quedam. Lithosperm. Lycopsis, Pilosella, Symphyt.

N *Ervisfol.* Quibus insignes conspectuiq; evi-
 dentes nervi insunt, vel per longitudinem
 paralleli, vel liratim exarati. *Allium*
Ursinum, Bifol. Calceolus Mariæ Colchic. Gen-
tianell. Lilium convul. Monophyll. Plantago,
Polygonat. Saponar.

S *Tellata.* Quarum fol. caulem vel instar stellæ
 vel, crucis forma ambiunt. *Aparine,*
Asparagus, Asperula, Cruciat. Equiset, Galium,
Herba Paris. Lysimachia lut. Mollugo. Pyrola
Alfines fl. Rubia, Spergula.

Rotundifoliae, vel. fol. rotunda habent vel ad rotunditatem accedentia sive incidantur vel integra fuerint.

Alchimilla

Alliaria, Aristolochia, Arum, Caltha, Cochlear, Cotyledon, Chelidonium minus, Geran. Gram. Parnassi, Hedera ter. Morsus Ranae, Nummularia, Nymphaea, Percepierre, Petasit. Pyrola. Rorella, Ranunculus, Sanicula, Saxifrag. alb. & aurea. Soldanella, Tragopyrum, Tithymalus Helioscopius, Tussilago Umbilic. ven.

Nudicaules. Quarum caules nullis vestiuntur foliis

Allium & Ursin. Bellis

minor. Caltha palust. Caryophyll. mar. Cauda muris. Chelidon. min. Colchicum, Crocus, Gladiolus, Hyacinth. Holosteae, Limon. Oxys, Paralyf. Petasit. Plantago, Primula, Rorella, Sagitta. Tussilago, Typha, & inter gramina Tomentosum, Hirsutum nemoros, Marinum spicat. Junceum Marit. Palustre Cyperoid.

Aquis innatant.

Conserva, Cotyle-

don, Gram. fluviat. Lens palustris, Millefol. Militaris, Morsus Ranae, Nymphaea, Potamogeton, Sagitta. Stellaria, Tribuli. Viola palust.

Aquat aliae.

Alsine, Anagal. An-

gel. Apium, Arundo Asphodelus, Calaminth. Cardamine, Eruca, Eupator, Gladiol. Hierolap. Lapath. Lyfimach. Marrubium, Mentha, Menthastr. Nasturt. Oenanthe, Panax Colon, Plantago, Ranunc. Raphanus, Saxifraga, Sium, Spar-

Sparganium, Symphyt. Typha, Vaccin. Valeriana.

M *Arina.* Abies, Alga Asparagus,
Cochlearia, Corallina, Corallium, Crith-
mum, Eryngium, Fucus, Glaux. Halimus, Kali,
Limon, Opuntia, Quercus, Soldanella, Spongia,
Tripolium, Vermicularis Frutex.

M *Arina alia.* Absynth. Alcea,
Alopecuros, Alsine, Althæa, Artemisia,
Brassica, Caryophyllus, Cyperus, Echium, Eruca,
Filix, Gnaphalium, Gramina, Holost. Jacob.
Lychnis, Medica, Malva, Musci, Papaver,
Pisum, Sedum, Spergula, Tithymalus.

E *Xcrementa terra ex putridis lignis vel herbis*
orta quæ male dicuntur semine & radice
destitui. Fungi, Musci, Tubera.

Arbores & Frutices.

B *Accifera.* Alnus, Agrifol. Arbutus, Aria
Theoph. Berberis, Buxus, Cornus erica
baccif. Ebulus, Euonymus, Frangula, Junip.
Laureola, Ligustr. Morus, Myrtus, Ornus, Oxya-
canthus, Periclymen. Rhamnus, Ribes, Rubus,
Ruscus, Sambucus, Sorbus, Taxus, Vaccinia,
Viscum, Viburnum.

C *Onifera.* Abies. Larix. Pinus, Pinaster.

C *Landifera.* Castan, Fagus, Quercus.

J *Ulifera.* Acer, *Alnus*, Betulus. Carpinus,
Castanea, Populus, Salix & inter Plantas A-
 corus.

M *Alm.* Malus sylv. Pyrus, Rosa.

O *Ssei intus* Fructus, Cerasus, Cornus, Pru-
 nus.

N *Ucifera.* Corylus, Juglans, Nux vesicar.

R *Hodoflora.* Cystus, Helianth. Rosa, Ro-
 rismarinum. *Rubus*.


S *Iliquose.* Anonis, Genista, Genistell. Gly-
 cyrrhiz.

S *Pinosa.* Agrisol. *Anonis*, Berberis, Genist.
Juniper. Prunus sylv. Oxyacanthus, Rham-
 nus, Rosa, Rubus.

E *Chinophora.* Castan. Fagus, Myrtus Bra-
 bant.

R *Otundifolia.* Buxus, Bruscus, Morus, Popul.
 Salix Caprea, Tilia, Ulmus.

T *Enuifolia.* Erica, *Juniperus* *Taxus* vide
 Coniferas.



Rogatu Nobilissimi Viri præmisi nomina Anglicana Latinis in sequenti Alphabeto.

A.

Adders tongue. *Ophioglossum.*

Adonis flour. *flos Adonis.*

Agramonie. *Agrimonia.*

Alder tree. *Alnus.*

Allgood, or common Mercury. *Bonus Henricus.*

Allheal. *Panax.*

Allseed. *Millegrana.*

Anemone. *Anemone.*

Angelica. *Angelica.*

Anise. *Anisum.*

Apple. *Malus.*

Archangel. *Lamium.*

Arrowhead. *Sagittaria.*

Arsmart. *Perficaria.*

Asphodil. *Asphodelus.*

Asparagus. *Asparagus.*

Ash

Ash tree. *Fraxinus*.
 Ashweed. *Herba Gerardi*.
 Avens. *Caryophyllata*.

B

B Arbery bush. *Berberis*.
 Barley. *Hordeum*.
 Stone Basil. *Acinus*.
 Wild Basil. *Clinopodium*.
 Balm. *Melissa*.
 Bean. *Faba*.
 Beet. *Beta*.
 Beech tree. *Fagus*.
 Bell flour. *Campanula*.
 Betony. *Betonica*.
 Bindweed. *Convolvulus*.
 Sea Bindweed. *Soldanella*.
 Birch tree. *Betula*.
 Birds nest. *Orchis abortiva*.
 Birds foot. *Ornithopodium*.
 Birthwort. *Aristolochia*.
 Bitter-sweet. *Dulcamara*.
 Blew.bottle. *Cyanus*.
 Blites. *Blitum*.
 Box tree. *Buxus*.
 Bramble bush. *Rubus sylv*.
 Brook-lime. *Anagallis aquat*.
 Broom. *Genista*.
 Broom Rape. *Orobanche*.
 Bryony. *Bryonia*.
 Buck wheat. *Tragopyrum*.

Buckshorn plantain. *Serpentaria*.
 Buckshorn. *Cornu Cervinum*.
 Buckhorn. *Rhamnus solutivus*.
 Bugl. *Bugula*.
 Bugloss. *Buglossum*.
 Vipers Bugloss. *Echium*.
 Wall Bugloss. *Lycopsis*.
 Burnet. *Pimpinella*.
 Burdock. *Bardana*.
 Butchers Broom. *Ruscus*.
 Butter Bur. *Petasitis*.
 Butterwort. *Pinguicula*.

C

Cabbage. *Brassica*.
 Calamint. *Calamintha*.
 Caltrops. *Tribulus aquaticus*.
 Cammomile. *Chamameium*.
 Canary seed. *Phalaris*.
 Carrot. *Pastianca tenuifolia*.
 Caraways. *Carum*.
 Cats-tail. *Typha*.
 Catch-fly. *Muscipula*.
 Celandine. *Chelidonium*.
 Centaury. *Centaureum*.
 Charlock. *Rapistrum*.
 Cherry. *Cerasus*.
 Chervil. *Cerrefolium*.
 Chesnut. *Castanea*.
 Chervil. *Myrrhis*.
 Chick weed. *Alfina*.

Cinque-

Cinquefoil. *Pentaphyllum*.
 Clary. *Horminum*.
 Cleaver. *Aparine*.
 Cocl. *Pseudomelanthium*.
 Colts-foot. *Tussilago*.
 Coralline. *Corallina*.
 Corall. *Corallium*.
 Coriander. *Coriandrum*.
 Corans. *Ribes*.
 Cornel or Dogg-tree. *Cornus*.
 Columbine. *Aquilegia*.
 Saracens Confound. *Solidago Saracen*.
 Cow-wheat. *Crataegonum*.
 Cowslips. *Paralysis*.
 Cranes-bill. *Geranium*.
 Cress. *Nasturtium*.
 Dock cress. *Lampsana*.
 Swines cress. *Corenopus Ruellii*.
 Winter cress. *Barbarea*.
 Crocus. *Crocus*.
 Crow-foot. *Ranunculus*.
 Cross-wort. *Cruciata*.
 Eud-weed. *Gnaphalium*.
 Cumfry. *Symphytum*.
 Cyperus. *Cyperus*.

D

D Andelyon. *Dens Leonis*.
 Dane-wort. *Ebulus*.
 Darnel. *Lolium*.
 Dayfie. *Bellis*.

Dill.

Dill. *Anethum*.
 Dittander. *Lepidium*.
 Divels bit. *Morsus Diaboli*.
 Dock. *Lapathum*.
 Dodder. *Cuscuta*.
 Drop-wort. *Filipendula*.
 Water Dropwort. *Oenanthe*.
 Ducks meat. *Lens palustris*.
 Dyers weed. *Luteola*.

E

E Arthaut. *Bulbocastanum*.
 Elicampe. *Enula campana*.
 Elder. *Sambucus*.
 Elm-tree. *Ulmus*.
 Eyebright. *Euphrasia*.

F

F Everfew. *Matricaria*.
 Sow Fennel. *Pencedanum*.
 Star-like water Fennel. *Stellaria aqu*.
 Fern. *Filix*.
 Oak Fern. *Dryopteris*.
 Fig wort. *Scrophularia*.
 Fir-tree. *Abies*.
 Sweet Flag. *Acorus*.
 Corn or Sword Flag. *Gladiolus*.
 Flax. *Linum*.
 Toad-Flax. *Linaria*.
 Fleabane. *Conyza*.

Flour

Flour de luce. *Iris*.
 Fluellin. *Elatine*.
 Fox glove. *Digitalis*.
 Frogs bit. *Morsus Ranae*.
 Fumitory. *Fumaria*.
 Fuss balls. *Tubera terra*.
 Furz bush. *Genista spinosa*.

G

G Arlick. *Allium*.
 Gentian Dwarf. *Gentianella*.
 Germander. *Chamaedrys*.
 Water Germander. *Scordium*.
 Gladdon stinking. *Zyris*.
 Glass wort. *Kali*.
 Goats beard. *Tragopogon*.
 Gold of pleasure. *Myagrism*.
 Golden rod. *Virga aurea*.
 Golden locks. *Adiantum aureum*.
 Grass. *Gramen*.
 Cocks-foot Grass. *Ischemum*.
 Gromel. *Lithospermum*.
 Bastard Gromel. *Anchusa degener*.
 Groundsel. *Erigerum*.
 Ground Pine. *Chamaepitys*.

H

H Ares-ear. *Pupleurum*.
 Hairy-weed. *Conserva*.
 Hares foot. *Lagopus*.

Hare-

Harebell. *Hyacinthus*.
 Harts tongue. *Lingua Cervina*.
 Hawthorn. *Oxyacanthus*.
 Hawk-weed. *Hieracium*.
 Heath. *Erica*.
 Helm or Matweed. *Spartum*.
 Hemlock. *Cicuta*.
 Hemp. *Cannabis*.
 Water hemp. *Eupatorium*.
 Hellebor. *Hebeborus*.
 Wild Hellebor. *Helleborum*.
 Henbane. *Hyoscyamus*.
 Holly. *Agrifolium*.
 Sea Holly. *Eryngium*.
 Hollow-root. *Radix cava*.
 Honewort. *Selinum Sii foliis*.
 Hops. *Lupulus*.
 Horehound. *Marrubium*.
 Horn beam tree. *Betulus*.
 Hors. tail. *Equisetum*.
 Hortles. *Vaccinia*.
 Hounds-tongue. *Cynoglossum*.
 Houseleek. *Sempervivum majus*.
 Hedge Hyssop. *Gratiola*.

I

Jack by the hedge. *Alliaria*.
 Jews-ear. *Fungus Sambucinus*.
 Iron-wort. *Sideritis*.
 Juniper. *Juniperus*.
 Ivy. *Hedera*.

K

K Ings spear. *Asphodelus*.
 Knapweed. *Jacea*.
 Knotgrafs. *Polygonum*.
 Knewel. *Polygonum Selinoides*.

L

L Adies bed straw. *Galium*.
 Ladies slipper. *Calceolus Maria*.
 Ladies smock. *Cardamine*.
 Lady Traces. *Triorchis*.
 Ladies Mantle. *Alchimilla*.
 Langue de bæuf. *Buglossum luteum*.
 Sea Lavender. *Limonium*.
 Laurel Spurge. *Laureola*.
 Larks spur. *Consolida regalis*.
 Leopards bane. *Doronicum*.
 Lettuce. *Lactuca*.
 Lentils. *Lenos*.
 Lilly. *Lilium*.
 Water Lilly. *Nymphaea*.
 Line or Linden tree. *Tilia*.
 Liquorice. *Glychirrhiza*.
 Liverwort. *Hepatica*.
 Lungwort. *Pulmonaria*.

Madder.

M

- M** Adder. *Rubia.*
 Maiden-hair. *Trichomanes.*
 Mallow. *Malva.*
 Vervain Mallow. *Alcea.*
 Marsh Mallow. *Althea.*
 Maple. *Acer.*
 Marsh Marigold. *Caltha palustris.*
 Corn Marigold. *Chrysanthemum.*
 May weed. *Cotula.*
 Meadow-sweet. *Ulmaria.*
 Melilot. *Melilotus.*
 Mercury. *Mercurialis.*
 Dogs Mercury. *Cynoscrambe.*
 Milk wort. *Polygala.*
 Mistletoe. *Viscus.*
 Mint. *Mentha.*
 Money-wort. *Nummularia.*
 Moon-wort. *Lunaria.*
 Moss. *Moscu.*
 Mug-wort. *Artemisia.*
 Mother-wort. *Cardiaca.*
 Mouse-ear. *Pilosella, Auricula muris.*
 Mouse-tail. *Cauda muris.*
 Moth. Muslein. *Blattaria.*
 Mullein. *Tapsus barbatus.*
 Black Mullein. *Verbascum nigrum.*
 Mulberry. *Morus.*
 Mustard. *Sinapi.*
 Towers Mustard. *Turritis.*

Treac. Mustard. *Thlaspi*.
 Arabian Mustard. *Draba*.
 Mushrom. *Fungus*.
 Myrtle. *Myrtus*.

N

N Aview wild. *Bunius sylv*.
 Nep or Catmint. *Cataria*.
 Nettle. *Urtica*.
 Stinking dead nettle. *Galeopsis*.
 Night-shade. *Solanum*.
 Inchanters night-shade. *Circea Lutetiana*.
 Nut Haste. *Avellana sylv*.
 Bladder Nut. *Nux Vesicaria*.

O

O Ak-tree. *Quercus*.
 Sea Oak. *Quercus marina*.
 Oats. *Avena*.
 Wild Oats. *Bromos*.
 One blade. *Monophyllum*.
 Orach. *Atriplex*.
 Orpine. *Telephium*.
 Origanum. *Origanum*.

P

P Ansyes. *fataa & viola tricolor*.
 Parsley hedge. *Caucalis*.
 Wild Parsley. *Sison*.

- Parsley break stone. *Perce pierre Anglorum.*
 Parsnip. *Pastinaca.*
 Water Parsnip. *Sium.*
 Cow Parsnip. *Sphondilium.*
 Pasque flour. *Pulsatilla.*
 Peas. *Pisum.*
 Wood or heath Peas. *Astragalus.*
 Everlasting Peas. *Lathyrus.*
 Pear. *Pyrus.*
 Pennyroyal. *Pulegium.*
 Penny or Navel wort. *Cotyledon.*
 Wall Pennywort. *Umbilicus Veneris.*
 Perwinkles. *Clematis Daphnoides.*
 Pellitory. *Parietaria.*
 Pæonie. *Pæonia.*
 Pine tree. *Pinus.*
 Pile wort. *Chelidonium minus.*
 Pinks. *Caryophyllus.*
 Pimpernel. *Anagallis.*
 Plantain. *Plantago.*
 Buckshorn Plaintain. *Cornu Cervinum.*
 Plowmans spikenard. *Baccharis Monsp.*
 Plum. *Prunus.*
 Polypodie. *Polypodium.*
 Pondweed. *Potamogeton.*
 Poplar. *Populus.*
 Poppy. *Papaver.*
 Spartling Poppy. *Beben.*
 Bastard wild Poppy. *Argemone.*
 Prick Timber, or Spindle tree, *Euonymus. Theoph.*
 Primrose. *Primula veris.*
 Privet. *Ligustrum.*

Purflain. *Portulaca.*

Sea Purflain. *Halimus.*

Water Purflain. *Alfne fol, subrotundis.*

Q

Quicken tree. *Fraxinus bubula.*

R

Radish. *Raphanus.*

Ragwort. *Jacobaea.*

Rampions. *Rapuntium Rapunculus.*

Ramsons. *Allium ursinum.*

Raspis. *Rubus Idæus.*

Ratl. or Coxcombe. *Crista galli.*

Red ratl. Loufwort. *Pedicularis.*

Reed. *Arundo.*

Bur-reed. *Sparganium.*

Reed grass. *Calamo grostis.*

Rest Harrow. *Anonis.*

Rocket. *Eruca.*

Italian Rocket. *Reseda.*

Rose. *Rosa.*

Dogg-rose. *Cynorhodon.*

Rose-root. *Rhodia radix.*

Rosemary. *Rosmarinum.*

Wall Rue. *Adiantum album.*

Rhubarb. *Rhabarbarum.*

Meadow Rhubarb. *Thalictrum.*

Rush. *Juncus*.
Rye. *Secale*.

S

Saffron. *Crocus*.
Meadow Saffron. *Colchicum*.
Sage. *Salvia*.
St. Johns-wort. *Hypericum*.
Sampire. *Crithmum*.
Sanicle. *Sanicula*.
Satyrium. *Satyrion*.
Saw-wort. *Serratula*.
Saxifrage. *Saxifragia*.
Scabious. *Scabiosa*.
Scorpion grass. *Scorpidos myositis*.
Scurvy grass. *Cochlearia* Herba Britan.
Self-heal. *Prunella*.
Service tree. *Sorbus*.
Wild Service. *Aria Theoph*.
Sheepheards purse. *Bursa Pastoris*.
Sheepheards needle. *Pecten Veneris*.
Silver weed. *Argentina*.
Smallage. *Apium palustre*.
Snails or Medicks. *Medica*.
Snap dragon. *Antirrhinum*.
Sneese-wort. *Ptarmica*.
Solomons seal. *Polygonatum*.
Soap-wort. *Saponaria*.
Fresh water souldier. *Militaris*.
Sorrel. *Acetosa*.
Wood Sorrel. *Oxys*.

Speedwel. *Veronica*.
 Spignel. *Menm*.
 Spleen wort. *Asplenium, lonchitis*.
 Spurge. *Tithymalus*.
 Spurrey. *Spergula*.
 Star of Bethlehem. *Ornithogalum*.
 Water Star wort. *Stellaria aquatica*.
 Sea Star wort. *Tripolium*.
 Stichwort. *Holosteum*.
 Stone corp. *Vermicularis*.
 Strawberry. *Fragaria*.
 Succory. *Cichoreum*.
 Swines succory. *Hypochaeris*.
 Sundew. *Rosa solis*.
 Sunflour. *Chamacistus Angl*.

T

T Anfy. *Tanacetum*.
 Tare. *Vicia, vel Arachus*.
 Milk Tare. *Glaux*.
 Teasle. *Dipsacus*.
 Thistle. *Carduus*.
 Carline Thistle. *Carlina*.
 Cotton Thistle. *Acanthium*.
 Sow Thistle. *Sonchus*.
 Single headed Thistle. *Cirsium*.
 Thorow wax. *Perfoliata*.
 Thrift. *Caryophyllus marinus*.
 Throat wort. *Trachelium*.
 Tooth-wort. *Dentaria*.

Tormentill. *Tormentilla*.
 Travellours joy. *Viorna*.
 Trefoil. *Trifolium*.
 True love and one berry. *Herba Paris*.
 Turnep. *Rapum*.
 Tutfan. *Androsæmum*.
 Tway-blade. *Bifolium*.
 Wild Tyme. *Serpyllam*.

V

V Alerian. *Valeriana*.
 Vervain. *Verbena*.
 Vetch or Fetch. *Vicia*.
 Kidney Vetch. *Anthyllis*.
 Hors-shoe Vetch. *Ferrum equinum*.
 Crimson grass Vetch. *Catanance*.
 Yellow wild Vetch. *Aphaca*.
 Violet. *Viola*.
 Corn Violet. *Speculum Veneris*.
 Calathian Violet. *Pneumonanthæ*.

W

W Ake Robbin. *Arum*.
 Wall-flour. *Leucoium*.
 Wallnut-tree. *Nux Juglans*.
 Wall pepper. *Illecebra*.
 Way faring tree. *Viburnum*.
 Wheat. *Triticum*.
 Cow-wheat. *Melampyrum*.
 Whitlow grass. *Paronychia*.

Petty Whin. *Genista aculeata.*

Willow. *Salix.*

Willow weed. *Lysimachia.*

Wild Williams. *Armoraria.*

Winter green. *Pyrola.*

Woad. *Glastrum.*

Great bastard Woad. *Sesamoides Satamanticum.*

Wood rough. *Asperula.*

Wood wax. *Genistella.*

Woodbind. *Periclymenum.*

Wormwood. *Absynthium.*

Sea Wrack. *Alga.*

Y

Y Arrow. *Millefolium.*

Yew, *Taxus.*



Synopsis

*Synopsis omnium Classium quibus usi sunt
Scriptores Botanici in suis de plantis
Historiis, præter Alphabeticam.*

A Cidæ, Acres, Alexipharmacæ, Allium redo-
lentes, Amaræ, Aquaticæ, Asperæ, Bulbo-
sæ & sub his Carnosæ & Esculentæ, Campanulæ,
Capsulataæ, Capitataæ, Capillares, Cardui & spi-
nosæ, Catharticæ, Cichoraceæ & refrigerantes,
Convolvuli & scandentes, Coronariæ, Corymbi-
feræ, Crassifoliæ & succulentæ, Echinophoræ,
Epigeiophyllæ, Exoticæ, Excrementa terræ, Fo-
liis magnis, Flore placentes, Frumenta, & ho-
rum vitia, Galeatæ, Genuculatæ, Gramina, Hor-
tenses, Humiles & serpentes, Indicæ, Junci,
Lactescentes, Legumina, Marinæ, Miscellanæ,
Molles & Unctuosæ, Narcoticæ & Venenatæ,
Nervifoliæ, Nudicaules, Odoratæ, Olera seu
Oleracæ vel Edules Dod. Orchis, Palustres,
Pappifloræ, Rariores, Rotundifoliæ, Saxitragæ,
Siliquosæ, Stellatæ, Tenuifoliæ, Trifoliæ, Ver-
ticillatæ, Umbelliferæ, Vulnerariæ.

Arbores sunt Aromaticæ, Bacciferæ, Balsami-
feræ, Coniferæ, Exoticæ, Glandiferæ, Indicæ, La-
chrymiferæ, Leguminosæ, Miscellanæ, Nuciferæ,
quibus ossei fructus intus: Rhodofloræ, Scopariæ
Spinosa. Trifoliæ quæ insuper leguminosæ, Vi-
rentes perpetuò.

Hiscæ classibus usi sunt, C B. I B. P. G. Lob.
Dod. Recchus, Jonstons, at Hortus Eysteton-
sis digestit secundum anni tempora in vernas,
æstivas, autumnales & Hyemales.

Oportet

*Oportet futurum Herbarium in primis cal-
lere hæc Technica vocabula sub phanta-
rum partibus dissimilaribus, tanquam
capitibus disposita, Generalia Charactere
Romano, peculiaria Italico describuntur.*

R *Adicis* sunt, *Bulbi*, *Tubera*, *Filamenta*, *Sto-
lones*, *Turiones* & *Asparagus*, *Fundus*.

Caulis. *Ala* & *sinus*, *Genua*, *Genicula* seu
articuli. *Nodi*, *Internodia*, *Medulla*, *Hinc Ra-
mus* *Thyrusus* *Capreolus*, *clavicula* & *crines* seu
viticuli. *Pedunculus*, *pediculus* seu *petiolus*.

Foliorum. *Caro*, *Nervus*, *Crenæ*, *Laciniæ*,
Lanugo.

Florum *Alabastri*, *Palaustium* & *cytinus*. *Ca-
lix* & *perianthemum*, *Capillamenta* & *filamenta*.
Gemma & *oculus*. *Stamina* cum *Apicibus* seu
antheris. *Spica*, *Stylus*. *Unguis*, *Petalon*. *Calcar*.
Cupulus, *Fundus*, *Juba*, *Tomentum*, *Um-
bilicus*, ex multis diversisque compactis fiunt
Servix & *Coronæ*.

Seminis *Follicules* & *utriculus*, *Loculamen-
tum*, *Pannicula*, *Samera*, *Pappus* *Valvalæ*.

Frumenti. *Acus* & *palea*, *Arista*, *Alica* &
halica, *Amylum*. *Cor* & *corculum*. *Culmus*, *Frit*.
Gluma, & *utriculus*, *Uruncus* vel *uruncum*,
Locusta, *Granum*, *Spica* quæ dicitur *Mutica*,
Merges.

Fructuum. *Acini* & *arilli*. *Baccæ*, *Caro* seu
pulpa. *Dactylus*, *palma*, seu *Caryotis*. *Cicus* vel
ciccum.

cicum. Nucleus, Officulum, Pericarpum, Umbilicus, Corculum, Volva, *Racemus*.

Arborum. Scapus, Truncus, Caudex, Cortex, Liber *Malitorium*, Matrix & Medulla & cor. Pecten. Circuli Surculi Rami Sarmenta Ramusculi, *Spadix*, Vimen. Virgultum & Cremium, Vitilia, Talea, Scobs, Termes, Turiones, Frondes, Cachryas & nucamentum & julus & Catulus, Comæ, Arborum species frutex & suffrutex.

Synopsis Etymologica quæ lectori inservire poterit vel ad inveniendum rationem nominum genericorum plantarum prima lectione, vel certe ad firmitus memoriae insigendum prius inventa, quæ insuper non inutilis ad ipsarum herbarum cognitionem. Plura si velis adi CB. I B. CC. CO. & ceteros Botanographos.

F*olio*. Acanth. Agrifol. Alektoroloph. Anisum, Asperula, Argentina, Arnogloss. Auricula Judæ, Aparine *Clivers*, ab adhærendo. Bifol. Bugloss. Bupleure *Hares-ear*.

Chamædrys, Chamæpitys. Cardui, Coronop. Cornu Cervin. Clematis, Cotyledon, Cruciat, Cynogloss. Cochlear. Chærefol. Cinara. Dipsacus, Dens Leonis, Dryopteris. Erysimum, Equisetum. Filix, Fumar. Gnaphal. Gladiolus. Hepta-

Heptaphyll. Herba Ger. *Ashweed*. Jacobæa, Ragwort. Lactuca, Lagopus, Laureola, Lonchitis, Lingua cervina Lycops, Lunaria. Meum, Millefol. Monophyll. Morsus Ranæ, Myositis. Nummular. Ophiogloss. Oxalis, Oxys, Oxyacantha, Oxyacanthus. Pedicularis, Perforata, Perfoliata, Periclymenum, Pimpinella, Plantago. Polytricum, Populus, Pentaphyll. Petasitis, Portulaca, Pilosella, Pinguicula, Pes Columb. Persicaria. Pulmonar. Pyrola. Ranunc & flammæus, *Spearwort* Rorella. Sagitta. Seratula, Sparganium Spatula, Stellaria. Vermicularis, Verbascum, Ulmaria, Umbil. Veneris, Ungula Caball (Tussilago.) Trifol.

a **C** *Anle* Cicuta. Polygon. Viburnum.

a **F** *Lore*, Alopecuros, Anagallis, Anthyllis, Anemone, Antirrhinum Aquileg. Androsæm. Bellis Betonica, Calceolus Mariæ, Campanula, Cauda muris, Chamæmel. Chrysanthemum, Clinopod Crocus. Cyanus. Digitalis. Erigerum. C O. Flos solis. Galeopsis. Helenium Hyacinthi, *Hares bells*. Jacæa *Knapweed*. Ischæmon, *Cocksfoot*. Iris. Luteolia, Lamium. Oenanthe, Ornithog. Orchis Melittias, &c. Stachys. Speculum Veneris. Tragopogon. Viola tricolor.

a **R** *Adice* Bistorta, Bunias, Bulbosæ, Bulbocastan. Caryophyllata, Chelidonium minus, *Pilewort*. Cyperus, Cyclamen. Dentar. Fabr. Filipend.

Filipend. Glans terræ. Glycyrrhiza. Morsus Diab.
 Nidus Avis. Orchis. Peucedanum *Sulphermort.*
 Polypod. Palma Christi. Pastinaca, Polygonat.
 Radix cava. Rhodia radix. Rubia, Rubeola,
 Raphanus, Rapum, Rapistrum, Rapunculus.
 Scrophular. Valeriana.

a **F** *Fructu*, Baccif. Cereal. Cærasus. Fragaria.
 Grossularia. Legumina. Nux Vesicar. Poma,
 Pruna, Pyrus. Rubus, *Black berry.* Vaccinia
 quasi baccinia.

a **S** *Emine vel vasculo feminali.* Acer. Astragalus
 Beta, Bursa pastor. Caulalis, Cataputia.
 Echium. Faseolus, Fegopyrum, Ferrum Equin.
 Lithosperm. Melampyrum. Millegrana, Mono-
 phyl. *One berrey.* Nigella Nigellastrum. Ophio-
 gloss. Ornithopod. Pecten Veneris Pulsatilla,
 Pastinaca syl. *Birds nest.* Serpentar. Scorpoides.
 Typha, Tragopogon, Tribulus, Thlaspi.

ab **U** *Su Medico.* Acorus, Alcæa, Ammi, Ane-
 thum, Angelica, Argemone, Aristoloch.
 Avium, Asplenium, Asphodel. Catananche, Cat-
 taria, Cardiaca, Cirsium, Chelidonium, Conyza,
 Consolida, Erica Euonimus Euphrasia, Galium,
 Glaux. Gratiola. Hepatica, Hieracium, Hormi-
 num, Juglans, Lampfana, Lepidium, Lens, Li-
 chen, Medicæ, Panax. Paralysis, Paronychia,
 Percepierre, Polygala, Prunella, Ptarmica, Pul-
 monaria, Salvia, Saxafragiæ, Selinum, Sonchus,
 Sium, Sorbus, Scabiosa, Sideritis. Telephium,
 Tor.

Tormentilla, Trachelium, Tussilago, Valeriana.

A M *Ala qualitate.* Anonis, Blattaria, Blitum, Circæa Cynanchice Eryngium, Fungus, Helleborus, Orobanche, Sinapi.

A S *Apore.* Absynthium, Daucus.

Ab O *Dore* Baccharis, Balsamita, Caryophylli, Caryophyllata, Coriandrum, Myrrhis Sphondylium.

A D *Uratione.* Adiantum.

A M *Odo Crescendi.* Atriplex, Bryonia, Juniperus, Salix, Serpillum, Thalictrum.

A T *Astili qualitate Cornus.* Linum, Urtica, Cardui, Carlina.

A L *Oro.* Alsine, Anagalis, à Gallo flavio, C O. Carum, Cepea, Cerasus, Colchicum, Cytisus, Ebulus, Halimus, Limonium, Nymphaea, Parietaria, Potamogeton, Ruscus, Typha.

A D *Iis* Juglans, Serapias.

A *S* *Anetis* Barbaræ, Jacobæ.

Ab *I* *N*ventoribus, Armeria, Adonis flos, Arthemisia, Asclepias, Enula, Gentiana, Herba Doria, Gerardi, Hyacinthus, Mercurius, Myrtus, Narcissus, Nymphaea, Tanacetum, Teucrium.

Ab *U* *Su pro Animalibus*. Cynocrambe, Hypochæris, Hyoseris, Hyoscyamus, Sagina.

Ab usu in Mechanicis Juncus, Ligustrum, Luteola, Lychnis, Saponaria.

Compendium temporis in quo florere incipiunt plantæ nostrates, sc. singulis mensibus separatim digestis, p. principium, f. finem mensis, denotat. Durationem autem intelliges ex notis arithmeticiis Ex. gr. Vide mensem Martium & ibidem Acer cui postscribitur 3 indicans Acer florere a Martio ad 3. inclusive (1) Maium & in mense Aprili quære Arundinem quam siquitur Character 5 innuens hanc florere ab Aprili ad Augustum, & sic de cæteris. Alphabetice disposui in singulis mensibus ut facilius indagares.

Dens Leonis & Erigera quovis Mense.

M *Artio* Acer 3 Cheledonium minus, Petasites 2. Populus 2. Quercus, Radix cava,
N Rapi-

Rapistrum 5. Saxifraga aurea 2. Sorbus, Taxus,
Tussilago 2. Vinca pervinca 3. Viola 2. Ulmus 2.

*A*prili Alnus, Armeria 2. Arundo 5. Betula,
Betulus, Bugula 2. Cardamine 2. Castanea,
Cerasus, Chelidonium majus 4. Clematis 3.
Cornu cervin 5. Coronopus 5. Cynocrambe 5.
Equisetum 5. Euonymus, Faba 2. Fagus 2. Fe-
gopyrum 2. Fraxinus 2. Gentium 2. Gerauni-
um 4. Hedera ter. 5. & aquat. 3. Herba Paris,
Hieracia 5. Nux Juglans, Lujula sive Oxys 3.
Malus, Ophiogloss. 2. Ornithogal. 2. Paralysis
2. Pisum, Primulæ 2. Prunus, Pulsatilla 2. Pyrus,
Rubus, Rosmarinum & in Augusto, Salix, Sam-
bucus 2. Stella, aquat. 3.

*M*ai Alchimilla 2. Antirrhinum, Aquile-
gia 3. Arachus, Aria, Aristolochia 3. Ar-
moraria 2. Asphodelus 2. Auricula muris 2. Bar-
baria, Behen 4. Bifol. 2. Bistorta, Bryonia, Bu-
gloss 4. Bursa pastoris 4. Caltha 2. Camelina 2.
Campanula 4. Caryophyllat. 3. Caulis 4. Ce-
refolium, Chamædrys, Christophoriana 2. Co-
chlearia, Convolvuli 4. Cornus 2. Crataegonon
4. Crithmum 2. Cyanus 4. Cynosorchis 2. Dan-
taria 2. Draba 2. Echium 4. Eleagnus 2. Erica 4.
Euphrosine 4. Filipendula 3. Flos Adonis 3.
Fragaria, Fumaria 4. Galeopsis 4. Genista 4.
Genistella 4. Glaux marit. Gratiola 4. Helle-
borine 2. Holosteia 2. Hyacinthus 2. Hyoseris 4.
Hypochaeris 4. Iris 2. Juniperus, Lamium 4.
Lampfana 4. Ligustrum 2. Lillium conval. Lu-
naria,

naria, Lychnis 4. Mercurialis 4. Millefol. 2. & terrest. 5. Millegrana 4. Monophyllum. Morus f. Myagrum 2. Myrrhis, Myrtus 2. Nummularia 3. Oenanthe 2. Ophris 2. Orchis 4. Oxyacanthus, Palma Christi 2. Papaver 4. Pecten Veneris Pedicularis 2. Pentaphylla 2. Perfoliata 2. Periclymenum 2. Pilosella 2. Pæonia, Polygala 4. Polygonum 4. Polygonatum, Ptarmica 4. Ranunculus 4. Rapunculi 3. Rapuntium 3. Rhamnus, Rorella 2. Rosa 4. Rubeola 4. Rubus 2. Sagitta 2. Sanicula 2. f. Saxifraga alba 2. Serapias 2. Serpentar 2. Serpillum 3. Sesamoides 2. Staphylo-dendron, Synanchice 4. Teucrium 4. Thlaspi 4. Tilia, Tormentilla 4. Trachelium 4. Trifolia 4. Tripolium 2. Turritis 2. Vaccinia, Valeriana 3. Veronica 4. Vicia.

Junio Acinos 2. Acanthium 2. Adianth. aureum 3. Agrifol. Agrimon. 2. Alliaria 2. Allium 2. Alopecuros, Alline 2. Anagallis 3. Anchusa 2. Anthylis 4. Aparine 2. Apium 2. Argentina 2. Asparagus 2. Asperula 2. Astragalus 2. Atriplex 3. Baccharis 2. Beta 2. Blitum 3. Bonus Henric. Bulbocastan 2. Bunias 3. Calamintha 3. Calceolus Mariæ, Cannabis, Cardiaca 3. Cardui 3. Chamamel 3. Chamænerion 2. Chamæpytis 3. Circeæ 4. Clinopod. 2. Conyza 3. Consolida 2. Cruciata 2. Cynogloss. 2. Daucus 2. Digitalis 2. Dipsacus 2. Doronicum 2. Ebulus 3. Enula 2. Erysimum 2. Eruca 2. Eryngium 2. Esula 2. Ferrum, Equinum, Galium 3. Gladiolus 3. Glastrum 3. Glaux, Gnaphalium 3. Hepatica 2. Herba

Gerardi 3. Hippofelinum 2. Horminum 3. Jacea
 2. Iberis 2. Irio 2. Kali 3. Knawell 3. Lactuca 2.
 Lagopus 3. Lapatha, Oxalis 2. Lathyrus 2. Lepi-
 didium, Lichen 4. Limon 2. Linaria 3. Linum 2.
 Lithospermum, Luteola 2. Lyfimachia 2. Lyco-
 psis 3. Malvæ 2. Medicæ 2. Melampyrum 2. Me-
 lifsa 3. Meum 2. Militaris 3. Mollugo 3. Morfus
 Ranæ, Muscipula 3. Myofit. scorpiod. 3. Nidus
 avis 3. Nymphæa 3. Ochrus 2. Origanum 3.
 Ornithopod. 3. Orobanche, Parthenium 3. Pe-
 plus 2. Perficaria 3. Peuced. 3. Pimpinella 3.
 Pinguicula, Plantago 2. Portulaca, Potamogeit-
 on 2. Prunella 3. Pſyllium 2. Pulegium 3. Pul-
 monaria 3. Pyrola 2. Raphanus, Refeda 3. Sal-
 via 3. Saponaria 2. Scrophularia 2. Scabioſa 3.
 Scordium 2. Scorodopraſum 2. Sedum 2. Side-
 ritis 3. Sinapi 2. Siſon 2. Solanum 3. Soldanella
 2. Sonchi 3. Sophia Chirurg. 3. Spartum 3.
 Speculum Veneris, Spergula 2. Sphondilium 2.
 Stachys 2. Tithymalus 2. Tragopogon 3. Tribu-
 lus aquat. 3. & terreſtr. 2. Viburnum 2. Ulma-
 ria 3. Umbilicus Veneris 2. Urtica 3.

• **J**ulio Absynth. 2. Acorus 2. Ægilops bromoid.
 2. Alcea 2. Althea 2. Androſemum 2. An-
 gelica 2. Anonis 2. Aphaca, Aribaccæ 2. Arbutus
 2. Arthemifia, Aſcyrum 2. Aſter 2. Bardana
 Blattaria 2. Braſſica, Bromos 2. Bupleurum,
 Catanance, Centaurium 2. Chamæciſtus 2. Chry-
 ſanthemum 2. Cicuta 3. Cicutaria 2. Ciſſium,
 Cotula 2. Cymbalaria 2. Cyperus 2. Dulca-
 mara, Elaphoſcum, Eupatorium 2. Feſtuca 2.
 Galega

Galega 2. Glycyrrhiza, Halimus 2. Jacobæa 2.
 Juncus 3. Lathyrus 2. Lens 2. Lolium, Marub.
 2. Melilotus 2. Mentha 2. Menthastr. 2. Nastur-
 tium, Onobrychis, Parietaria, Pastinaca 2. pha-
 laris 2. Pseudomelanthium, Rhodia radix, Seli-
 num, Sii foll. Serratula 2. Sium, f. Solidago, Ta-
 nacetum 2. Tapsus 3. Telephium 2. Thalictrum
 2. Typha 2. Verbascum, Vermicularis frutex 2.
 Verbena 2. Viorna 5.

A *ugusto* Anethum, Agremone, Avena, Ci-
 choreum, Elatine 2. Euphrasia 2. Gen-
 tianella, Lupulus 2. Morsus Diab. Panax Co-
 loni, Pneumonanthe 2. Sparganium, Tragori-
 ganum, Virga aurea, Zyris.

S *Eptemb.* Berberis, Colchicum, Laureola,
 Oxyacantha, Pulsatilla.

O *Ctob.* Leucoia 3.

D *Ecemb.* Helleborastrum, & quandoq; pri-
 mula.

J *Anuario* Anemone 4. Bellis 8. Corylus 3.
 Cotyled. 4. Paronychia 2.

F *Ebruario* Buxus 2. Crocus, Narcissus 3.

*Quadrupeda Britannica.**Solidungula*, Whole-Footed.

Equus, *a Horse*, I. 8. Ald. 21. G. 404. Cantherius, I. ib. *a Gelding*. Pullus equinus *a Foal*. In Equilibus Nobilium, Equus Frisicus, I. tab. 2.

Asinus, *an Ass*, I. 23. tab. 6. G. 5.

Mulus, *a Mule*, I. 23. tab. 6. G. 702.

Bifulca ruminantia, Cloven Footed, chewing the Cud.

Taurus, *a Bull*, I. 42. Ald. 36. G. 102. Vacca lactans, I. ib. *a Milch Cow*, Bos, I. tab. 14. 15. *an Ox*. Juvenca, *an Heifer*, Vitulus, I. tab. 15. *a Calf*, ex Vitulorum Ventre sæpe eximuntur pilæ ex deglutitis pilis propriis Ald. 40.

Aries, *a Ram or Tup*, I. 60. Ald. 397. G. 771. Agnus, I. tab. 22. *a Lamb*. Vervex, *a Weather*, I. tab. 22. 110.

Caper, *a Weather-Goat*, Hircus, *a He-Goat*, Hædus, *a Kid*, I. 80. tab. 27. Ald. 635. G. 288. in Montibus Cambrobrit.

Cervus, *a Stag*, I. 86. Ald. 774. Hinnuleus, *a Hind*. Hinnulus, *a Fawn*. Dama, *a Doe*. Dama vulg. *a Fallow Deer*, in vivariis quorum ingens copia per totam insulam.

Capreolus, *the Roe-buck*, I. 80. tab. 33. vulgo habetur in Scotia.

Aper, *a Boar*, I. 108. Ald. 1006. 1025. G. 918. Porcus, *a Hog*, Sus, *a Sow*, Scrofa, *a Sow with Pig*, Maralis, *a Barrow-hog*, I. ib.

Digi-

Digitata Vivipara Semifera.

Vulpes, a Fox, I. 128. tab. 56. Ald. 221. G. 966.

Herinaceus & Erinaceus, an Urchin or Hedgehog, I. 148. tab. 68. In vepretis & sepibus.

Vitulus mar. a Seal, or Sea-Calf, I. 148. tab. 68. Ald. 724. ---- In borealibus tractibus & Scotia.

Lutra, an Otter, I. 148. tab. 68. Ald. 295. G. 684. in plerisq; fluviis majoribus, præsertim in Suffexia.

Mus domesticus, the house Mouse, I. 164. tab. 66. Ald. 417. G. 714. observavi, album, Cinereum & fuscum.

Mus Major seu Sorex, a Rat, I. ut supra, Ald. 406. G. 731.

Mus aquaticus, a Water Rat, I. 156. tab. 72.

Mus Araneus, the Erdsbrow, or Field Mouse, I. 164. tab. 66. Ald. 442. Invenitur nigri vel fusci coloris, & alter dorso nigro ventreq; albo, & parvus griseus, & in partibus borealibus magnus cauda brevi.

Mus Avellanarum, a Sleeper, or Dormouse, I. ut supra, Ald. 440. G. 735. raro occurrit.

Mustela, a Weasel, I. 155. tab. 72. *Mustela Sylv.* Ald. 327. G. 752. In domibus, & horreis.

Viverra, t'etis, Euro, a Ferret, G. 762. at Sine icone.

Martes, a Martern, or Marteron, I. 155. *Martis sceleton*, Ald. 333. G. 765. In agro Wiltoniensi & borealibus.

Putorius, a Fitchew, or Pole-cat, I. 155. tab. 64. Ald. 330. G. 767.

Taxus fuillus, Meles, I. tab. 72. *a Badger, Gray, Brock, or Bawson*, I. ubi supra, Ald. 266. 267. G. 686. *Cryptas incolit*.

Lepus, a Hare, I. 157. tab. 65. Ald. 351. G. 605.

Cuniculus, a Coney, I. 157. tab. 65. Ald. 385. G. 362. *Estq; griseus argenteus & niger*.

Sciurus, a Squirrel, I. 164. tab. 66. Ald. 398. G. 845. *In sylvis & arboretis*.

Talpa, a Mole, Want, or Wont, I. 164. tab. 66. Ald. 451. G. 931. *Repperitur quandoq; tota alba, nulla invenitur in Shepey insula*.

Digitata domestica.

Canis leporarius & Scoticus, a Grey-hound, I. 174. Ald. 545. G. 269.

Molossus, Canis bellicosus Anglicus, a Mastiff, Ald. 559. *Canis*, I. 174. tab. 79.

Canis sagax ad aquas, a Water-Spaniel, Ald. 556.

Canix Scoticus sagax, a Blood-hound, & alter furum deprehensor, Ald. 553. 554.

Canis sagax ad Coturnices capiendas, a Land-Spaniel, Ald. 555.

Canis minor celer, a Beagle.

Canis Getulus, an Island Dog, I. tab. 69.

Canis Melitenfis, a Foisting Dog, Ald. 542. & alter brevioribus pilis, id. 541.

Canis pastoris fidelis, a Shepherds Cur.

Canis Villaticus, a Cur Dog.

Canis Leporarius, a Hound, I. 174. tab. 70. G. 250. 251.

Canis

Canis pugnax, a Butchers Bull or Bear Dog.

Canis avium venatica, a Setting Dog.

Canis socius & fidelis, a good House-keeping Dog.

Canis mixtus, a Mongrel.

Felis, Catus, a Cat, l. 174. tab. 72. Ald. 57.

Felis sylv. a wild Cat, l. 174. tab. 72. Ald. 583.

Felis Syriaca multis punctis inter stincta, the Cypress Cat, Ald. 556. Enutritur in ædibus nobilium.

Digitata ovipara cute testâ.

Rana, a Frog, l. 187. tab. 75. Ald 591. est vel Terrestris major flava, vel minor nigricans, secundo aquatica vulg. vel maculata.

Ranunculus viridis seu Dryopetes, G. 60.

Ranæ fætus caudatus, Tadpoles, G. de quadrup. oviparis, pag. 46.

Bufo, a Toad, l. 187. tab. 75. Ald. 609. Rana

Rubeta tum palustris, tum terrestris, G. ib. 64.

Lacertus, an Eft, or Newt, l. 190. tab. 76. Ald. 627. G. 31. Hujus species apud nos, 1. Terrestris vulg. ventre nigro maculato, 2. Terrestris anguiformis in Ericetis, 3. Parvus terrestris fuscus oppido rarus, 4. Aquat. fuscus, 5. Aquat. niger, Lacertus Hibernicus ex Catal. Musæi Tradescantiam.

*Aves Britannica.**Terrestres Carnivora.*

Aquila, *the Eagle*, I. 10. tab. 1. 2. Ald. 110. G. 149. quandoq; hac migrat ex Hibernia ubi abundat.

Accipiter, *the Hawk*, I. 20. tab. 7. Ald. 225. 228. G. 3.

Halæetus, *the Sea Eagle*, vel Osprey Turn. Quandoq; conspicitur in Cornubia, I. 12. tab. 2. Ald. 188. 190. G. 177. sine icone.

Lanarius, *the Lanar*, mas vocatur, *the Lanaret*, Ald. 381. 382. I. 24. tab. 9. --- in *Shirwood Forest*, in agro Nottinghamensi, and in *Dean Forest*, in agro Gloucestrensi.

Accip. Palumbarius, *the Goshawk*, mas dicitur *the Tassel*, Tertiolus, G. 43.

Accip. Fringillarius, & Nisus, *the Sparrow-Hawk*, I. 22. tab. 8. Ald. 346. 347. G. 44. mas appellatur, *the Muschel*, In plerisq; locis sylvaticis.

Tinnunculus mas & fæmina, *a Stannel*, or *Stonegall*, I. 22. tab. 8. Ald 358. *a Keshrel*, or *Kastrel*, in tractibus Austral. G. 46.

Falco, *the Falcon*, I. 30. tab. 12. speciem nescio, in *Pembrook-shire*.

Coccyx, Cuculus, *the Cuckoe*, or *Guckoe*, I. 24. tab. 10. Ald. 414. 416, sub medium Aprilis nos advolat.

Lanius, *the Butcher*, or *murdering Bird*, I. 24. tab.

tab. 10. Ald. 389. G. 520. vidi juxta *Kingland*, æstivo tempore ter. quaterve. *Lanius Cinereus* Anglicè, *a Skreck*. G. 520.

Laniorum duas alias species observavit nobilis vir D. *Willoughby* totius naturæ diligentissimus Callentissimusq; scrutator non solum per Britanniam sed maximam partem Europæ.

Milvus, *the forked tail'd Kite*, I. 24. tab. 11. Ald. 395. G. 549. Turn. *a Glede*, *a Puttock*.

Subuteo, *the ring-tail'd Kite*, I. 24. tab. 9.

Buteo Triorchis, *the Buzzard*, Ald. 367.

Peronos, *the bald Buzzard*, or *Kite*.

Noctua, *the Night*, or *little grey Owl*, I. 48. tab. 18. Ald. tom. 1. 544. Bubo Turn. *a like Fowl*.

Ulula, *the white hooping Owl*, or *Owlet*, or *Hewlet*, tab. 19. Ald. 538. G. 700.

Strix, *the Screech*, or *screeching Owl*. I. tab. 19. Ald. 563.

Corvus, *the Raven*, I. 38. tab. 16. Ald. 694. in ulmetis juxta ædes nobilium, G. 294.

Corvus, I. 38. tab. 16. our common or *Carrian Crow*, G. 282. Cornix nigra, Ald. 736. & Cornix simpliciter Turn.

Cornix frugilega, *spermologus*, *a Rook*, I. 40. tab. 17. Ald. tom. 1. 753.

Cornix aquat. Hanc videt Turn. apud Morpetenses in ripis fluminum; G. 293. suspicor esse, *the mur Cornubiensium*.

Cornix Cinerea, *the Royston Crow*, I. ubi supra, Ald. 755.

Graculus

Graculus vel Monedula, a *Jackdaw*, a *Chough*,
Turn. a Caddo, a Ka, I. 38. tab. 16. Ald. 771.
G. 467.

Coracias Arist. the *Cornish Chough*, I. 38. tab.
16. Ald. 768. In omnibus oris maritimis a Cor-
nubia ad Doroberniam.

Pica Glandaria, a *Jay*, I. 40. tab. 17. Ald.
789. Garrulus avis, G. 634.

Pica, the *Magpie*, *Pyot*, *Py-anet*, I. 40. tab.
17. Pica varia seu caudata, Ald. tom. I. 85. G. 628.

Pica Marina, the *Sea Pye*, I. ut supra Ald.
tab. 792. 794.

Vespertilio, a *Bat*, *Flittermouse*, *Rearmouse*,
I. 52. tab. 20. Ald. 574. G. 604. vesperi ap-
paret æstate. Hyeme vero latet in cryptis, & ru-
pibus.

Loxias, the *Shell-Apple*, Ald. 2. 877. I. 46.
sine Icone in agro Warwic. in pomariis, Mr.
Willoughby.

Caprimulgus, the *Goat-sucker*, I. 52. tab. 20.
Ald. 568. G. 215. Hunc cœpit Dominus *Cole*,
in agro Hantonienfi, an. 1664. rara admodum
avis.

Aves Granivora non canora.

Pavo, the *Peacock*, I. 52. tab. 22. Ald. 219.
G. 594.

... Fæm the *Peahen*, I. 56 tab. 22. Ald. ib. plo.

Gallopavo, the *Turkey-cock*, I. 58. tab. 24.
Ald. tab. 2. 39. G. 426.

Phasianus, the *Pheasant*, I. ut supra Ald. tom.
2. 49. G. 619. Horum pulli vocantur Pouts,
Est albus & alter fuscus.

Urogallus,

Urogallus, *major Cock of the Wood*, I. 60. tab. 25. Urogallus seu Tetrao major Ald. 2. 64. in Hibernia occurrit.

Gallina Coryllorum, *the Hasel Hen, Grouse*, I. 60. tab. 25. Ald. 2. 82. Bonosa Albert, G. 203.

Gall. Africana, *the Guiney Hen*, I 58. tab. 24. Gallina Guinea, Ald. tom. 2. 337. meleagris vel Gallus Numidicus, G. 424.

Otis, Tarda, Bistarda, *the Bustard*, I. 62. tab. 26. Ald. 288. G. 430. *On Newmarket Heath, & in Campestribus Sarisburiensibus.*

Attagen, *a Godwit*, I. 62. tab. 26. Ald. 275. in agro *Lincoln.*

Perdix Ruffa, *the Partridge*, I. 62. tab. 27. Ald. 2. 139. G. 606.

Coturnix, *the Quail*, I. 62. tab. 27. Ald. tom. 2. 153. G. 311.

Rusticola minor, *the Snipe, or Snite*, I. 62. tab. 27. Scolopax. Gallinago minor Ald. tom. 3. 479. Gallinago sive Rusticola minor, G. 448. est altera Hujus species nuncupata, *the Jack Snipe.*

Rusticola major, Scolopax. Gallinago, I. 88. tab. 31. *the Wood-cock*, Ald. tom. 3. 473. Rusticola vel Perdix Rustica major, G. 445. Utræq; Hyeme huc migrant. ex Hibernia.

Ralla. Anglor, *the Rail, or King of the Quails*, Ald. 3. 455.

Upupa, *the Hoopee*, I. 62. tab. 27. Ald. 2. 704. G. 703. *In the New Forest in Hampshire, & in Essexia, sed raro invenitur.*

Pulveratrices domestica.

Gallus,

Gallus, *a Cock*, I. 82. tab. 29. Ald. tom. 2.
200.

... Hirsutis pedibus, *ib.*

... Palustris, *a Moor-hen*, G. 421. Morenna
Angl. Ald. 2. 341.

Gallina Rustica Turn. quam variis de causis
Attagenem esse conjicit.

Pulveratrices Lavatrices.

Fulica, *a Coot*, I. 88. tab. 31. Ald. 395. G.
344.

Isipida, *the Kings fisher*, I. 88. tab. 31. Ald.
3. 520. G 513.

Gallina Aq. I. 88. tab. 31.

Gallina serica, I. 88. tab. 31. sic dicta à splen-
dore, Ald. 3. 470.

Columba vulg. Livia, *the common House-
Pidgeon, or Culver*, I. 88. tab. 32. Ald. 2. 462.
G. 245.

Columba Gutturosa perperam dicta *Cropper*,
Ald. 2. 479.

Columbæ Cypriæ, *Jacobins*, I. 88. tab. 32.
Ald. 2. 471.

Columbæ Turcicæ, Coloris sunt Betulini,
cum oculis rubris, Ald. 481.

Columb. Tabellariæ, *Carriers*.

Columb. Tremulæ, *Shakers*, suntq; vel acuti
vel lati caudæ.

Columb. Hirsutis pedibus, *rough-footed Pid-
geons*, I. 88. tab. 32. Ald 2. 466.

Columb. Angl. & Russica, G. 245. inter has
maiores vocantur, *Runts*.

Columb. Galeatæ, *Helmets*.

Columb.

Columb. maculis nigris & aliæ rubris decoratæ, *Black and red Spots.*

Columb. Percussores, *Smitters.*

Columb. Gyratrices, *Tumblers*, Omnes hæ Columbæ in Columbariis aluntur præterq; hæ à curiosis educantur Turcicæ, Barbaricæ, the *Finikin*, *Cornew*, *Bastard bill*, *Light Horseman*, *Dragon*.

Turtur, the *Turtle Dove*, I. 88. tab. 32. Ald. 2. 509. G. 277.

Palumbus major torquatus, a *Ring Dove*, or *Quist*, Ald. 2. 4. 7. In sylvis, Turn. a *Cowshot*, a *ringed Dove*.

Oenas seu vinago, a *Stock-Dove*, or *Wood-Pigeon*, Ald. 2. 499. I. 88. tab. 32.

Passer domesticus, the *House-Sparrow*, I. 92. tab. 34. G. 581. Ald. 2. 534. idem quandoq; albus invenitur, I. ibid. Ald. 556.

Passer pusillus in Juglandibus degens, I. 96. sine Icone, Ald. 2. 563.

Junco, the *Reed Sparrow*, I. 166. tab. 53. Hujus datur minor species in Arundinetis prope Kingstoniam.

Granivara Canora.

Carduelis, a *Gold-finch*, I. 69. tab. 36. Ald. 2. 801. G. 215. Aurivittis Turn.

Calandra Ald. 2. 847. est Alaudæ persimilis sed ipsa paulo major, Ramis arborum intudet an Passer torquatus G. a *Bunting*.

Coccothraustes, I. 98. tab. 37. Coccothraustes mas Ald. 2. 846.

Fringilla, the *Common*, or *Chaffinch*, I. ib. Ald. 2. 817.

2. 817. G. 342. Turn. a *Sheld apl. a Spink*.
 Monti fringilla, the *Bramble*, or *Brambling*,
 I. 96. tab. 33. Ald. 2. 822. G. 343.

Chloris, the *Green-finch*, I. ib. Ald. 2. 851.
 G. 226. Turn. *Acanthis*, *Spinus*, *Ligurianus*.

Citrinella, the *Yellow-hammer*, I. 96. tab. 36.
 Ald. 2. 859. *Emberiza flava* Turn. a *Youlring*,
 G. 591.

Linaria, the *Linnet*, I. 96. tab. 36. and 98. tab.
 37. Ald. 2. 824. G. 550.

Luteola, a *Siskin*, rara apud Anglos avis nec
 uspiam fere alibi quàm in caveis cernitur semel
 in agris Cantabrigianis se vidisse recordatur,
 Turn.

Alauda, the *Lark*, I. 98. tab. 37. 38. Ald. 2.
 845. G. 67. Turn. *Galerita*.

Alauda pratensis, the *tit-Lark*, I. ib. Ald. 2. 849.

Alauda cristata, the *wood-Lark*, G. 72. Ald.
 2. 841. I. 98. tab. 37.

Rubicilla, a *Bull finch*, a *Hoop*, and *Bul Spink*,
 a *Nope*, I. 120. tab. 43. *Pyrrhula* sive *Rubicilla*
 Ald. 2. 745. G. 662.

Baccivora.

Turdus vulg. the *Song-Thrush*, I. 98. tab 37.
 Ald. 2. 600. & Turn. a *Thrussel*.

Turdus Viscovorus, the *Mistletoe Thrush*, or
Saith, I. 102. tab. 39. Ald. 2. 583. G. 688. &
 Turn. simpliciter, a *Thrush*.

Turdus Illas, the *Wind Thrush*, I. 102. tab.
 39. *Turdus minor* Ald. 2. 598. *Turdus minor*
Illas vel *Tylas*, G. 689. Turn. a *Wind Thrush*.

Trichas, the *Feldefare*, *Turdus pilaris* Ald. 596.
 tantum

tantum hyeme apud nos reperitur.

Merula, Collyrion Turn. *the Black-bird*, or *black Ouse*, I. 104. 140. Ald. 2. 604. G. 543.

Sturnus vulg. *the Stare*, or *Starling*, I. 104. t. 40. Ald. 2. 632. G. 677. circa turres & altiora ædificiorum culmina.

Sturnus Cinereus, Ald. 2. 638. I. 104. t. 40.

Cæruleo, a *Clot bird*, a *Smatch*, or *Arling*, a *Stone-check*, nidulatur in Cuniculorum foveis, & sub lapide in Anglia Turn.

Insectivore.

Picus viridis, *the Green Wood pecker*, or *Hick-wall*, I. 110. t. 41. Ald. 1. 849. G. 642. *Chlorion*, *Virio*, a *Witwoll*, Turn.

Picus varius major, I. 110. t. 41. Ald. 846.

Picus varius minor & *mas*, I. ib. Ald. 1. 847.

Picus murarius, *the Creeper*, or *Wall-Creeper*, I. ib. Ald. 1. 852. G. 644.

Picus Cinereus, I. 110. t. 41. *Sitta* seu *Picus Cinereus* Ald. 1. 853.

Juynx, seu *Torquilla*, *the Wryneck*, I. 114. t. 42. Ald. 1. 866. G. 515.

Certhia, *the Ox-eye Creeper*, I. 114. t. 42. Ald. 2. 870. *Certhia* Turn. G. 223.

Passer Troglodytes, a *Wren*, I. ib. Ald. 2. 651. G. 588. *Trochilus*, *Senator*, *Regulus* Turn.

Curruca, *the Hedge Sparrow*, G. 326. Ald. 2. 753. *Hypolais* seu *Curruca*, I. 122. t. 45.

Hirundo, *the House Swallow*, I. 114. t. 42. Ald.

Ald. 2. 662. G. 492. vivit per Hyemem in mineris stanneis Cornubiensibus & in Rupibus marinis.

Hirundo Riparia, the Sand Martin, or Shore-bird, I. ib. Ald. 2. 695. *a bank Martnet*, G. 508.

Hirundo agrestis sive Rustica Plinii, a Martin, Ald. 2. 693. I. 114. t. 42.

Hirundo apus, a black Martin, or Martlet, Ald. 2. 699. I. 114. t. 42. *a Rock or Church Martnet*, G. 507.

Parus major, the Common Titmouse, I. 120. t. 43. Ald. 2. 713. G. 578. *the great Titmouse, vel the great Ox-eye Turn*.

Parus Cæruleus minor, I. 122. t. 44. Ald. 721. G. 579. *the less Titmouse*, Turn.

Parus ater, seu Carbonarius, the Coalmouse, I. ib. Ald. 2. 723. G. 579.

Parus Caudatus, the least, or long tailed Titmouse, I. ib. Ald. 2. 716. G. 580.

Motacilla, a Water Wagtail, I. 122. t. 44. Ald. 2. 727. G. 557. *Culicilega, a Wag tail*, Turn.

Motacilla flava rostro longiusculo nigricante, I. 122. t. 44. Ald. 2. 859. G. 559.

Rubetra, the Stone-Chatter, or Blackberry-eater, & Turn. mortetter, I. 122. t. 45. Ald. 2. 740. *a Moortiting Aquilonaribus*.

Rubecula, the Ruddock, Red-breast, and Robin Red-breast, I. ib. Ald. 2. 742. G. 661.

Ruticilla, Phænicurus, the Red-start, I. 120. 43. Ald. 2. 747. *a Redtail*, G. 663. ex Turn.

Oenanthe, the Wheat ear, or White tail, I. 122. t. 45.

t. 45. Ald. 2. 763. G. 567. in agro Warwicensi
Fallow Smilers.

Luscinia, Lusiniola, *the Nightingale*, I. ib.
Ald. 2. 777. G. 532.

Morinellus, *the Dotterel*, Ald. 3. 540. G.
554. in agro Lincolnienfi certo anni tempore
capitur jocosè, vide *Camden*.

Aquaticæ Palmipides.

Cygnus, *the Swan*, I. 136. t. 48. Ald. 3. 8.
G. 321.

Anser Domesticus, *the Goose*, mas vocatur,
the Gander, I. 136. t. 48. Ald. 3. 102. G. 125.

Chenalopex, vulpanser, *a Bergander*, nusquam
alias vidi nisi in Thamesi fluvio aiunt tamen esse
frequentem in insula Tenia (Thanet.) vocatâ &
illic in scrobibus cuniculorum nidulari, Turn.

Anser ferus, I. 136. t. 48. Ald. 3. 150. G.
140.

Capricalea, Capricalze Scotis, Ald. 3. 164.
I. 136. t. 48. G. 146.

Anseris speciem vidi in Cimelio Tradescanti
sub nomine squeeed una cum Ovo ex Insula Scoti-
ca Bafs dicta, in qua quam plurima avium genera
stato anni tempore nidificant uti etiam in insula
Vecti.

Bernicla Brenta, *the Brant Goose*, I. 136. t.
48. Ald. 3. 167. Brenthus, G. 95.

Gustarda Avis Scotica Ald. 3. 163. G. 145.

Anser Bassanus, sive Scotticus, *a Soland Goose*,
G. 145. ex insula Bafs non procul Edinburgo.

Anas Domesticus, *the Duck*, mas, *the Drake*,
I. 142. t. 49. Ald. 3. 188. Anas cicur, G. 83.

Harle, *the black Diver*, I. 148. t. 49. a *Shell Drake* in Norfolcia.

Anas fera, I. ib. Ald. 3. 222. G. 101. *the Wild Duck*.

Anas fera fusca, I. 142. t. 49. Ald. 3. 221. in Paludibus Lincolnienſibus.

Anas Platyrhincus Ald. 231. in paludibus Crowlandienſibus, I. 142. t. 49.

Querquedula, *the Teal*, I. 142. t. 49. Ald. 3. 549. G. 91.

A Gaddel, Ornithopolis noſtris ſic dictus eſt magnitudine Anatis, roſtrum ſimillimum roſtro Querquedulæ, ſed aliquanto magis cæruleſcit.

Penelope major, *the Widgeon*, Ald. 3. 219. I. 142. t. 49.

Penelope ſæm, Ald. 3. 220.

Columbus major, *the great Duck*, I. 136. t. 48. Ald. 3. 252.

Colymbus a Norwegis Lumme, a noſtratibus, *Razor bill, Worm*, 304. ex Auctario Cluſ. pag. 367. Mr. *Willoughby*.

Colymbus Criſtatus ſeu Auritus, *Worm*, ib. ſine Icone, idem.

Colymbus medius, *the Dive-dapper, or Arſ-foot*, I. 136. t. 45. Ald. 3. 258.

Colymbus minimus, *the Dab Chick*.

Mergorum ſerrati-Roſtratorum ſpecies major & minor, in fluvio *Tame* in agro Warwickenſi an. 1664. cum rigidiffima fuerit hyems, Mr. *Willoughby*.

Mergus Turn (ut ſentio) qui vidit in rupibus marinis nidificantes, juxta Oſium Tinæ fluvii
in

in Norfolcia, 'Hoc me ditavit Doctissimus affinis meus Ds. *Jenner* Sclopeto transfosso in agro Wiltoniensi.

Corvus aquat. *the Cormorant*, Ald. 3. 263. I. t. 27. Carbo aquat. G. 121. in Cornubia *Shags*, Turn. mergus.

• Onocrotalus, sive Pelicanus, *the Pelicane*, I. 128. t. 46. Ald. 3. 47.

Pelicanus sive Platæa, *a Shovelard*, I. 128. t. 46. ex agro Lincoln. Turn. *a Spoon bill*.

Larus major & minor albus, *the Sea Mew*, I. 126. t. 46. Ald. 3. 65. & simpliciter, *Gul*, *Sea Gul*, or *Sea Cob*.

Larus; quem Cornubienses indigitant, *a Gannet*, forsan detorto nomine a Gavia vel a Gallicorum Gavian quod idem sonat, est par Anseri, palmipes, rostrum rotundum cæruleum, corpus grisei coloris, alte volat ala usq; minores solas caprat.

Puphinus Anglicus, *the Puphin*, G. 657. ex Insula Anglesey, & Cornubia, Anas Artica Clusii, & Fraterculus Ald. 3. 230. lin. 13, 14.

Fissipides Aquatica.

Ciconia, *the Stork*, I. 148. t. 50. Ald. 3. 311. G. 230. raro huc advolat.

Ardea Cineria, *the Ash coloured Heron*, or *Hern*, *Hernshaw*, I. 148. t. 50. Ald. 3. 378. Ardea pulla sive Cinerea, G. 187.

Ardea alba, G. I. 152. t. 51. Ald. 390. G. 189. *a Mire Drumble*.

Ardea stellaris, *the Bittourn*, I. ib. Ald. 405. G. 100.

Ardea minor, I. tab. 56. quam ad me trans-
misit Ds. *Jenner*, ex agro Wiltoniensi.

Avis pugnax, I. 154. t. 52. a *Rough*, est tertia
in Tab.

Avis pugnax, quarta in dicta Tab. a *Reev*,
utræq; ex agro Lincoln. est fœmina superio-
ris.

Hæmantopus mas & fœm. *Red shanks*, I. 154.
t. 52.

Arquata, seu *numenius*, *the Curlew*, Ald. 3.
426. l. 152. t. 51. G. 197.

Arquata congener, a *Stone Curlew*, huic
rostrum breve, accipitrinum, pennæ milvi, Pha-
siano par magnitudine, Dilicatissimæ avis ex a-
gro Hantoniensi, Ds. *Hutchinson* Ornithopola
Londinensis.

Vannellus, *the Lapwing*, *bastard Plover*, or
Pewit, insula quædam ab iis nomen sortitur in
Essexia: Huc enim migrant præcise ad diem
Divo Georgio sacrum, vide *Fuller*, 318. l. 166.
t. 53. Ald. 3. 526. G. 692.

Vannello congener capella vulgari procerior,
at *Turdo minor*, pennis Cæruleis & crista lon-
ga, ex Cornubia Ds. *Gunthorp*.

Pluvialis Cinerea, *the Grey Plover*, I. 166,
t. 53. Ald. 3. 531. G. 647.

Pluvialis flavescens hujus meminit, I. pag.
165, sine Icone.

Pluvialis vulg. *the Whistling Plover*, or *green*
Plover, in *Ericeto* Lincoln.

Rallus Itallorum, I. p. 147. Ald. 3. 98. utri-
bique sine icone.

Trynga

Trynga Ald. 3. 814. I. 166. t. 53. juxta stagna Ichthyophylatica, & rivulorum margines, in agro Warwicensi, Mr. *Willoughby*.

Trynga paulo minor, Ald. 3. 482. I. 166. t. 53. idem.

Merulam aquat. vidit volantem in Cumberlandia Ds. *Willoughby*, Ald. 3. 486. I. 166. t. 53.

Charadrios ab incolis, *Sea Lark*, in littoribus Cambrobritannicis, præsertim in statione Belli Mauriti, I. 166. t. 53. Charadrios sive Hiatula, Ald. 3. 537. Ds. *Willoughby*.

Grus, *the Crane*, I. 166. t. 45. Ald. 3. 329. G. 474.

Crex, *a Daker Hen*, est avis longis cruribus, cætera coturnici, (nisi quod major sit) similis, quæ in segete & Lino, vere, & in Principio æstatis non aliam habet vocem quam crex, hanc enim vocem semper ingeminat, quam ego Arist. Crecem esse puto, nusquam in Anglia nisi in sola Northumbria, vidi, & audiui, & an sit eadem cum Ortygometra superius memorata nescio, suspicor tamen esse Turn. me talem vidisse & audivisse ad *Wheatley* quinq; Oxonio Milliariibus memini.

Tres sequentes aves cum nominibus & breviusculis descriptionibus mihi communicavit Ds. *Hutchinson* Ornithopola Lond. quas se vidisse ait in agro Lincoln.

Non est avis aquatica querquedula paulo minor Rostrum ei rotundum, tenue & argustum, superius paululum incurvatum, toto ventre albes-

cit, dorsum nigrum, caput cristatum unde forsitan ei nomen, sc. a monacha velata.

Crickaleel, est priori æqualis, Cærulea in alarum supernis, caput collumq; maculata, ad ingluviem coloris grisei inde deorsum albescit vel contra quoad ventris colorem.

Gossander, palmipes & cristata ventre aureo, rostro longo & angusto, caro flavescit & cocta tota facessit in oleum, non est edulis, ex agro Lincoln. videtur esse Puphini species.

Pisces Britannici.

Pelagii Squammosi.

A Sellus merluccius, Cabeliau, a *Cod*, G. 84. Ald. 286. a Borealibus, a *Keling*, ab Occidentalibus, a *Melwell*, Turn. & hujus folliculus glutinosus Ichthyopolis, *the Sound*.

Afellus mollis, a *Whiting*, l. t. 2. qui in sole exiccatus nuncupatur, *Buckthorn*, & *Scalpion* Turn. omniscus sive Afellus & ad hunc alium refert quem nominat, a *Meerling*.

Afellorum tertia species, a *Haddock*, G. 86. Ald. 282. Turn. in Epist. ad. Gesn. Onos sive Asinus.

Afellus mollis nigricans, a *Coal Whiting* Chichestrensis, & *Pollock* Cornubiensibus.

Afellus niger, *the Coal Fish*, Ald. 289. G. 89. Turn. Carbonarius minor.

Afellus sub mento barbatus, a *Pout*, Ichthyopolis Londinensibus.

Afelli

Aselli quartum genus, nunquam vidi in tota Anglia nisi in Northumbria prope oppidum, *Beduel*, a *Codling* vocatur, *Haddock* est multo major, *Goddo* multo minor *Turn*.

Asellus fuscus *Ichthyopolis* Lond. a *Hake*.

Asellus varius molva vel morva, *Linga* Longitudine, I. 226. t. 46. Ald. 288. G. 87. 88.

Harengus, a *Herring*, I. 8. t. 1. Ald. 189. G. 95.

Alofa minor, a *Pilchard*, ingenti copia *Quotannis* capiuntur in tractu *Cornubiensi* & in *Italiam Hispaniamq;* vehuntur.

Pelagii Lav's.

Serpens marinus, a *Sea Snake*, I. 16. t. 4. Ald 346. G. 442. 864.

Conger, *Congrus*, a *Conger Eel*, I. 16. t. 4. Ald. 349. G. 290. in *Cornubia*, *Milwel*.

Galeus, a *Dog*, or *Dogger-fish*, I. 26. t. 8. *Catulus* Ald. 390. 394. G. 167. 607. Hujus genus quoddam appellant *Cornubienses*, a *Plusher*, *Carium*.

Aquila piscis seu *Pastinaca mar.* the *Poison fish*, the *Fire*, or *ferce Flam*, the *Cat-fish*, I. 30. t. 9. Ald. 426. G. 75. &c.

Raia, a *Thorn-back*, I. 36. t. 10. Ald. 450. G. 790. *Raia junior* vocatur, a *Maid*.

Raia Clavata, Ald. 459. G. 796.

Raia lævis. a *Homelyn*, or *White Cunt*, a *Scate*, & in *Cornubia*, a *Guilt head*.

Raia exiccata & formata, the *Dragon*, Ald.

443. *Raia exiccata & concinnata ad formam monstrosi piscis volantis*, I. t. 12.

Squatina, a Kingstone, I. 36. t. 11. Ald. 472. G. 899.

Rana piscatrix, the Monk, Toad, Nafs, or Devil fish, I. 36. t. 11. Ald. 466. G. 813.

Marini Saxatiles.

Lumpus Anglorum, a Lump, I. 42. t. 13. Ald. 479. G. part. 2. 25.

Turdorum variæ species, I. 42. t. 13. Ald. 2. 16. in quamplurimis Cambrobritannia locis & prope insulam Anglesey, ubi appellantur, *Sea Carps*, Mr. *Willoughby*.

Acus, the Needle, or Garfish, and Horn-keck, I. 52. t. 15. Ald. 107. G. 9. in Cornubia, an *Old wife*.

Mugil imberbis, a Mullet, I. 68. t. 17. Ald. 131. G. 567.

Faber, a Doree, a Dorn, I. 60. t. 17. Ald. 112. G. 369.

Cuculus, a Gournet, a grey Gournet, I. 60. t. 17. Ald. 739.

Lyra, a Rotchet, I. 114. t. 24. Ald. 146. G. 516. in Cornubia, an *Illeck, a Red Gournet*.

Lyrae speciem Cornubienses vocant, a Tnb, à capitis fig. majori, depressiori, breviori, cui caro pinguior & friabilior.

Apuia vera, a Dace, I. 74. t. 19. Ald. 211. G. 64.

Sarda, a Sprat, I. 82. t. 20. Ald. 221.

Merulae meminit Turn. quam se vidisse putat
in

in littore occiduo quam Piscatores illic vocant, *a Cook-fish*.

Solea, a Sole, I. 82. t. 20. Ald. 235. G. 667.

Citharus, a Dab, I. 82. t. 20. Ald. 240. G. 227. Hunc vidi prona parte album, supina fuscum.

Sandils Angl, I. 92. t. 21. *Santals*, Ald. 254. G. part. 2: 5. *Sand Eels*, quasi *Arenosæ Anguillæ* rectius scribitur.

Araneus, a Weaver, or Wiver, I. 92. t. 21. *Scorpius* Ald. 96. 256. G. 77.

Scomber, Scombrus, a Mackrell, I. 92. t. 21. Ald. 270. G. 842. *a Cornubiensibus* nuncupatur *Bucks Horn*.

Passer niger, a Flounder, or Flock, *Fletuletus* Ald. 243. 249. *Fleßus fluviatilis* Bellon.

Passer aureus, a Plais, *Passer lævis* Ald. 243. *Rhombus lævis*, G. 663.

Passer Britannicus, a Holyburt, Holybut, or Helbut, Ald. 243. G. 666. sine Icone *Fletuletus* Bellon, ex *Cornubia* missus erat *Rhombo* 3. plo major quinque pedes longus, cum triplici dentium serie, caudâ longissima, pronâ parte *Galeum*, supinâ *soleam* quoad colorem referebat.

Rhombus, a Turbut, I. 98. t. 22. Ald. 250. G. 670.

Rhomboides, a Pril, *Ichthyopolis* Lond. I. t. 20. *Passer asper* sive *squammosus Rondel*, Ald. 242. *Limanda*, G. 665.

Squammosi in Mari & in Fluminibus.

Salmo, *a Salmon*, I. 106. t. 23. Ald. 483. G. 825.

Salmoneta, *a Salmon Trout*, parvus Salmo, G. 828.

Acipenser, Sturio, *a Sturgeon*, I. 106. t. 23. Ald. 526. G. 6.

Acipenseri congener, cui valde similis excepto capite, saporis delicatissimi captus erat in Insula Vecti anno 1664. Ds. Cole, qui ipsum delineavit exiccavitque.

Experlanus, Viola, Smelta, *a Smelt*, I. 114. t. 24. Ald. 536. G. 365.

Lampetra, *a Lamprey*, I. 114. t. 24. Ald. 540 mustela seu Lampetra, G. 590.

Lampetra fluviat, *a Lampern*, Ald. 581. G. 598.

Lampetra parva fluviatilis Rond, 202. Herefordiensibus, *a Stone Grig*.

Anguilla, *an Eel*, I. 114. t. 24. Ald. 544. G. 41.

Congri pusilli, *Elvers*, in Sabrina non procul Glevo Urbe, G. 292.

Fluviatiles Squammosi.

Trutta, *a Trout*, I. 130. t. 26. Ald. 589. G. 1007. minorem Truttæ speciem Cornubienses vocant, *a Skote*.

Truttæ genus in Northumbria vocamus, *a Bull Trout*, Truttam taurinam, ab insigni magnitudine, in aliis provinciis vocatur, *a Grey Trout*,
in

in aliis, a *Skurf*. Turn. in Epist. ad Gesn. meminit & ibidem alterius *Truttæ* *Allersfange* dictæ quod profundius sub alnis dilitescat.

Truttæ species *Londinum* affertur, ex agro *Lincolniensi*, quam *Shard* vocant, *Us. Wine*, *Ichthyopola* regius.

Truttæ species quam nostrates *Scag* vocant, ex *Thamisi* non procul *Kingstonio*.

Umbra fluviatilis, an *Umber*, I. 130. t. 26. Ald 596.

Barba & *Barbus*, a *Barble*, I. ut supra Ald. 598. G. 124.

Capito, *Cephalus fluv.* a *Chub*, a *Pollard*, a *Chevin*, I. 130. t. 26. Ald. 601. G. 396. & parte 2. 8.

Leuciscus, a *Dar*, or *Dart*, I. 130. t. 26. Ald. 607. G. 26.

Gobio mar. fluviatili viridior, & maculis magis resperus apud *Cumbrenses*, qui vocant, a *Grundlin*, Turn.

Gobio & *Gobius fluviatilis*, a *Gudgeon*, or *Pinks*, I. 130. t. 26. Ald. 612. G. 399.

Gobites barbatus, a *Loch*, I. 130. t. 26. Ald. 618. sine Icone.

Asper pisciculus, the broader *Sharpling*, I. 130. t. 26.

Asper pisciculus *Gobioni* persimilis *Rond.* Ald. 615. in the North.

Pungitius, the *Prickling*, *Bansted*, I. 146. t. 28. Ald. 628. *Pisciculus aculeatus*, G. 8. in fossis datur major & minor.

Cernua fluviatilis, a *Ruff*, G. 192. propter horum piscium copiam Celebratur fluvius *Tare* non procul Norwico in *Essexia*.

Rutilus seu *Rubellus*, the *Roch*, I. 130. t. 26. Ald. 621. 732. G. 821.

Gobio capitatus, *Cottus Rond.* a *Millers thamb*, a *Cull*, I. 130. t. 26. Ald. 614. G. 400.

Fluviatiles Laves.

Alosa seu *Clupea*, a *Shad*, I. 146. t. 27. Ald. 501. G. 19.

Phoxinus, a *Minoe*, *Minow*, I. 146. t. 27. 28. Ald. 582. *Mæna*. G. 715.

Cyprinus, a *Carp*, I. 146. t. 27. 29. Ald. 637. G. 310.

Cyprinus latus, *Abramus*, a *Bream*, or *Barn alicubi* I. 146 t. 29 Ald. 642. qui si crassior fuerit a *Cornubiensibus* vocatur a *Bass*.

Mustela, an *Eelpout*, I. 146. t. 28. Ald. 290. 577. G. 599. *Occidentalibus*, a *Coney-fish*.

Perca, the *Perch*, I. 146. t. 29. Ald. 622. G. 699.

Lucius, a *Pike*, I. 146. t. 29. Ald. 625. G. 501. maximos vocat *Gesner*. *Luces*, parvos *Pickrels*, & adultos *Luls*.

Alburnus, a *Bleik*, or *Bleis*, I. 146. t. 29. Ald. 629. G. 23.

Tinca, a *Tench*, I. 146. t. 29. Ald. 646. G. 984.

Cetacei Generis.

Balena, the *Whale*, I. 216. t. 41. Ald. 676. G. 114.

Cetus

Cetus Britannicus, G. 212. I. 216. t. 41.

Cetacei generis piscis quem nostrates Grampus vocant nullibi extat icon. (quod sciam) caput refert illud quod venit sub nomine Delphini apud I. t. 44. G. 321.

Porcus marinus (quem nautæ Harengivorum nuncuparunt) littus nostrum appulit præterita hieme anno 1642. una cum sætulaante. In dissecti exterioribus apparuit pinguedo ad 7. vel 8. pollicum crassitiem ex qua oleum elicuerunt rustici & carnem sale Condierunt & comederunt. Hujus sapor carni bovillæ non multum cedebat, uti etiam adeps. Totus piscis muccaginis ingenti copia oppletus erat, *Ds. Gunthorp.*

Maculo Cetus Anglicus, G. 216.

Phocæna, a *Porpus*, a *Porpes*, I. 216. t. 41. Ald. 720. Turfio, G. 712. Bell 16.

Molles seu Mollusci.

Loligo, Sepia, the *Cuttle*, Prete, I. 4. t. 1. Ald. 49. &c. G. 825.

Stella mar. minor, the *Sea Star*, *Roses*, *Prizers* 5. *Fingers*, I. t. 8. & *Sea pad*, G. 919. Invenitur 3. bus. vel quatuor radiis in ostio Thamis.

Polypus, I. 438. Ald. 14. G. 739. ab incolis Vectis Insulæ, a *poor Cutle*, Turn.

Crustacei.

Locusta mar. malè Ichthyopolis nostris, a *long Oyster*, I. 14. t. 2. Ald. 102. G. 485.

Astacus mar. the *Lobster*, I. 14. t. 2. Ald. 112. G. 98.

G. 98. recens capti (antequam coquantur cum sale underubescunt) sunt nigri cærulei, & quandoq; flavescentis coloris.

Astacus fluviatilis, Gammarus, *the Crey fish*, I. 18. t. 3. & 20. t. 4. Ald. 129. G. 104.

Pagurus decem libras pendens, *a Pungier*, G. 155.

Squilla parva, *the Prawn*, I. 20. t. 4. Squilla parva Rond. Ald. 155. G. 907. Squilla fluvi. à nostratibus vocatur, *a Shrimp*.

Squilla fluviatilis, Rond. 212. in fluviis recedente æstu & in rivulis.

Cancer marinus, *a Crab*, I. 424. t. 5. Ald. 174. G. 148.

Cancellus crusta superna faciem humanam referens cum duabus antennis palmaribus, Dr. Ball Collegii Medd. Lond. Socius honorarius dignissimus.

Cancer parvus, I. 36. t. 7. Cancer fluvi. Ald. 207. G. 138.

Cancer in testis degens, I. 30. t. 7. *Wrong heirs*.

Araneus mar. *the Sea Spider*, I. 16. t. 6. Ald. 201.

Echinus mar. *the Sea Urchin, or Sea Hedgehog*, I. 48. t. 12. Ald. 403.

Echinus spinis spoliatus, *the Sea Button*, Ald. 403. G. 350.

Echino Spatago nudo in partibus maritimis Cambrobrit. *Meermaids heads*, & obsceno nomine *Cunts*, Imperat. pag. 781. Hunc mihi dedit Dr. Ball, in tractibus occidentalibus ab ipso captum.

Testacei

Testacei.

Ostrea, *the Oyster*, I. 56. t. 14. Ald. 482. G. 645. Distinguunt Icthyopolæ nostri in rupicas solæ equinæ æquales & minores inter quas præcellunt Colcestrienses & Wainfleetenses, ex his quædam in stagnis quæ mare singulis æstibus inundant, aluntur & inde pinguiores viridioresque fiunt.

Pecten, *a Scollop*, I. 56. t. 14. Ald. 500. G. 690.

Patellæ Limpyn & Lymphets, Ald. 546. I. t. 16.

Pectunculi, *Cook's fish*, forsan Turn. I. 56. t. 14. pectunculi auricularum forma variantes.

Lepades saxis adhærentes, *Cockles*, G. 688. est Patellæ species.

Mytuli, *Muscles*, I. 66. t. 15. Ald. 509. G. 277. majores à nostratibus appellantur, *Horse Muscles*.

Cochlea mar. *Whilks*, or *Periwinkles*, Ald. 389.

Cochleæ fluviatiles, G. 214.

Balani sive Polyeipides, *Center Shells*, I. 66. t. 15. Ald. 523. G. 121.

Conchæ Venereæ minores, I. 68. t. 17.

Solen, *the Sheath*, or *Razor fish*, I. 66. t. 15. Ald. 528. G. 1035.

Turbinum minorum 3 vel 4 species, I. 46. t.

11. Turbinis tuberosi Icones Rond. Ald. 353.

Trochorum parvulorum duæ species, I. 46. t. 11. Ald. 364.

Tibuli in quibus vermes, *Worm-shells*, I. 68. tab. 17. Ald. 562. G. 1026. in Ostreis antiquis.

Concha ex dimidia pene margine profunde striata.

Conchæ Anatiferæ, *Barnacles*, Ald. 544. Divulsi a navibus ex India Orientali reducibus.

Zoophyta.

Tethyæ Thætyæ I. 74. 19. Ald. 576. 583. G. 954. Hæ sæpiuscule adnascuntur antiquis ostrearum testis.

Urticæ vel Pulmonis marini speciei meminit Ds. *Gunthorp*, litteris ad me datis ex Cornubia his verbis, *Blubber*, est Gelatina quædam lucida, variis mixta coloribus, rubro, viridi, cæruleo, albo, est globosa subtus cavaq; in cujus medio apparet quadrilatera, quasi quis digitos pollicemq; contraheret, denuoq; aperiret & hoc modo nutrimentum suum apprehendit: Magnitudo ejus quanta vola manus continere potest, exiccata ad nihilum fere redigitur. Aquis innatat, & huc illucq; à ventis, æstuq; defertur, certisq; tantum anni temporibus conspicitur, semel quæsi in loco duabus à littore leucis ubi prius milliones videram neq; unicum inveni, Maio mense apparet.

Meminit Camdenus in sua Britannia quatuor piscium sequentium, Guini ad in agro Mertonethensi in palude Bala sexaginta jugereum, Lithostrata, 2. Torcoch in Caernarvensi in palude Limparey, 3. Chare in *Wimander Meer* quos incolæ etiamnum affirmant illic reperiri sed certis tantum

tantum anni temporibus, & alterius unoculi meminit in Montibus Caernarvens. capti quod mihi dubiæ est fidei.

Et vir ornatissimus Ds. *Carew* in libro suo de Cornubia hos enumerat, *a Barn, a Scad, a Shad, Cudles, a Bass, a Miller, a Horpool, Dorns, Polleck, Illeck, Cunner, Rockling, Wroth, Becket, Squarrey, Rough-hound*, (quem suspicor esse Galeum vulgarem) qui qualesve fuerint ignoro atq; etiam hos Chichestrensium, *Bland, Pulver, Bressen, Sea rats, & Farthing-Trout*.

Insecta nostratia primum in genere sub suis classibus postea in specie proposita.

Terrestria favificantia alata, pedata, Anelytra, quadripennia pennis vel membranaceis instructa, viz. Apes, fucus, Bombylus vespa crabro, Tipula quæ non favificat vel pennis farinaceis, viz. Papilio qui diurnus, vel nocturnus, uterq; maximus, medius, & minimus, Bombyx,

Anelytra bipennia, Muscæ.

Coleoptera seu vaginipennia. Locusta, Gryllus, Gryllotalpa, Scarabæus, Proscarabæus, Capricornus, Cantharides, Cicindela, Forficula.

Terrestria pedata non alata sex pedum, formica, Cimices, pediculus, Syrones, Ricinus, Pulex, Lendes, vel octo pedum, Araneus, vel multipeda, viz. Eruca, Circulio, Ambulo, Scolopendra, Julus, Asellus.

Terrestria apoda sunt vermes 1. Plantarum, 2. Fruticarii, 3. Leguminarii, 4. Herbivori, 5. Animalium, 6. in Homine, 7. Limax & Cochleæ.

Aquatica paucipeda. Squilla, pediculus & pulex mar.

Aquatica multipedi, Scolopendra.

Aquatica apeda. Hirudo, Stella, Lumbricus mar. Seta, vermes in navibus, tubulis, testis testaceorum, Teredines.

Favificant.

Apis, *a Bee, or Been*, I. 4. t. 1. Ald. 191. Apiarium, I. 25. t. 2. inter has Regulus. Dantur sylvestres minores, nigriores.

Fucus, *a Drone, or Dran*, I. 4. t. 1. Ald. 191. hujus variatur color ut in apibus.

Bombylus, *a Humming, or Humble-Bee*, I. 4. t. 1. M. 53. Horum nidus, I. 25. t. 2. Reperitur major minorq; & alter nigricans, cum pedibus flavescentibus.

Vespa, *a Wasp*, I. 4. t. 1. M. 42. Ald. 203. Vespeta Ald. 209. &c. I. 25. t. 2. Habemus flavam & nigricantem utrumq; majorem & minorem, & alteram longiorem, & insuper pseudo sphecas aculeo carentes degentes in patrietibus ex limo constructis.

Crabo, Tenthredo, *a Hornet, or great Wasp*, I. 4. t. 1. Mouf. 50. Ald. 226. Crabroneta, 300. &c. I. 25. t. 2.

Libellæ, Tipulæ, perlæ, *Brises, or Breeses, Adder bolts, Dragon flies, and Water Butterflies*, I. 41. t. 4. 138. t. 27. Ald. 303. ad 306. M. 66. ad 71. quarum species.

1. Virescens cum maculis in collo, summisq; lateribus ex fusco viridibus.

2. Priori similis sed colore obscuriore.

3. Oculis margaritis similibus, alis argenteis macula fusca fimbriatis.

4. Lutea

Lutea cum 4. vel 5. spinulis in caudæ extremitate.

5. Corpore & capite cæsiis, ore magno, cum 3. spinulis in cauda.

6. Cum Maculâ nigra in medio alarum & 2. spinulis in cauda.

7. Rubea capite collo & scapulis luteis.

8. Brevis toto corpore lutea, & cauda quasi abscissa inter segetes.

Media, 1. Capite Cæruleo aliis violaceis.

2. Cæsia cum alis albescentibus, cæsiis lineis in longum ductis, medioq; purpurascens.

3. Subviridis cum alis striatim sanguineis, versus marginem purpurascens.

4. Fusca cum viriditate fatiscens.

5. Viridis cum oculis cæruleis.

6. Viridis ex toto, sed in alis leviter.

Minima, 1. Cyanea alis argenteis.

2. Rubra alis argenteis.

3. Croceæ, caudâ protuberante & sanguineo colore maculata.

4. Minima, cauda exili longa, capite magno.

Lacustres, 1. Cauda bifurcata, corpore longo.

2. Lutea, caudâ bifurcata.

3. Fusca longis alis cruribus, antennisq; Juxta paludes & stagna. Tipulæ ortum ex pediculo marino Clarè demonstravit mihi, D. Ball.

Papilio, I. 46. t. 5. & 56. t. 6. 7. 8. Ald, 237.

ad. 253. M. 89 ad. 108. estq; vel diurnus, a *Butterfly*, vel nocturnus, a *Miller*, qui phalæna dicitur cujus species sequuntur.

Phalæna major, 2. exigua argentea nigris maculis notata, a *Moth*, 3. minor cum aliis externis nigris, quinq; maculis internis rubris, 4. minor gracilis cum quatuor sanguineis maculis in aliis exterioribus, 5. minor cum guttis sanguineis duabus circa extremitatem alarum, 6. major cum exterioribus alis fuscis internis aureis nigrâ lineâ fimbriatis.

Papilio diurnus maximus, maximam partem flavescens, reliquam pene nigricans, 2. Cum antennis porrectioribus oculisq; nigerrimis.

1. Papilio diurnus medius ex pallido flavescens.

2. Cum corpore & alis externis nigrioribus, fuscis hic illic maculis notatis.

3. Cum spinosis crenis fuscus.

4. Dorso nigro, ventre thoraceq; albis.

5. Corpore & antennis livescentibus, capite alisq; pallidis.

6. Oculo nigro, pupilla candida, alisq; Dracontii modo variis.

7. Alis æreis micantibus venulis, & fimbria maculis nigris conspersa.

8. Antennis ex luteo rubescentibus, & alarum limbis multicoloribus.

9. Capite, alisq; lacteis quibus maculæ fuscae, & nigricantes.

10. Ultima parte alæ exterioris clypeolo nigro

gro, quem medium punctus eburneus ornat, decorata.

11. Alis arctissimis, cauda lata & quasi plumosa.

12. Corpore Cinereo, caudaq; nigricante.

Papiliones minimi, 1. Cum alis externis coccineis externis purpurascensibus.

2. Alis cæsiis, & æruginosis, intus oculatis.

3. Pedibus purpureis, & corpore fuscis punctulis pleno.

4. Alis oculatis cyanum cælestem spirantibus.

5. Corpore gruino, in medio alarum luteo Cineritia.

6. Corpore, pedibus, capitulo, antennis Cineritiis.

7. Summe nigra, primisq; alis deargentatis.

8. Alis omnibus pallescente flavo nitentibus.

9. Alis conchatis, & clavatis, ex albo & obscure rubente variis.

Muscæ, *Flies*, a volando vid. iconas apud, I. 68. t. 9. I. 70. t. 10. I. t. 19. 142. Ald. 346. ad 349. 471. &c. M. 58. ad 67. Harum species sunt.

1. Carnivora in macellis usitata, *the Flesh fly*,

2. Hippoboscus, *a side or Horse fly*, 3. Tabanides, *a Burrel fly, Stout, Brees, Clog, or Cling*.

4. Culiciformis crassiuscula ex rubro flavescens. 5. Culiciform. Capite longo, productis pernigrisq; cruribus inter volandum pendulis, posteriora

rora crura anterioribus multo productiora.
 6. Curvicauda, *bristle-tail'd*, with two hairs, or more. 7. Scorpiurus. 8. Bipilicauda. 9. Tota nigra, pedibus ex croceo flavescentibus. 10. Pedito, Gruina, *the Crane-fly*. 11. Pedito fœmina, *Shepherds*. 12. Stercoraria. 13. Humipeta, a gray *Path-fly*, pro piscibus capiendis. 14. Inter malvas & urticas degens. 15. Bibio vel Vinula, *the Wine-fly*. 16. Herbivora max. 17. Nocturna minima viridescens examinibus volunt inordinate. Eulæ, *Maggots*, Eularum ova, *Fly-blows*.

18. Musca ex phryganeo orta pro truttis alluciendi, *the Cados fly*.

19. Musca in Calicibus herbæ Ben reperta.

20. Musca nocturna minima viridis alis porrectissimis ex foll. fraxini.

21. Musca priori similis nisi quod fusci sit coloris ex foll. aceris majoris.

22. Culex, *the Gnat*, qui si minor *Midges* dicitur.

23. *Culices* pyramidales duo in Anglia Aquilonari, *Monff*.

24. *Culex* ex pomis Quercinis ortus, idem.

Locusta, a *Grasshopper*, cujus datur apud nos major & minor ubiq; in pratis pinguioribus.

Gryllus, a *Cricket*, I. 78. t. 12. Ald. 443. M. 124. in Caminis & Pistrinis.

Gryllotalpa, *Evocur*, *Fen-Cricket*, & *Churworm*, I. 78. t. 12. 88. t. 13. M. 164. In hortis & stercoretis.

Scarabæus, a *Beetle*, *Bug*, or *Clock*, I. 90. t. 15.

t. 15. & 94. t. 14. & 100. t. 16. Ald. 450. ad 461. M. 148. ad 164. 327. 328. 330.

Scarabæus cervus volans dictus, *a* *flag*, or *fly-ing Fly*, M. 148. l. 94. t. 14. Ald. 451. In agro Hantonienfi.

Capricornus, *a* *Goat Chafer*, M. 149. l. 90. t. 15. Ald. 452.

Scarabæus stercorearius vel fimarius, *a* *dung Beetle*, or *Sharnbug*, M. 153.

Smaragdus vel viridulus, *a* *green Chafer*. M. 160.

Scarab. arboreus *Dors*, M. 160. in lignis aridis habitat.

Hydrocantharus major Anglicus vel nostras, M. 327. *Water Clocks*.

Scarab. Pilularius melanocyaneus, ubiq; occurrit in agro Colchestrenfi.

Scarabæus minor ruber maculis nigris notatus, *a* *Lady-cow*, M. 161. Hujus aliam speciem observari paulo majorem sine maculis, & alteram ex rubro nigroq; pulchrè tessulatam.

Scarab. minor nitore splendens, & alter Cæruleus Cyaneusve.

Proscarabæus, *an Oil-beetle*, or *Oil-clock*, M. 162.

Cantharides ex cicutaria, M. 145.

Cicindela, *a* *Glo worm*, *Shine-worm*, *Glass-worm*, viz. sæminæ quæ vermes sunt, mares autem sunt alati, nec lucent, *Mouff*. 109.

Cicada aquat. *Rondel*, foliis Nymphæa, potamogeti aliarumq; plantarum insidet, M. 137.

Bruchus, *a* *Field Cricket*.

Blatta fætida, Londini in Cellis vinariis, M. 139.

Blattam observavi depascentem folia ulmorum novellorum relictis fibris quæ elegantissime dissecta erant.

Forficula vulg. a *Earwig*, Borealibus, *Twitch-Ballock*, M. 171. Datur vulgari major & corpore nigricantiore.

Formica, an *Ant*, *Emet*, or *Pismire*, I. 114. t. 17. Ald. 517. Inter has aliæ pennatæ, aliæ implumes.

Cimices domestici impennes, *Wall-lice*, *Punies*, M. 269. I. 118. t. 3. Ald. 542. In parietibus, & lectorum spondis.

Pediculus, a *Louse*, M. 259. in capite simpliciter, a *Louse*. 2. *Morpiones*, *Crab* or *peirt lice*, 3. *Corporei maculati*, *Body lice*.

Pediculus marinus, Ald. 712. I. 188. tab. 14. *Pediculi ovium* seu *Ricim* vel potius *Reduvii*, *Ticks*, *Sheep-lice*, M. 272. & etiam in aliis animalibus sibi peculiares generantur, viz. in *Equis*, *bobus*, *vitulis*, *porcis* utii dicti. *Canibus*, *Capris*, *Cervis*. In *Salmonibus*, *Accipitribus*, *Gallinis*, *Columbis*, *Anseribus*, *Coturnicibus*, *Phasianis*, *Perdicibus*, &c. In plantis, nempe *Abrotano*, *ab-synthio* *Nymphææ* floribus, & potissimum *Aquilæ* foliis, fructu pruni majusculi.

Pulex, a *Flea*, Videtis iconem in *Micrographia* Di. *Hook*.

Asellus mar. squillam refert, M. 322. Hos confertissimos vidi in statione navium *Billinggate* dicta cymbam ascensurus post æstus refluxum.

Pulex

Pulex aquaticus, minutissimum animal in agro intra *S. Jameses & Mary-bone*, juxta aquæductum.

Lendes, Nits, sunt pediculorum ova.

Asellus, a Sow, Tylers louse, Thurs-louse, Cheese-bug, Cheese-lip, M. 203. I. 107. tab. 23.

Asellus arvensis Julio hunc in agro Colcestrensi vidit Pennius inter segetes, alias nunquam repperit, M. 247. Hexapus est.

Araneus, a Spider, M. 234. I. 130. t. 18. Ald. 608. Estq; Domesticus vulgaris, 2. Fuscus non nullæ pelluciditatis, 3. Retiarius inter rosarum ramulos rete artificiosissimum expandens, vel sylvestris, 1. Sepiarius crassio rem telam texens, 2dum in agro Colcestrensi observavit Pennius inter origanum sylvestre muscis insidiantem, 3. *Opilio, a Shepherd*, 4. niger breviusculis pedibus ovum nigrum sub ventre portans, 5. nigerimus magno corpore pedibus brevissimis in putridis & cavis arboribus degit, 6 oblongus cauda acuta, 7. *Araneola ruberrima* boves mordens, *Blain-worms, Twings*, & in Borealibus, *Tings*, quæ inter buprestas numeratur, *a Mouf*, 141.9. *Lupus maximus fuscus globosus*, 10. *Lupus medius tinctura grisea*, 11. *Lupus nigrior* in dorso *Cruciger*. *Lupus* non inepte vocari potest, *the leaping or dancing Spider*, 12. *Araneus parvus luteus* ventre nigro ex *Rosis Damascenis*, Jun 13. 1666.

Eruca, Caterpillers generali nomine, hirsutas vocant Boreales *Oubuts*, Meridionales, *Palmer-worms*, M. 179. I. 142. 144. t. 19. 20. 21. 22. Ald. 266. &c. *Eruca*

Eruca glabræ, *Canker-worms*, domesticæ virides sunt, 1. *Ligustrina* nobilissima. 2. *Sambucina* priori similis. 3. *Lactucaria*. 4. *Mespilaria*. 5. *Quercina* hæ omnes decempedæ.

Eruca flavescentes, 1. *Tiliaria*. 2. *Salicina*. 3. *Porcellus* in trifol. paludoso. His adde *Sphondylen* seu verticillum, *Borealibus* Andever, *Meridionalibus*, *Whurl-worm* nuncupatam, M. 196. I. 114. t. 17.

Staphylinas, the *poysonous Caterpillar*, M. 197. I. 114. t. 17. cujus duas species proponit *Monff.* Prima tota cum splendore nigricat, corpore gracili & longo. Secunda Caput parvum puniceo fuscum fere globosum, os forcipatum & exiguum habet.

Eruca variæ, 1. *Populnea maculata*. 2. *Ex albo viridis* in incessu gibbosa. 3. *Nigerrima* pedes caudamq;. 4. *Costis miniacei Coloris*. 5. *Populnea ex Ochreæ colore & albo*. 6. *Striata alba ex flavo*. 7. *Undulata Cinerea ex nigricante*. 8. *Ranunculata*, tota varia. 9. *Glauco-nigræ*.

Eruca hirsutæ densius pilatæ sunt, 1. *Ambulones*, *Palmer-worms*, & *Bear-worms*. 2. *Flava collo ventreq; pilosis*. 3. *e Fusco flava cum capite puniceo furca invea ornato*. 4. *Flava ex fusco dorso pilisq; dorsi, ventre ejusq; pilis utrisq; fuscis*. 5. *Corpore vario pusillis guttulis sub cæruleis decorata*. 6. *Lucophæa setis valde fertaceis, rigidisq;*. 7. *Peniculata cum cunei formibus in dorso maculis* 8. *Murina cum pilis in dorso cuneatim dispositis*. 9. *Singulis incisuris variis ab invicem coloribus*. 10. *Ornata. liris nigris, Cæruleis, viridibus*

viridibus & luteis. 11. Cum in cisuris albicantibus & praffinis. 12. Corylaria saturate viridis. 13. Corylaria pallidius virescens. 14. Mesoleuca. 15. Urticaria cum pilis erectis rigidiusculis. 16. Brassicaria capite cyaneo. 17. Sepiaria major crocescente vultu. 18. Sepiaria minor cum facie subcærulea. 19. Antennulata. 20. Jacobæica capite, pedibusq; obsoletis. 21. Echinata cæruleo virens. 22. Echinata mesoleuca. 23. Rubicola nigrocineritia liris utrinq; tribus pallide flavescens. 24. Verbascina. 25. Lupulina. 26. Scrophularina. 27. Alnina. 28. Ulmina. 29. Tithymalina. 30. Glycyrrhizina. 31. Salicina. 32. His adde Bombycinam cum suo papilione & singulis metamorphosis quas vide belle depictas apud M. 181. l. 153. t. 22. & 171. t. 23. Ald. 280. 282. sed hæ Erucæ non nisi à curiosis aluntur.

Ad Erucas spectant Aureliæ, quæ vel vellere cooperiuntur, vel glabræ sunt, utraq; varii coloris, & nunc auro illitæ (quæ verè Chrysalides) nunc vero (quæ spuria) aureo colore vacuæ.

Scolopendræ, *Many feet*, & Scolopender, M. 199. l. 171. t. 23. Ald. 636. 714.

Scolopendra nocticula, in Ericetis muscosis toto corpore lucens.

Scolopendra mar. alia grisei alia rubicundi coloris in ostrearum areis. M. 322.

Julus; l. 171. t. 23. a *Gally-worm*, est brevis scolopendra cujus species Lactucarius glaber capite nigerrimo dorso flavo. 2. Totus niger, alba linea excepta à capite ad caudam usq; recta ducta per dorsum. 3. Obsolete flavescens cum capite pedibusq; rubris.

Julii.

Julius Hirsutus, albicans cum pilis brevissimis innatis nigris, 2. ventre sublivido, dorsoq; inamæna flavedine maculato, 3. Exilis spadiceus pedibus exiguis & numerosis.

Vermes in homine; M. 249. I. 175. tab. 24. & 194. tab. 25. lumbrici simpliciter, *Gut worms*. 2. Cucurbitini, Tæniæ, *Flat-worms*, 3. Ascarides. 4. Syrones in cute, *Wheat-worms*, in facie Barons nominantur, inventi etiam in Cerebro pulmonibus vesica (quos excretos non semel vidi) in auribus dentè Lingua, liene, fellis vesicula, renibus, utero, sub unguibus in panaritio, *Acarus, a Hand-worm*.

In aliis animalibus sc. in Equis, bobus (quos bots appellant) vitulis, canibus, porcis, Salmonibus in quorum intestinis hi soli sine Chylo reperiuntur, in hepate ovium quos Lanii *Flocks* vocant. In radice cornuum Cervorum, Caprarum, ovium. Lytta sub lingua Canum rabidorum. In mullis, Gobiis fluviatilibus, leucisco, Ostrearum testis.

Vermes Terreſtres majores, *Earth-worms*, 2. Minores rubri pro piscatoribus. 3. Sublividi. 4. Cauda flava, *Yellow tails*. 5. Torquati & pingues. 6. Minores appellantur, *Meds & Grubs*.

Arborei ligniperdes. 1. Deces in truncis crescentibus. 2. Enxyla in aridis & exuccis. 3. Thripes in solidis siccis. 4. Teredines Cossi, *Timber-worms*, in cæsa materia. 5. Termites in lignis calidioribus, Teredines in navium tabulis. 6. Corricarii. 7. In omni frutice & suffrutice.

In fructibus, viz. Sorbis, Mespilis, pyris, Malis, Glande, Gallis, Nucibus.

In

In plantis, Carlina, Pimpinella, Lupulo, Aphodelo, Violis, Persicaria siliquosa, Dipsaci capite, Rosarum pomis & cæteri herbivori, leguminarii vel fruticarii dicti.

Syrones in cera, & in caseo *Mites*. In frumentis nondum mola confractis & malta seu byna Curculiones, *Wivels*, *Popes*, 7. frumentarii, *Meal-worms*, Blatta, Tinea, a *Book-worm*.

Vermes minimi rubri, aquam stagnalem colore sanguineo inficientes unde vulgus dira portendit.

Vermes (in aceto quos non sine arte semper custodit ornatissimus Collega meus Dr. *Goddard* verus naturæ mystes, similes sunt lumbricis Aquaticis, I. 194. t. 25.

Hirudo, sanguisuga, a *Horse-leech*, a *Blood-sucker*, estq; salutaris vel noxia, M. 323. Ald. 733. I. 194. t. 25.

Limax, a *Snail without a Shell*, the *House-Snail*, Ald. 703. I. 175. t. 24.

Cochlea alba major cum suo operculo, suavissimi est saporis in Suffexia.

Cochlea alba minor, ubiq; in hortis.

Cochlea vulgaris testa variegata.

Seta aquat. M. 325. Ald. 765. vulgo creditur oriri ex seta caudæ equinæ aquis immersâ.

Serpentes.

Serpentes.

A Nguis, Coluber, a *Snake*, G. 69. I. 24. t. 5.
Ald. 270.

Vipera, a *Viper*, G. 125. I. 10. t. 1. Ald. 115.
116.

Typhlops, Cæcilia, a *blind-worm*, G. 61. Ald.
245. I. 20. t. 4.

Metalla.

Aurum eruitur ex stanno at parva quantitate.

Argentum ex minera in Cambrobritannia eruitur etiam ex minerâ stannæa majore quantitate & ex plumbea sed minore.

Stannum ex mineris Cornubiensibus & Devonia occidentali & in totam Europam distrahitur utpote optimæ notæ metallum, stannurgi distinguunt in Pyran & *Murdiok & Block Tyn*, & lapides stannei nuncupantur, *Shoad*.

Cuprum effossum erat Wenlochix in agro Salopiensi & Rich. 2di. tempore dives minera Cuprea Richmondix in Episcopatu Dunelmensi, & insuper Kefwici & Newlandix in Cumbria, & minore copia in Cornubia, Edw. 1. & 2di temporibus.

Ferrum abundat in quamplurimis Angliæ locis utpote in Suffexia, in saltu Dean. dicto in agro Glocestrensi, in Cantio, juxta *Bromicham* in agro Warwicensi, uti etiam in Sommersetensi, Hantonensi, Dunelmensi, Salopiensi, & sheffeldix in Eboracensi, Distinguunt ferrarii in *Cold-sel, & Redsel*, Scotia vocatur *Slag*.

Plum-

Plumbum in collibus Mendipensibus in agro Sommertensi, Combertoni in Devoniam, ad originem fluvii *Istwyd* in Cardigania, Richmondia, ad Abbatiam fontium in agro Eboracensi præcipue autem Wensdaliæ & Mashæ, optimum autem effoditur & maxima copia Brassenmoræ & Dovegængæ in agro Derbieniensi, ex plumbo fiunt Lithargyrus, Cerussa, Minium.

Antimonium repperitur in mineris plumbeis Derbieniensibus.

Mineralis quædam gleba ex effusâ aquâ calorem igneum acquirens, cujus meminit immortalis Boyleus in lib. de frigore.

Diaphani. Adamantes quos vocant *Bristol-Stones* ex rupibus Divi Vincentii non procul dicta Urbe, ex mineris stanneis Cornubiensibus & rupe quadam inde *the Diamond Rock*, denominata, ex tractu meridionali Cambrobritannia.

Achates, *the Agate*, ex Cornubia uti referunt quidam.

CrySTALLUM effodi in agro Derbieniensi scribunt auctores sed credo esse solummodo fluores.

Fluores, *Spars*, varii apud nos inveniuntur, ex agro Cantabrigiensi sexangulares & in aliis locis multum differunt quoad colorem, figuram, & pelluciditatem, Sequentes servo in penu meo quos metallurgi Derbieneses hisce nominibus distinguunt in candidum, purpureum, Amethystinum seu violaceum. *Dog* (i) caninum, *Tooth Spar*, dentatum, Aquaticum & rubrum. Quidam immixta continent plumbum, cuprum, stannum

variosq; alios lapides præfertim Marcasitas.
 Hyacinthi impuri ex agro Eboracensi.
 Smaragdus ignobilis ex agro Eboracensi.

Ex animalibus. Aleætorius in Stomacho Gallorum inventus.

Bufonius, *The Toad-stone*, falso sic dictus, demonstravi enim coram serenissima Majestate regia (in Collegio nostro qui interesse dignatus est exquisitissimis prælectionibus ornatissimi Collegiæ Dris Georgii Ent quem titulo Equitis auri merito honoravit) hunc esse dentes molares Piscis Lupi, quem vide apud *Scwhenckfelt & Jonst.* de Pisc. t. 47. Et Aurifices summa cum admiratione confessi sunt hosces molares esse veros lapides bufonios ab iis divenditos. Gesn. in appendice proponit sub nomine Anarrhicæ.

Ex animalium felle, in suspenso vidi multos feminibus Coriandri saccharo incrustatis simillimos, in Vesica etiam Ovilla quem à seipso inventum mihi ostendit Dr. *Hamey*, ex intestinis, renibus, Pulmonibus, Cerebro, & aliis partibus. In vetula suspenso vidi diaphanum quendam, durissimum, ex crure extractum, & in senibus non semel observavi magnam partem Aortæ petrefactam.

Carpionum lapis. Cancrorum oculi male sic nominati, eximuntur enim ex Cammarorum capitibus certis anni temporibus. Limachum, qui videntur nil aliud esse quam horum animalium Cranium-Chelidonium in Hirundinibus. Margaritæ frequentes satis in quibusdam Ostreis præfertim

fertim Scotiis, majores dicuntur extrahi ex Mytilis grandioribus ad *Kerby Lansdale* in Westmorlandia, Cornubia, Cumbria, & agro Salop. Percarum inveniuntur in Capitibus omnium Afellorum nostrorum supra memoratorum.

Opaci. Alabastrum vel Alabastrites in agris Staffordiensi, Derbienti & Lincolnienti ad insulam Axholm.

Ammites vel Hammites *Sand-stone*, ubiq; obvius variorum colorum & qualitatum, qui pro ædificiis inservit appellatur *Free-stone*, & nomen sortitur à latomia unde effoditur, exigra, *Purbeck stone*, ex quo construitur Templum Divi Pauli hic Londini, ex insula *Purbeck*.

Arena alba, lutea, Littoralis, rubra, omnes crassiores vel minores.

Astroites, *the Star-stone* Ald. 880. Boott 300. Shugburia in agro Warwicensi & variis Angliæ locis, Lutescentem & cæruleum inveni in loco unde argilla effoditur ejusdem coloris Winchcombæ in agro Glocestrensi.

Belemnites variorum colorum, quarum quædam semidiaphanæ aliæ magis opacæ. Vulgo vocantur, *the Thunder-bolt*, Ald. 621.

Corallium seu potius Pseudo-corallium quandoq; invenitur in littoribus nostris, maxime Cornubiensibus.

Cotes, novacula, *Whet stones*, & coloris nigricantis, & aliæ flavescens ex Hibernia afferuntur, & agro Derbienti.

Calaminaris, *Calamie*, ex quibus æs conflatur

ex collibus mendipensibus supra memoratis, ex hoc lapide *Cadmia*, *botrytes*, *placites*, &c. de quibus vide *Math.* in *Diosc.*

Lithoxyla. In agro *Staffordienſi* ager qui cito convertit quodcunq; lignum in lapides & variis locis in *Hibernia*.

Magnes bonæ notæ in rupibus *Dartmore* in *Devonia*, & alibi viliores.

Manganese ex collibus mendipensibus de quo plura in observationibus meis in artem vitrariam nuper edicis.

Marcasitæ variæ ex quibus *Vitriolum* conficitur, seu *pyrites Copperas ſtones*, & *Fire-ſtones*, in toto littore *Orientali* nostro & plurimis locis terrestribus. Variant quamplurimum quoad colorem, Sc. *Aureum*, *Argenteum æneum*, *ferreum*, & quoad figuras innumeras quarum plures iconas exhibuerunt *C B.* in historia *Balnei Bollenſis* *Ald.* 574. &c. cubica forma exhibent tractus nostri boreales, ænei plane coloris.

Marmor in agro *Somertenſi*. In *Scotiæ* & *Hiberniæ* variis locis, in insula *Purbeck* ad *Egerton* in *Episcopatu Dunelm.* & in agro *Hereford.*

Marmoris maculati species in agro *Eboracenſi*.

Molares, Grinde, or Grindle-ſtones, ex insula *Angleſey* & *Flint-shire*, & in agris *Derbienſi*, *Cestrienſi*, & *Staffordienſi*.

Sciſſiles & cruſtoſi, Slates or Tyles, sunt cærulei, & coloris folii *ſalviæ* in *Cornubia*, grisei seu vulgares ad *Colly-Weſton* in *Northamptonia* & in *Cotes-Wold*,

Silex,

Silex, *the Flint-stone*, nigricantes albi & quandoq; gemmas Diaphani etate & duritie imitantes, & alii margam continentes Ald. 214. Rufescentes sunt matrix pseudo adamantum Cambd.

Silex Dactylites ad littus Cantianum Ald. 730.

Smiris, *Emerie, or Emeril-stone* in insula Sara vel *Guarnsey*.

Syrtes seu sabulum vivum, *Quick-sands, or Cocker-sands* in Lancastria & in Cantio ad Vias regias.

Triorchis Viridescens hunc invenit Ds. *Mar-maduke Rawdon* Essexiensis ad *Whitby* in agro Eboracensi Ald. 484.

Præter superiores habemus Aluminosos varios in agro Eboracensi & aureos dictos ex aureo clivo Herefordiensi.

Calcarius ubiq; optimus censetur ad *Barrow* in agro Licest.

Clivosi dicti Coloris grisei marmoris, aliiq; nigri, instar gagatis in Cornubia.

Cylindrici, lilicei intus extraq; ad *Badmington* in agro Gloucest.

Ceraunias Ald. 611. & Ombrias id 616. quandoq; sed raro apud nos invenitur.

Gypsum præstantissimum ex agro Darbiensi quo utuntur ad domorum areas & Concamerationes.

Hibernici, *Irish-slate*, pro inscribendis rebus memoriæ causa. Maculosi Punctis sanguineis ad fontem Sanctæ Winifredæ in *Flints. Moor-stones* (1) Paludosi pro ædificiis in Cornubia.

Metallici testulati. In agro *Richmend*.

Porus & Tophus ubivis pene occurrunt.

Ruber ad margines fluvii *Erwell* in agro Lancastriensi & in fundo fontis Sanctæ Winifridæ, & ad *Penrith* in Cumberlandia.

Sabulum *Pebles*, Campos nostros nimis infestat.

Sepulcrales duri Cærulei ad *Pucklchurch* Gloucestr.

Arietis cornu similis inter Bristoliam & Aquas Solis.

Saxum est pluribus calculis à natura productam ad *Highgate* montem Ascensuro.

Tartarum ex doliis vinariis.

Ex Fodinis plumbeis Darbiensibus missi erant sequentes sub hisce nominibus, *Cauk & Bastard Cauk*, *Black Chert*, *Wheat-stone*, *Sheaf*.

Lapides pro pavimentis platæarum, *Rance*, *Rocheſter-stone*, Silices, *Ragman*, quibus utuntur pro platæis Lond.

Lapis spongiosus albissimus & lævissimus ex littore Essexiano.

Lapis schistus Cornubiensis diu calorem retinens, *the Warming-stone*.

In-Lapides Corversa. Sunt Cochleæ vulgares & Turbinatæ, Pectines, Ostrearum testæ & Mytilorum ad *Badmington* in agro Gloucestr.

Bucardites primus Ald. p. 479. Hunc ad me transmisit filius meus Robertus natu maximus Oxonio quem illic invenerat.

Echinites Ald. 455. 10. noster est plane silex aëbus cretâ obductus. Glos-

Glossopetra, a *Tongue-stone*, Boodt. 341. Ald. 602. &c. sunt dentata & sine dentibus in Variis matricibus latent ex mineris Carbonariis.

Ophiomorphites cum & sine aculeis, *Snake-stone*, Ald. 540. ad *Keynsham* & *Adderley* juxta terræ superficiem in agro Gloucestr. & ad *Farnham* in Surreia sed alterius coloris & ad *Whitby* in agro Eborac. Ds. *Marmaduke Rawdon* mihi Ophiomorphitem, Ostendit quem in horto suo servat cujus Diamiter 21. pollices æquat, Ex agro Eboracensi. Ex varia constat materia.

Stelechites varii, quosdam cum nodis quales in arboribus apparent, alios sine his, quosdam radices plantarum referentes, alios animalium caudas, cæterasq; partes ex mineris Cambrobrittann. attulit Regiæ Societatis ingens lumen *Robertus Moray* Eques auratus, vid. Ald. pag. 867. quī hisce auxit locupletissimum Cimelium dictæ Societatis.

Stalagmites varii *Dropping-stones*, ex fonte *Knaesborough* in agro Eboracensi, vidi stramina, & integrum panem & Caseum (qui forsan Tyromorphus Ald.) muscum & plurima alia in hoc fonte petrificata, & ad puteum *dropping-well* appellatum, & in *Bughan* in Scotia.

Fungitem possideo elegantissimum ex agro Eborac.

Ostra accomorphites Ald. 464. ad *Bidford* Northampt.

Spatagoidem ostendit mihi Dr. *Ball* ex filice exemptum, in quo piscis modulum confecerat suæ figuræ, & magnitudini conformem. In hoc

lapide comparuerunt singula lineamenta spatagi nudi, unde & ex aliis quamplurimis liquido mihi constat multos lapides pro naturalibus habitos ex animalibus eorumve partibus mediante succo quodam terrestri effictos, vel hæc figuram suam Communicasse argillæ vel terræ cuius molli, & postea periisse servata figura, ut in lapidibus Islebianis liquido patet, in quibus sedulo observatori squammæ occurrunt manifestæ.

Hiscæ accenseri possunt Amygdaloides, Umbilicus marinus Eboracensis Mus. Trad. Agrifolia folia petrificata ex lacu Hibernico *Loughneath*, ib. Sideroites ex agro Cantabrigiensi & ad *Sapworth* juxta *Sharston* in agro Wilton. Cochleæ & Turbines in Norfolcia. De Testis piscium affirmare haud dubitarim nullas ex supra memoratis non alicubi apud nos inveniri petrificatas.

Lapis caudam felinam vel alterius animalis minoris referens ex plurimis articulis constat ad cuius articulationem plurimæ in ambitu striæ Ex *Holy Island*. Incolæ vocant *St. Cutbeards beads* *Ds. Rawdon*.

Concha oblonga crassaq; coloris Lyncurii ex agro Wigornienli ubi vocant *Crow-stones* & *Crow-cups*, & à forma oblonga *Egg-stones*, ex quibus autem conchis nostratibus proveniant, conjecturâ assequi haud facile est.

Ardentes. Carbo fossilis *Pit-coal*. Ex Novicastro, *Tinmoutha*, Episcopatu Dunelmensi, Insula *Coquet* dicta.

Lithantrax, *Stone-coal* in agris Derbieni No-
ting-

tinghamensi in borealibus Leicestrens. Salop. Pembrock. Caermarth. Sommers. ubi ænei sæpe apparent Coloris, referunt quidam mineram Carbonariam quondam accensam adhuc ardere ad *Peyneths-Chase* in agro Salop.

Lapis Obsidianus (in fallor) *Kennel-coal* ex quo varia artificia fiunt.

Bitumen, Pitchfordiæ (1) Piceum vadum in agro Salop. ubi fons perpetuo Bitumine opperitur, atq; etiam in Scotia non procul Edinburgo & Dunelmensi Episcop.

Cespites bituminosi *Turfs*, præsertim in agro Lancastriensi ubi Incolæ utuntur vice Candelarum.

Gagates, I et. In Norfolcia & prope Mulgraviæ castrum in agro Eborac.

Salia. Alumen nativum Cantabrig. Eborac. & Cantianum ex penu Tradesc.

Alumen factitium in agro Eboracensi.

Vitriolum copiosissimum in quamplurimis locis,

Nitrum ubivis & Aphronitum in cellis vinariis.

Sal marinus coquitur variis in locis, Camaloduni in Essexia, Fossilis albus & ruber, in Musæo Tradesc.

Sal ex puteali aqua coctus albissimus, vid. fontes postea.

Lapides ex *Snowdon* monte altissimo, ex quibus Ellicitur Alumen, Vitriolum, nitrum.

Terra.

Terra Fabrilis Rubrica, Red Ochre, Marking-stone, Redle & Rudle in agro Herefordiensi, Hantonienfi, Lancast. Rutland.

Nigrica fabrilis, Black ledd, Peculiaris hæc terra Angliæ Europææ & Americanæ & hætenus nomine caruit, ideoq; favente Analogia hoc ipsi imposui ad Keswick in Cumbria.

Ochra, Yellow Ochre, yellow Stuff, Hereford. In agro Sommerf. Oxon. & Scotia, denominantur, à locis unde petuntur.

Azutum sive cæruleum fossile in Scotia Cambd.

Umbra, Umbre ex Bristolia.

Lapis cæruleus Killow dictus ducendis lineis idoneus in agro Lancast. Figlinas habemus varias pro diversis Artificiis pro ollis victariis & Metal-
lis fundendis. Optimæ pro tubulis Nicotianæis ex *Nonsuch* in Surria ad *Pool* & ad insulam *Vetim* in Dorsettia.

Marga, Marle, observavi ruffam, griseam & luteam ex eodem loco. Lutea nobilis ad *Brotherton* in agro Eborac. & præstantissima in *Susfolcia*.

Smectis seu terra Fullonica, Fullers Earth, Ex *Nutley* in *Sussexia* & *Woburn Berks*, inde denominatur *Woburn earth*.

Rutlandshire nomen sortitur à terra rubra lanas ovium inficiente, eadem invenitur in valle dicta de *Red Horse* Warwick.

Plastica, Creta, Chalk, ex qua album Hispanicum, & plurimæ pinguiore ubiq; locorum procurandæ.

Argilla

Argilla, *Clay*, pro lateribus conficiendis, & aliis usibus. Invenitur alba, Cinerea, Cærulea, flava, rubra, &c. in agro Salop.

Agriculturarum terræ plurimum variant in singulis regionibus.

Marina. Succinum, *Amber*, raro occurrit. Meminit tamen *Hector Boeth*, in Hist. Scot. ingentis massæ equo majoris inventæ in borealibus Scotiæ tractibus.

Ambragrisea, *Ambergrise*, nonnunquam ventis & æstu ad littus nostrum appellit, idq; quandoq; ingenti mole, & multis in locis.

Meteororum nomina ideo adjeci ut lector in synopsi haberet quicquid in toto naturæ ambitu contineretur, & hic ansam, tradendi plurima quæ apud nos rariora sunt, prehendi, unde extranei & viatores curiosi occasionem capiant penitus examinandi, non quod vera hæc omnia esse asseruerim, (excerpsi enim pleraq; ex scriptoribus nostris præsertim Camdeno) sed ut pro re natâ viri harum rerum studiosi facilius in veritatem inquirerent.

Sequuntur Meteora, ignita, viz. Ignis fatuus, *the Walking-fire, or Jack of the Lantern*. Castor & Pollux, Helena. Ignis lambens. Draco, Stella cadens: *Est substantia quedam alba & glutinosa plurimis in locis conspicua quam nostrates star fallu nuncupant, creduntq; multi originem suam debere stelle cadenti hujusq; materiam esse. Sed Regia Societati palam ostendi solummodo oriri ex intestinis ranarum à cervis in unum locum congestis, quod aliis*

aliis etiam ejusdem societatis viri præstantissimi postea confirmarunt.

Fulmen, Fulgur & Coruscatio, lapis fulmineus ex fulmine falso oriri creditus: Procellæ, Capra, Trabs, Bolis, Faces Dolia, Clypei, stellæ & milites discurrentes, Pyramis Galaxia quam tantum esse stellarum minutissimarum congeriem Telescopia plane detexerunt. Cometæ, Venti & hinc terræ Motus.

Meteora aquea, *Ros, Mel*, Manna nostra ex ulmi foliis. Nubes Pruina, nix quarum generationem experimentis demonstravi in tractatulo de congelatione, Grando, nebula, Pluvia & sanguinis quàm certissime constat esse tantum insectorum excrementa, Pluvia Triticici quam nihil aliud esse quàm Hederæ bacciferæ grana à sturnis devorata excretaq; comparanti liquidissime patet, Iris, Halo sive Corona, Parelly Parafelene, & Virga, spectra & phasmata. Maria nobis Oceanus Britannicus, Hibernicus Caledonicus Atlanticus & Germanicus.

Fontes calidi ad Aquas Solis in agro Sommersets, & alter ex clivis Divi Vincentii prope Bristoliam singulis æstibus demersus, Buxtonæ in agro Darbiensi octo ex rupe erumpentes intra septem ulnarum spatium.

Fontes Purgantes ad *Ebbesham* in Surreia, ad *Lexham* in Cantio, ad *Barnet* in Middlesexia, Spadani in agro Eboracensi, prope *Burntwood* in Essexia, non procul *Stanes* in Bercheria, ad *Hailweston* in Cornubia, ad *Willinborough* in Northamptonia Aquæ cujusdam deceni ab Exonia

onia milliaribus dissitæ meminit Ds. *Ganthorp* litteris ad me datis quæ ex ipso fonte haustæ blande purgat, at inde deportata ad aliquot miliaria hanc virtutem unâ cum sapore & odore amittit. Hujus farinæ plurimi alii apud nos.

Diuretici sunt *Tunbrigenses* & *Sussexiensis* & *Eboracenses*, & ad *Newnham* regis in agro *Warwicensi* cui si sal admisceatur laxat ventrem si saccharum sistit alvum.

Petrificantes, *Knaesburienses* in agro *Eborac.* ad *Egerton* prope *Lenham* in *Cantia*, & ad *Abbatiam* de *Buxley* juxta *Maidstone*, ad *Kings-mill* ex adverso Collegii *Magdalenensis Oxonii*, ad *Lutterworth* in *Leicestria*, ad *Eldenhole* in agro *Darbiensi*, ad *Newnham* Regis in agro *Warwic.* vid. *Ger. emac.* 1587. ad *Boughton* *Northampt.* cranium *Fuller*, 250. ad *Shelly* non procul *Chipping Unger* in *Essexia*, his addo puteum *Dropping well* dictum in agro *Eboracensi*, & *Wockey hole* non procul à *Brittolia*, ad *Tenderdon* in *Essexia* intra 5. vel 6. annos lapis manifeste augetur, ab aqua incidente.

Salinus prope *Harwich* in *Essexia* & *Lemingtonia* in agro *Warwic.* Ex sequentibus Sal conficitur viz. ex fontibus ad *Droitwich* in agro *Wigorn.* ad *Nantwich*, *Northwich*, & *Middlewich* in *Cestriensi*, & sal niger vulgo *Bay salt* excoquitur in agro *Hantonien*si.

Aqua Exoticæ naturæ, viz. *Aqua fluvii Dee* non miscetur cum palude de *Bala* in agro *Merioneth*, fluvius *Levenney* transit lacum *Lynsava-*
than

than sine mixtura in agro *Brecknock*. Aqua in calefcit hyeme, & frigida eft æftate ad *Luckington Hancocks* in Bercheria. Vorago juxta Petri- burgum adeo profunda & tam frigida ut nullus urinatur fundum attingere poterit, ex quo ebullit fons nunquam congelafcens. In aqua ad *Saltaſh* in Cornub. nunquam coquantur piſa ad molli- tem uſitatam.

Rivuli ſubterranei ſunt, *Mole* (1) talpa in Sur- reia. *Deverel* in Wiltonia per milliaris ſpatium. *Recal* juxta *Elmley* in agro Eborac. Lid. prope *Lidford* in Devonia. *Alen* in Denbienſi. *Medwegi* in Cantio ramulus prope *Cockshead*, *Hans* fluviolus in agro *Stafford*. Tribus milliaribus, ſub terra cuniculos agit.

Æſtus, Puteus ad *Peak Foreſt*, non procul Bux- tona in agro Derbienſi. fluit refluitq; quater ſin- gulis horis, & alius juxta *Kilken* in *Flints*. Sta- turis temporibus, ad *Careg* caſtrum fons obser- vat æſtus marinos, in agro *Caermar*, & in Cor- nubia lapis cavus in quo aqua contenta æſtus ma- rinos imitatur. In portu *Pool* Devoniens. 4ter de die. Briſtolix æſtus aſcendit ad 11. vel 12. ulnarum altitudinem. Ad *Gigleſwick* in agro Ebo- rac. Scaturigines parvæ erumpunt, jaſtu diſci ab invicem haud diſtantes, quarum media ſola ſin- gulis horæ quadrantibus aſcendit ad novem pol- lices in refluxu autem unciam non ſuperat. Juxta flumen *Loder* in Weſtmorlandia ſæpius de die. Puteus ad flumen *Ogmore* prope *Newton* in agro *Glamorgan* diſſitus à Sabrina plus minus mille paſſus æſtate ſingulis æſtibus exurgit ad magnam alti-

altitudinem. Observandi veniunt æstus in Sabrina & Humbro quos nostrates. *Hygras* vocant.

Catarrhactarum duorum meminerunt scriptores nostri ad *Kan* prope *Kendal* in Northumbria. quorum si medius stridule magis, & altius sonat certo expectant incolæ serenitatem at Australis eodem sono presagit nebulas & pluviam. Narravit mihi Ds. *Williams* doctissimus Jurisperitus se cum aliquot sociis judicem in itinerario suo Cambrobritann. comitantem observasse ex valle sereno aere in cacumine montis nigerrimam parvamq; nubem & inde pluviam. Qui miratus hoc ascendit montem viditq; nubem pluviamq; ortas ex Catarrhacta aquam in minimas guttulas dividente ex casu impetuofo. Simile quid alicubi refert incomparabilis *Boylæus* sibi contigisse (ni fallor) in Alpibus.

Sed ut telam retexam stemq; promissis in principio operis recensenda mihi loca celebriora in quibus arbores subterraneæ inveniuntur, viz. in Cornubia ad finem terræ in agris *Flints*, Pembrochienfi ubi ad littus maris tam confertæ cernuntur ut totum littus tanquam sylva cædua apparet, in Cestriensi, Cumbria & insula Anglesey & plerisq; locis Euro-borealibus. Vocant Indicenæ, *Noah's Ark*.

F I N I S.



Ald. Aldrovandus.
ACC. Catalogus Cantabrigiensis.
C Capp. ejusdem appendix.
CO. Catalog. Oxon.
CB. Caspar Bauhinus.
IB. Ioann. Baubin.
G. Gerardus emaculatus.
G. Gesnerus.
I. Ionstonus.
M. Mouffetus.
P. Parkionus.
Pin. Pinax CB.
Turn. Turnerus.





1243

